SAFETY DATA SHEET

Version #: 04 Issue date: 09-03-2021 Revision date: 08-04-2023 Supersedes date: 07-23-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 1. Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Trade name or designation of the mixture	Insulcast RTVS 27 - Part B
Registration number	-
Synonyms	None.
SKU#	IS115H, IS116H, IS123H
1.2. Relevant identified uses of t Identified uses	the substance or mixture and uses advised against Not available.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company Name	ITW Performance Polymers
Address	Bay 150
	Shannon Industrial Estate
	Co. Clare
	Ireland
	V14 DF82
Contact Person	Customer Service
Telephone Number	353(61)771500
	353(61)471285
Email	customerservice.shannon@itwpp.com
Emergency Phone Number	44(0) 1235 239 670 (24 hours)
1.4. Emergency telephone numb General in EU	per 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Center	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Center	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone numb	er
Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Environmental hazards

Hazardous to the aquatic environment, Category 3 long-term aquatic hazard

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended UFI:

Contains: Contains: N	Austria: MD35-U1Y9-X001-9NPU Belgium: MD35-U1Y9-X001-9NPU Croatia: MD35-U1Y9-X001-9NPU Cyprus: MD35-U1Y9-X001-9NPU Czech Republic: MD35-U1Y9-X001-9NPU Denmark: MD35-U1Y9-X001-9NPU Estonia: MD35-U1Y9-X001-9NPU EU: MD35-U1Y9-X001-9NPU Finland: MD35-U1Y9-X001-9NPU Germany: MD35-U1Y9-X001-9NPU Germany: MD35-U1Y9-X001-9NPU Ulargary: MD35-U1Y9-X001-9NPU Ulargary: MD35-U1Y9-X001-9NPU Italy: MD35-U1Y9-X001-9NPU Italy: MD35-U1Y9-X001-9NPU Italy: MD35-U1Y9-X001-9NPU Italy: MD35-U1Y9-X001-9NPU Ulargary: MD35-U1Y9-X001-9NPU Italy: MD35-U1Y9-X001-9NPU Italy: MD35-U1Y9-X001-9NPU Ulargary: MD35-U1Y9-X001-9NPU Italy: MD35-U1Y9-X001-9NPU Latvia: MD35-U1Y9-X001-9NPU Ulargary: MD35-U1Y9-X001-9NPU Ulargary: MD35-U1Y9-X001-9NPU Ulargary: MD35-U1Y9-X001-9NPU Ulargary: MD35-U1Y9-X001-9NPU Soloraki: MD35-U1Y9-X001-9NPU Poland: MD35-U1Y9-X001-9NPU Poland: MD35-U1Y9-X001-9NPU Slovakia: MD35-U1Y9-X001-9NPU		
······	None		
······			
Signal word	None.		
Hazard statements	None. The mixture does not meet the criteria for classification.		
ecautionary statements Prevention	Avoid release to the environment.		
12/0	Not available.		
	Not available.		
	Not available.		
Disposal P501	Dispose of contents/container in accordance with local/regional/national/international regulations		
pplemental label information	99,99% of the mixture consists of component(s) of unknown acute inhalation toxicity. 99,99% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99,99% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.		
(e	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at concentration equal to or greater than 0.1% by weight.		
ECTION 3: Composition/in	nformation on ingredients		
2. Mixtures			
neral information			
Chemical name	% CAS-No. / EC No. REACH Registration No. Index No. Notes		
Quartz Classifica	30 - 60 14808-60-7 # 238-878-4 cation: Carc. 1A;H350		
Siloxanes and Silicones, di-Me, v group-terminated	, vinyl 15 - 40 68083-19-2		
Classifica	cation: -		

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	Exposure may cause temporary irritation, redness, or discomfort.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
SECTION 5: Firefighting n	neasures

U U	
General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Prevent product from entering drains.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage

7.1. Precautions for safe
handlingAvoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective
equipment. Avoid release to the environment. Observe good industrial hygiene practices.

2. Conditions for safe orage, including any compatibilities	Store in tightly closed container. Stor SDS).	e away from incompatible mate	erials (see Section 10 of the	
3. Specific end use(s)	Observe industrial sector guidance o	Observe industrial sector guidance on best practices.		
ECTION 8: Exposure co	ontrols/personal protection			
1. Control parameters				
ccupational exposure limits				
Austria. MAK List, OEL Or	dinance (GwV), BGBI. II, no. 184/2001,	as amended		
Components	Туре	Value	Form	
Quartz (CAS 14808-60-7)	МАК	0,05 mg/m3	Respirable dust.	
Belgium. OEL. Exposure L Chemical agents, as amen	imit Values to Chemical Substances a ded	at Work, Code of Well-being a	t work, Book VI, Title 1 -	
Components	Туре	Value	Form	
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.	
Bulgaria. OEL values of ca work, Ann. 1), as amended	rcinogens and mutagens at work (Reg	g. 10/2003 on prot. from carc	nogens and mutagens at	
			_	
Components	Туре	Value	Form	

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended Components Type Value Quartz (CAS 14808-60-7) MAC 0,1 mg/m3

dust

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Denmark. Work Environment Aut Components	hority. Exposure Limits for Su Type	bstances & Materials, Annex : Value	2 Form
Quartz (CAS 14808-60-7)	TLV	0,3 mg/m3	Total
		0,1 mg/m3	Respirable.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Type Value Form

components	туре	value	Tom
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Fine dust, respiratory fraction
Finland. HTP-arvot, App 3., Bindir	ng Limit Values, Social Affairs	and Ministry of Health	
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,05 mg/m3	Respirable.
France. OELs. Occupational Expo	sure Limits as Prescribed by	Art. R.4412-149 of Labor Code	e, as amended
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable dust.
France. Threshold Limit Values (V	/LEP) for Occupational Expos	ure to Chemicals in France, IN	NRS ED 984
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable fraction.
Regulatory status: Regulator	ory binding (VRC)		
Hungary. OELs. Decree on protec	tion of workers exposed to ch	emical agents (5/2020. (II.6)),	Annex 1&2, as amended
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Iceland. OELs. Regulation 390/200	9 on Pollution Limits and Mea	asures to Reduce Pollution at	the Workplace, as amended
Components	Туре	Value	Form

Quatz (CAS 14908-60-7) TWA 0,1 mg/m3 Respirable dust. Italy, OELs (Legislative Decree n.81, 9 April 2008), as amended Components Type Value Form Quatz (CAS 14908-60-7) TWA 0,025 mg/m3 Respirable fraction. Latvia, OELs, Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended Type Value Form Components Type Value Form Outrat/(CAS 14908-60-7) TWA 0.1 mg/m3 Respirable dust. Lithuania, OELs, Occupational Exposure Limit Values for Chemical Substances (Hygion Norm HN 23:2011; Order No. V234/1-338), as amended Components Type Value Form Quartz (CAS 14908-60-7) TWA 0.1 mg/m3 Respirable fraction. Lucembarg. General A, n * 232016, as amended Components Type Value Form Outrat/(CAS 14908-60-7) TWA 0.1 mg/m3 Respirable dust. Netherlands, OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 28 December 2006), as amended Samended Components Form Quartz (CAS 14908-60-7) TWA 0.1 mg/m3 Respirable dust. Norway, Regulatoh No.	Ireland. OELVs, Schedules 1 & 2, Code Components	e of Practice for Chemical Agents an Type	nd Carcinogens Reg Value	ulations Form
Components Type Value Form Quartz (CAS 14808-60-7) TWA 0.025 mg/m3 Respinable fraction. Latvia, OELs, Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex to components Type Value Form Quartz (CAS 14808-60-7) TWA 0.1 mg/m3 Respinable dust. Lithuanis. OELs, Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V324/A1.389), as amended Form Quartz (CAS 14808-60-7) TWA 0.1 mg/m3 Respinable fraction. Luxembourg, CCAS 14808-60-7) TWA 0.1 mg/m3 Respinable fraction. Luxembourg, CCAS 14808-60-7) TWA 0.1 mg/m3 Respinable dust. Quartz (CAS 14808-60-7) TWA 0.1 mg/m3 Respinable dust. Netherlands. DELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Form Quartz (CAS 14808-60-7) TWA 0.075 mg/m3 Respinable dust. Norway, Regulation No. 1335 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Form Quartz (CAS 14808-60-7) TUV 0.3 mg/m3	Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended Components Type Value Form Quartz (CAS 14808-80-7) TWA 0,1 mg/m3 Respirable dust. Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V322/A1.399, as amended Components Type Value Form Quartz (CAS 14808-80-7) TWA 0,1 mg/m3 Respirable fraction. Lixembourg, CAS 14808-80-7) TWA 0,1 mg/m3 Respirable dust. Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Components Type Value Form Quartz (CAS 14808-80-7) TWA 0,075 mg/m3 Respirable dust. Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Components Type Value Form Quartz (CAS 14808-80-7) TWA 0,075 mg/m3 Respirable dust. Norway, Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infoction Groups for Biological Factors, as amended Components Type Value Form Quartz (CAS 14808-80-7) TLV 0,3 mg/m3 Respirable dust. Poland, Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2016, Annex 1) Components Type Value Form Quartz (CAS 14808-80-7) TWA 0,025 mg/m3 Respirable fraction. Portugal, Value Form Quartz (CAS 14808-80-7) TWA 0,025 mg/m3 Respirable fraction. Portugal, Value Form Quartz (CAS 14808-80-7) TWA 0,025 mg/m3 Respirable fraction. Portugal, Value Form Quartz (CAS 14808-80-7) TWA 0,025 mg/m3 Respirable fraction. Portugal, Value Form Quartz (CAS 14808-80-7) TWA 0,025 mg/m3 Respirable fraction. Portugal, Value Form Quartz (CAS 14808-80-7) TWA 0,025 mg/m3 Respirable fraction. Slovakia, OELE for cractinogens and mutagens. Regulation No. 356/2006 on car		• //	Value	Form
1), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Lithuania. OELS, Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V 324/A1.399, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Luxembourg, Chemical Substances Prohibited at Work (Annex III), G.D.R. of 14 November 2016, OJ Memorial A, n * 25/2016, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Netherlands. OELS per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,0.1 mg/m3 Respirable dust. Norway, Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Components Type Value Form Quartz (CAS 14808-60-7) TLV 0,0.3 mg/m3 Respirable dust. Norway, Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Components Type Value Form Quartz (CAS 14808-60-7) TLV 0,0.3 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,0.1 mg/m3 Respirable fraction. Potugal, VLES, Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,0.25 mg/m3 Respirable fraction. Slovakia, OELS for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,0.1 mg/m3 Respirable fraction. Slovakia, OELS for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,0.5 mg/m3 Respirable fraction	Quartz (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Liftuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hyglene Norm HN 23:2011; Order No. V-824A1-389), as amended Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Luxembourg. Chemical Substances Prohibited at Work (Annex III), G.D.R. of 14 November 2016; OJ Menorial A, n * 235/2016, as amended Components Type Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Netherlands. OELs per Annex XIII of Working Conditions Regulation (Statscourant no. 252, 29 December 2006), as amended Components Quartz (CAS 14808-60-7) TWA 0,075 mg/m3 Respirable dust. Norway, Regulation No. 1358 on Measures and Linkt Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Respirable dust. Norway, Regulation No. 1358 on Measures and Intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Form Quartz	1), as amended			
Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hyglene Norm HN 23:2011; Order No. V-32/471-389), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Luxembourg. Chemical Substances Prohibited at Work (Annex III), G.D.R. of 14 November 2016, OJ Memorial A, n * 253/2016, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Netherlands, OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,075 mg/m3 Respirable dust. Notray. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Components Type Value Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. O.05 mg/m3 Respirable dust. Nork Environment and Infection Groups for Biological Factors, as amended Components Type Value Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. 0.05 mg/m3 Respirable dust. Poland, Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal, VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Slovakia, OELS for carcinogens and mutagens. Regulation No. 355/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Spain, OELS. INSST, Limites de Exposición Profesional Para Agentes Quinticos, Table 1-Valores Limites Ambientales (VAs) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Spain, OELS. (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Components Type Value Form Quartz (CAS	-		0,1 mg/m3	Respirable dust.
Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Luxembourg. Chemical Substances Prohibited at Work (Annex III), G.D.R. of 14 November 2016, OJ Memorial A, n * 235/2016, as amended Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Gomponents Form Quartz (CAS 14808-60-7) TWA 0.075 mg/m3 Respirable dust. Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Form Quartz (CAS 14808-60-7) TUV 0,3 mg/m3 Total dust. Outraty (CAS 14808-60-7) TUV 0,3 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,11 mg/m3 Respirable fraction. Components Type Value Form </td <td>Lithuania. OELs. Occupational Exposu</td> <td>re Limit Values for Chemical Subst</td> <td></td> <td></td>	Lithuania. OELs. Occupational Exposu	re Limit Values for Chemical Subst		
Luxembourg. Chemical Substances Prohibited at Work (Annex III), G.D.R. of 14 November 2016, OJ Memorial A, n * 235/2016, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,075 mg/m3 Respirable dust. Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Components Type Value Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Cotal dust. O,05 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,01 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1795-2014) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,025 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,05 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,05 mg/m3 Respirable fraction. Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Components Type V	-	Туре	Value	Form
235/2016, as amended Type Value Form Components Type Value Form Quartz (CAS 14508-60-7) TWA 0.1 mg/m3 Respirable dust. Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Components Type Quartz (CAS 14808-60-7) TWA 0.075 mg/m3 Respirable dust. Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Form Quartz (CAS 14808-60-7) TLV 0.3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0.3 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0.1 mg/m3 Respirable fraction. Quartz (CAS 14808-60-7) TWA 0.1 mg/m3 Respirable fraction. Quartz (CAS 14808-60-7) TWA 0.1 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Form Components Type Value Form Quartz (CAS 14808-60-7) TWA 0.25 mg/m	Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Netherlands, OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Form Quartz (CAS 14808-60-7) TWA 0,075 mg/m3 Respirable dust. Norway, Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1795-2014) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,25 mg/m3 Respirable fraction. Siovakia. OELs for carcinogens and mutagens. Regulation	235/2016, as amended			
Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,075 mg/m3 Respirable dust. Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0,05 mg/m3 Respirable dust. Poland, Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Form Quartz (CAS 14808-60-7) TWA 0,225 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Spain. OELs INSST, Limites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Limites Amblen	•			
amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,075 mg/m3 Respirable dust. Norway, Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Value Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0,05 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,025 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Slovakia. OELs INSST, Limites de Exposición Profesional Para	Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Type Twa 0.075 mg/m3 Respirable dust. Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,025 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,025 mg/m3 Respirable fraction. Spain. OELs INSST, Limites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Limites Ambientales (VLAs) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,05 mg/m3		orking Conditions Regulation (Staa	atscourant no. 252, 2	9 December 2006), as
Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended Yalue Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0.025 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Stovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Spain. OELs. INSST, Limites de Exposición Profesional Para A	Components	Туре	Value	Form
Infection Groups for Biological Factors, as amended Components Type Value Form Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. 0,05 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,025 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,05 mg/m3 Respirable fraction. Spain. OELs. (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,11 mg/m3 Respirable fraction. Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,11 mg/m3 Respirable dust. Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,15 mg/m3 Respirable dust. Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,15 mg/m3 Respirable fraction. UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Components Type Value Form	Quartz (CAS 14808-60-7)	TWA	0,075 mg/m3	Respirable dust.
Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Total dust. Quartz (CAS 14808-60-7) TLV 0,3 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Form Quartz (CAS 14808-60-7) TWA 0,025 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Solvakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Spain. OELs. INSST, Limites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Limites Ambientales (VLAs) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,05 mg/m3 Respirable fraction. Spain. OELs. INSST, Limites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Limites Ambientales (VLAs) Components Type Value Form	Infection Groups for Biological Factors	s, as amended		
0,05 mg/m3 Respirable dust. Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Form Quartz (CAS 14808-60-7) TWA 0,025 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable fraction. Spain. OELs. INSST, Limites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs) Components Type Quartz (CAS 14808-60-7) TWA 0,05 mg/m3 Respirable fraction. Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Components Type Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as am				
Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz.1286/2018, Annex 1)TypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)FormQuartz (CAS 14808-60-7)TWA0,025 mg/m3Respirable fraction.Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amendedFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amendedFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)FormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amendedGomponentsTypeQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.Uaurtz (CAS 14808-60-7)TWA0,15 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsFormValueFormQ	Qualiz (CAS 14000-00-7)			
Quartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) ComponentsFormQuartz (CAS 14808-60-7)TWA0,025 mg/m3Respirable fraction.Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)FormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)FormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amendedFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsForm	1286/2018, Annex 1)		actors in the work e	nvironment (Dz.U.Poz.
Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) ComponentsFormQuartz (CAS 14808-60-7)TWA0,025 mg/m3Respirable fraction.Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs) ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Spain. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsForm				
ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,025 mg/m3Respirable fraction.Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amendedTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Spain. OELs. INSST, Limites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)FormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended ComponentsFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Sweten. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended ComponentsFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.Witzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsFormFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsForm			-	Respirable fraction.
Slovakia. OELs for carcinogens and mutagens. Regulation No. 356/2006 on carcinogenic and mutagenic substances, as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs) ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsTypeValueForm	Components	Туре	Value	
amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Spain. OELs. INSST, Limites de Exposición Profesional Para Agentes Químicos, Table 1-ValoresLímites Ambientales (VLAs)ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values(AFS 2018:1), as amended ComponentsFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.Quartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsForm	Quartz (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable fraction.Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)TypeValueFormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Quartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsForm	amended		-	-
Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs) Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,05 mg/m3 Respirable fraction. Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust. Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte Components Type Value Form Quartz (CAS 14808-60-7) TWA 0,15 mg/m3 Respirable fraction. Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte Components Form Quartz (CAS 14808-60-7) TWA Quartz (CAS 14808-60-7) TWA 0,15 mg/m3 Respirable fraction. UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Form	-	-		
(VLAs) ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsFormFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsFormForm	, , ,			·
Quartz (CAS 14808-60-7)TWA0,05 mg/m3Respirable fraction.Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.Uuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 TypeFormForm	(VLAs)	-	·	
amended ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 TypeFormForm	Quartz (CAS 14808-60-7)	-	0,05 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable dust.Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsForm		nment Authority (AV), Occupationa	I Exposure Limit Val	lues (AFS 2018:1), as
Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte ComponentsValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 ComponentsForm	-			
ComponentsTypeValueFormQuartz (CAS 14808-60-7)TWA0,15 mg/m3Respirable fraction.UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 TypeForm	Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Components Type Value Form		-	Value	Form
Components Type Value Form	Quartz (CAS 14808-60-7)	TWA	0,15 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)TWA0,1 mg/m3Respirable.	· ·			Form
	Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable.

Material name: Insulcast RTVS 27 - Part B - ITWPP - Montgomeryville

IS115H, IS116H, IS123H Version #: 04 Revision date: 08-04-2023 Issue date: 09-03-2021

Components	7/EC on carcinogen and mutagens from An Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction and dust
Biological limit values	No biological exposure limits noted for the in	ngredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedures.		
Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
8.2. Exposure controls			
Appropriate engineering controls	Good general ventilation should be used. Ve applicable, use process enclosures, local ex maintain airborne levels below recommende established, maintain airborne levels to an a	chaust ventilation, or othe	er engineering controls to
Individual protection measures	s, such as personal protective equipment		
General information	Personal protection equipment should be ch discussion with the supplier of the personal		EN standards and in
Eye/face protection	Wear safety glasses with side shields (or go	oggles).	
Skin protection			
- Hand protection	Wear appropriate chemical resistant gloves		
- Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear suita	ble respiratory equipmen	t.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
Hygiene measures	Always observe good personal hygiene mea and before eating, drinking, and/or smoking equipment to remove contaminants.		
Environmental exposure controls	Inform appropriate managerial or supervisor from ventilation or work process equipment requirements of environmental protection le modifications to the process equipment may levels.	should be checked to en gislation. Fume scrubber	sure they comply with the s, filters or engineering

SECTION 9: Physical and chemical properties

9.1. Information on basic physic	cal and chemical properties
Physical state	Liquid.
Form	Liquid.
Color	Opaque.
Odor	Slight.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not applicable.
Flash point	>201,0 °F (>93,9 °C)
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapor pressure	Not available.
Density and/or relative density	
Density	1,47 g/cm3
Vapor density	Not available.

Particle characteristics	Not available.		
9.2. Other information			
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.		
9.2.2. Other safety characteristics Specific gravity	s 1,47		
SECTION 10: Stability and	reactivity		
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
10.2. Chemical stability	Material is stable under normal conditions.		
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.		
10.5. Incompatible materials	Strong oxidizing agents.		
10.6. Hazardous decomposition products	No hazardous decomposition products are known.		
SECTION 11: Toxicologica	I information		
General information	Occupational exposure to the substance or mixture may cause adverse effects.		
Information on likely routes of ex	cposure		
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	May be irritating to eyes.		
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.		
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.		
11.1. Information on hazard class	ses as defined in Regulation (EC) No 1272/2008		
Acute toxicity	May be harmful if inhaled.		
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.		
Serious eye damage/eye irritation	May be irritating to eyes. Due to partial or complete lack of data the classification is not possible.		
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.		
Skin sensitization	Due to partial or complete lack of data the classification is not possible.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classified.		
IARC Monographs. Overall E	• •		
Quartz (CAS 14808-60-7)			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause irritation to the respiratory system.		
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.		
Mixture versus substance information	No information available.		
11.2. Information on other hazard	ls		
Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.		
	Not available.		

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

	•	
	14.1. UN number	Not regulated as dangerous goods.
	14.2. UN proper shipping	Not regulated as dangerous goods.
	name	
	14.3. Transport hazard class(es)	
	Class	Not assigned.
	Subsidiary risk	-
	Hazard No. (ADR)	Not assigned.
	Tunnel restriction code	Not assigned.
	14.4. Packing group	-
	14.5. Environmental hazards	No.
	14.6. Special precautions	Not assigned.
	for user	
RID		
	14.1. UN number	Not regulated as dangerous goods.
	14.2. UN proper shipping	Not regulated as dangerous goods.
	name	
	14.3. Transport hazard class(es)	
	Class	Not assigned.
	Subsidiary risk	-
	14.4. Packing group	-
	14.5. Environmental hazards	No.
	14.6. Special precautions	Not assigned.
	for user	
AD	N	
	14.1. UN number	Not regulated as dangerous goods.
	14.2. UN proper shipping	Not regulated as dangerous goods.
	name	
	14.3. Transport hazard class(es)	
	Class	Not assigned.
	Subsidiary risk	-

14.4. Packing group 14.5. Environmental hazards 14.6. Special precautions for user IATA	- No. Not assigned.
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions	Not assigned.
for user	
IMDG	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions for user	Not assigned.
14.7. Maritime transport in bulk according to IMO instruments	Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Austria: MD35-U1Y9-X001-9NPU Belgium: MD35-U1Y9-X001-9NPU Bulgaria: MD35-U1Y9-X001-9NPU Croatia: MD35-U1Y9-X001-9NPU Cyprus: MD35-U1Y9-X001-9NPU Czech Republic: MD35-U1Y9-X001-9NPU Denmark: MD35-U1Y9-X001-9NPU Estonia: MD35-U1Y9-X001-9NPU EU: MD35-U1Y9-X001-9NPU Finland: MD35-U1Y9-X001-9NPU France: MD35-U1Y9-X001-9NPU Germany: MD35-U1Y9-X001-9NPU Greece: MD35-U1Y9-X001-9NPU Hungary: MD35-U1Y9-X001-9NPU Iceland: MD35-U1Y9-X001-9NPU Ireland: MD35-U1Y9-X001-9NPU Italy: MD35-U1Y9-X001-9NPU Latvia: MD35-U1Y9-X001-9NPU Lithuania: MD35-U1Y9-X001-9NPU Luxembourg: MD35-U1Y9-X001-9NPU Malta: MD35-U1Y9-X001-9NPU Netherlands: MD35-U1Y9-X001-9NPU Norway: MD35-U1Y9-X001-9NPU Poland: MD35-U1Y9-X001-9NPU Portugal: MD35-U1Y9-X001-9NPU Romania: MD35-U1Y9-X001-9NPU Slovakia: MD35-U1Y9-X001-9NPU Slovenia: MD35-U1Y9-X001-9NPU Spain: MD35-U1Y9-X001-9NPU Sweden: MD35-U1Y9-X001-9NPU

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Quartz (CAS 14808-60-7)

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Other regulations

tions Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Quartz (CAS 14808-60-7)

Affections consécutives à l'inhalation de poussières minérales renfermant de la silicecristalline (quartz, cristobalite, tridymite), des silicates cristallins (kaolin, talc), du graphite ou de la houille 25

Product registration number

Austria	UFI: MD35-U1Y9-X001-9NPU
Belgium	UFI: MD35-U1Y9-X001-9NPU
Czech Republic	UFI: MD35-U1Y9-X001-9NPU
Denmark	UFI: MD35-U1Y9-X001-9NPU
Finland	UFI: MD35-U1Y9-X001-9NPU
France	UFI: MD35-U1Y9-X001-9NPU
Germany	UFI: MD35-U1Y9-X001-9NPU
Greece	UFI: MD35-U1Y9-X001-9NPU
Hungary	UFI: MD35-U1Y9-X001-9NPU
Italy	UFI: MD35-U1Y9-X001-9NPU
Netherlands	UFI: MD35-U1Y9-X001-9NPU
Norway	UFI: MD35-U1Y9-X001-9NPU
Portugal	UFI: MD35-U1Y9-X001-9NPU
Slovakia	UFI: MD35-U1Y9-X001-9NPU
Slovenia	UFI: MD35-U1Y9-X001-9NPU

SECTION 16: Other information

List of abbreviations

	 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full under sections 2 to 15	H350 May cause cancer.
Revision information	Physical & Chemical Properties: Multiple Properties
Training information	Follow training instructions when handling this material.
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.