SAFETY DATA SHEET

1. Identification

1. Identification			
Product identifier	Insulcast RTVS 27 Gray - Part A		
Other means of identification			
SKU#	IS115R, IS116R, IS123R		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplie	r/Distributor information		
Company name	ITW Performance Polymers		
Address	35 Brownridge Road		
	Unit 1		
	Halton Hills, ON L7G 0C6		
Contact person	Customer Service		
Telephone number	215-855-8450		
Fax number	215-855-4688		
Emergency Number	800-424-9300 (CHEMTREC)		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral	Category 5	
	Acute toxicity, dermal	Category 5	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3	
	Hazardous to the aquatic environment, long-term hazard	Category 3	
Label elements			
Hazard symbol	None.		
Signal word	Warning		
Hazard statement	May be harmful if swallowed. May be harmful to aquatic life with long lasting effects.	in contact with skin. Harmful to aquatic life. Harmful	
Precautionary statement			
Prevention	Avoid release to the environment.		
Response	Not available.		
Storage	Not available.		
Disposal	Dispose of contents/container in accordance v	with local/regional/national/international regulations.	
Supplemental information	 97.87 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 97.87 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 97.87 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. 		
Other hazards	None known.		

3. Composition/information on ingredients

Mixtures		
Common name and synonyms	CAS number	%
	14808-60-7	30 - 60
	Proprietary	30 - 60
	63148-62-9	5 - 10
	Common name and synonyms	14808-60-7 Proprietary

Chemical name	Common name and synonyms	CAS number	%
Carbon Black		1333-86-4	< 0.3
Other components below reportable levels			0.1 - 1

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

6. Accidental release mea	30165
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	 Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not taste or swallow. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

upational exposure limits			
US. ACGIH Threshold Limit	t Values (TLV)		
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occ	cupational Health & Safety Code, Sch	edule 1, Table 2), as amended	
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3.5 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Canada. British Columbia (Safety Regulation 296/97, a	DELs. (Occupational Exposure Limits as amended)	s for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (R Components	eg. 217/2006, The Workplace Safety / Type	And Health Act), as amended Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Publication (New Brunswic Components Carbon Black (CAS	Type TWA	Value 3.5 mg/m3	Form
1333-86-4)		0.0 mg/mo	
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
Canada. Ontario OELs. (Co	TWA ontrol of Exposure to Biological or Ch Type	· ·	Respirable. Form
Quartz (CAS 14808-60-7) Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4)	ntrol of Exposure to Biological or Ch	nemical Agents), as amended	
Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4)	ontrol of Exposure to Biological or Ch Type	nemical Agents), as amended Value	Form
Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Mi	ontrol of Exposure to Biological or Ch Type TWA	nemical Agents), as amended Value 3 mg/m3 0.1 mg/m3	Form Inhalable fraction. Respirable fraction.
Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Mi Components Carbon Black (CAS	ntrol of Exposure to Biological or Cr Type TWA TWA nistry of Labor - Regulation respection	nemical Agents), as amended Value 3 mg/m3 0.1 mg/m3 ng occupational health and sat	Form Inhalable fraction. Respirable fraction. fety), as amended
Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Mi Components Carbon Black (CAS 1333-86-4)	ntrol of Exposure to Biological or Ch Type TWA TWA nistry of Labor - Regulation respectin Type	nemical Agents), as amended Value 3 mg/m3 0.1 mg/m3 ng occupational health and sat Value	Form Inhalable fraction. Respirable fraction. fety), as amended Form
Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Mi Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Saskatchewan OE	ntrol of Exposure to Biological or Cr Type TWA TWA nistry of Labor - Regulation respectin Type TWA	nemical Agents), as amended Value 3 mg/m3 0.1 mg/m3 ng occupational health and sat Value 3 mg/m3 0.1 mg/m3	Form Inhalable fraction. Respirable fraction. fety), as amended Form Inhalable dust. Respirable dust.
Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Mi Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Saskatchewan OE Components Carbon Black (CAS	ntrol of Exposure to Biological or Ch Type TWA TWA nistry of Labor - Regulation respectin Type TWA TWA SLS (Occupational Health and Safety I	nemical Agents), as amended Value 3 mg/m3 0.1 mg/m3 ng occupational health and sat Value 3 mg/m3 0.1 mg/m3 Regulations, 1996, Table 21), a	Form Inhalable fraction. Respirable fraction. fety), as amended Form Inhalable dust. Respirable dust.
Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Mi Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7)	ntrol of Exposure to Biological or Ch Type TWA TWA nistry of Labor - Regulation respectin Type TWA TWA ELS (Occupational Health and Safety I Type	nemical Agents), as amended Value 3 mg/m3 0.1 mg/m3 ng occupational health and sat Value 3 mg/m3 0.1 mg/m3 Regulations, 1996, Table 21), a Value 7 mg/m3	Form Inhalable fraction. Respirable fraction. fety), as amended Form Inhalable dust. Respirable dust.
Canada. Ontario OELs. (Co Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Mi Components Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7) Canada. Saskatchewan OE Components Carbon Black (CAS 1333-86-4)	ontrol of Exposure to Biological or Ch Type TWA TWA nistry of Labor - Regulation respectin Type TWA TWA ELS (Occupational Health and Safety I Type 15 minute	hemical Agents), as amended Value 3 mg/m3 0.1 mg/m3 ng occupational health and sat Value 3 mg/m3 0.1 mg/m3 Regulations, 1996, Table 21), a Value 7 mg/m3 for the ingredient(s). used. Ventilation rates should be local exhaust ventilation, or othe nmended exposure limits. If expo	Form Inhalable fraction. Respirable fraction. fety), as amended Form Inhalable dust. Respirable dust. s amended matched to conditions. If r engineering controls to

Skin protection		
Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. Physical and chemical properties

5. Thysical and chemical	
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Grey.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	251.7 °C (485.0 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	12.47 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.5
VOC	0
10 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.

11. Toxicological information

Information on likely routes of	exposure		
Inhalation	No adverse effects due to inhalation are expected.		
Skin contact	May be harmful in contact with skin.		
Eye contact	Direct contact with eyes may	cause temporary irritation.	
Ingestion	May be harmful if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may	cause temporary irritation.	
Information on toxicological ef	fects		
Acute toxicity	May be harmful in contact with skin. May be harmful if swallowed.		
Components	Species	Test Results	
Carbon Black (CAS 1333-86-4)			

Carbon Black (CAS 1333-86-4)			
Acute			
Oral			
LD50	Rat	> 8000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitisation	n		
Canada - Alberta OELs: Irritant			
Carbon Black (CAS 1333-86-4) Irritant		Irritant	
Respiratory sensitisation	Not a respiratory sensitiser.		
Skin sensitisation	This product is not expected	to cause skin sensitisation.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity			
ACGIH Carcinogens			
Carbon Black (CAS 1333	-86-4)	A3 Confirmed animal carcinogen with unknown relevance to humans.	
Quartz (CAS 14808-60-7)	A2 Suspected human carcinogen.	
Canada - Alberta OELs: Car	cinogen category		
Quartz (CAS 14808-60-7	,	Suspected human carcinogen.	
Canada - Manitoba OELs: c	• •		
Carbon Black (CAS 1333 Quartz (CAS 14808-60-7)	Confirmed animal carcinogen with unknown relevance to humans. Suspected human carcinogen.	
Canada - Quebec OELs: Ca			
Carbon Black (CAS 1333		Detected carcinogenic effect in animals.	
Quartz (CAS 14808-60-7) Evaluation of Carcinogenicity	Suspected carcinogenic effect in humans.	
Carbon Black (CAS 1333		2B Possibly carcinogenic to humans.	
Quartz (CAS 14808-60-7		1 Carcinogenic to humans.	
US. National Toxicology Pro	ogram (NTP) Report on Carci		
Carbon Black (CAS 1333 Quartz (CAS 14808-60-7		Known To Be Human Carcinogen. Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected	to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		

12. Ecological information		
Ecotoxicity	Harmful to aquatic life with long lasting effects.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. **Greenhouse Gases** Not listed. **Precursor Control Regulations** Not regulated. International regulations **Stockholm Convention** Not applicable. **Rotterdam Convention** Not applicable. **Kyoto Protocol** Not applicable. **Montreal Protocol** Not applicable. **Basel Convention** Not applicable.

International Inventories

Country(s) or region	Inventory name On inventory	(yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Ves" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country(s)	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	20-May-2020
Revision date	14-August-2023
Version No.	04
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Physical & Chemical Properties: Multiple Properties