# **SAFETY DATA SHEET**

1. Identification

Product identifier Insulcast RTVS 27 Gray - Part A

Other means of identification

**SKU#** IS115R, IS116R, IS123R

Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name ITW Performance Polymers
Address 130 Commerce Drive
Montgomeryville, PA 18936

United States

**Telephone** Customer Service 215-855-8450

Website www.itwperformancepolymers.com

E-mail Not available.

Contact person EHS Department

Emergency phone number CHEMTREC 800-424-9300

International 703-527-3887

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 5

Acute toxicity, dermal Category 5

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life. Harmful

to aquatic life with long lasting effects.

Precautionary statement

**Prevention** Avoid release to the environment.

Response Not available.
Storage Not available.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** 97.87% of the mixture consists of component(s) of unknown acute inhalation toxicity. 97.87% of

the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 97.87% of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name | Common name and synonyms | CAS number | %       |
|---------------|--------------------------|------------|---------|
| Quartz        |                          | 14808-60-7 | 30 - 60 |

Material name: Insulcast RTVS 27 Gray - Part A

SDS US

| Chemical name                            | Common name and synonyms | CAS number  | %       |
|--|--------------------------|-------------|---------|
| Silicone Polymer                         |                          | Proprietary | 30 - 60 |
| Polydimethylsiloxane                     |                          | 63148-62-9  | 5 - 10  |
| Carbon Black                             |                          | 1333-86-4   | 0.1 - 1 |
| Other components below reportable levels |                          |             | 0.1 - 1 |

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical advice/attention if you feel unwell. Get medical

attention if irritation develops and persists. Wash contaminated clothing before reuse.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

cymptoms may be delayed.

treatment needed
General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

#### **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

#### Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components                              | ssible Exposure Limits (PEL) for Air (<br>Type  | Value   | Form                 |  |
|---|---|---|----------------------|--|
| Carbon Black (CAS<br>1333-86-4)         | PEL   | 3.5 mg/m3                                     |                      |  |
| Quartz (CAS 14808-60-7)                 | PEL   | 0.05 mg/m3                                    | Respirable dust.     |  |
| US. OSHA Table Z-3 Permi                | ssible Exposure Limits (PEL) for Mine<br>Type   | eral Dusts (29 CFR 1910.1000)<br>Value        | Form                 |  |
| Carbon Black (CAS 1333-86-4)            | TWA   | 5 mg/m3                                       | Respirable fraction. |  |
| ,                                       |   | 15 mg/m3                                      | Total dust.          |  |
|   |   | 50 mppcf                                      | Total dust.          |  |
|   |   | 15 mppcf                                      | Respirable fraction. |  |
| Quartz (CAS 14808-60-7)                 | TWA   | 0.1 mg/m3                                     | Respirable.          |  |
|   |   | 2.4 mppcf                                     | Respirable.          |  |
| US. ACGIH Threshold Limi                | t Values (TLV)  |   |                      |  |
| Components                              | Туре  | Value   | Form                 |  |
| Carbon Black (CAS 1333-86-4)            | TWA   | 3 mg/m3                                       | Inhalable fraction.  |  |
| Quartz (CAS 14808-60-7)                 | TWA   | 0.025 mg/m3                                   | Respirable fraction. |  |
| NIOSH. Immediately Dange<br>Components  | rous to Life or Health (IDLH) Values,<br>Type   | as amended<br>Value                           |                      |  |
| Carbon Black (CAS                       | IDLH  | 1750 mg/m3                                    |                      |  |
| 1333-86-4)                              |   | •   |                      |  |
| Quartz (CAS 14808-60-7)                 | IDLH  | 50 mg/m3                                      |                      |  |
| US. NIOSH: Pocket Guide t<br>Components | o Chemical Hazards Recommended<br>Type  | Exposure Limits (REL)<br>Value                | Form                 |  |
| Carbon Black (CAS<br>1333-86-4)         | TWA   | 0.1 mg/m3                                     |                      |  |
| Quartz (CAS 14808-60-7)                 | TWA   | 0.05 mg/m3                                    | Respirable dust.     |  |
| ogical limit values                     | No biological exposure limits noted for   | or the ingredient(s).                         |                      |  |
| propriate engineering<br>trols          | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |   |                      |  |
| vidual protection measures              | , such as personal protective equipm  | nent  |                      |  |
| Eye/face protection                     | Wear safety glasses with side shield  | s (or goggles).                               |                      |  |
| Skin protection                         |   |   |                      |  |
| Hand protection                         | Wear appropriate chemical resistant   | gloves.                                       |                      |  |
| Other                                   | Wear appropriate chemical resistant   | Wear appropriate chemical resistant clothing. |                      |  |
| Respiratory protection                  | In case of insufficient ventilation, wear suitable respiratory equipment.   |   |                      |  |
| Thermal hazards                         | Wear appropriate thermal protective clothing, when necessary.   |   |                      |  |
| neral hygiene<br>siderations            | Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.   |   |                      |  |

Material name: Insulcast RTVS 27 Gray - Part A

SDS US

IS115R, IS116R, IS123R Version #: 07 Revision date: 08-14-2023 Issue date: 07-17-2014

# 9. Physical and chemical properties

Appearance Liquid.
Physical state Liquid.
Form Liquid.
Color Grey.
Odor Slight.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

**Flash point** 485.0 °F (251.7 °C)

Evaporation rate
Not available.
Flammability (solid, gas)
Not applicable.
Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 12.47 lb/gal **Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Oxidizing properties Not oxidizing.

Specific gravity 1.5 VOC 0

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition**No hazardous decomposition products are known.

products

# 11. Toxicological information

#### Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay be harmful in contact with skin.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** May be harmful if swallowed.

Material name: Insulcast RTVS 27 Gray - Part A

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity May be harmful in contact with skin. May be harmful if swallowed.

Components Species Test Results

Carbon Black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 8000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon Black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz (CAS 14808-60-7) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Carbon Black (CAS 1333-86-4) Known To Be Human Carcinogen. Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Material name: Insulcast RTVS 27 Gray - Part A

IS115R, IS116R, IS123R Version #: 07 Revision date: 08-14-2023 Issue date: 07-17-2014

#### Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz (CAS 14808-60-7)

Cancer lung effects

immune system effects

kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

categories

Acute toxicity (any route of exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US** state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Carbon Black (CAS 1333-86-4) Quartz (CAS 14808-60-7)

California Proposition 65



WARNING: This product can expose you to chemicals including Quartz, which is known to the State of

California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Carbon Black (CAS 1333-86-4) Listed: February 21, 2003

Material name: Insulcast RTVS 27 Gray - Part A IS115R, IS116R, IS123R Version #: 07 Revision date: 08-14-2023 Issue date: 07-17-2014

#### International Inventories

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Industrial Chemicals (AICIS)                   | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                             | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

# country(s). 16. Other information, including date of preparation or last revision

 Issue date
 07-17-2014

 Revision date
 08-14-2023

Version # 07

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0 Personal protection: B

NFPA ratings Health: 2

Flammability: 1 Instability: 0

**Disclaimer** ITW Performance Polymers cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

**Revision information** Physical & Chemical Properties: Multiple Properties

IS115R, IS116R, IS123R Version #: 07 Revision date: 08-14-2023 Issue date: 07-17-2014