SAFETY DATA SHEET

Version #: 09

Issue date: 07-22-2014 Revision date: 08-04-2023 Supersedes date: 07-16-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Insulcast RTVS 42 Curtis II - Part A

Registration number

Synonyms None. SKU# IS130R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

Control Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Insulcast RTVS 42 Curtis II - Part A

IS130R Version #: 09 Revision date: 08-04-2023 Issue date: 07-22-2014

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

Latvia Poison and Drug Information Center Lithuania Neatidėliotina

available for the Emergency Service.) +370 5 236 20 52 or +37068753378 (Hours of operation not provided.

informacija apsinuodijus Malta Accident and **Emergency Department**

SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be

113

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Sweden National Poison

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Information Center Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye irritation.

> H317 - May cause an allergic skin Category 1

> > reaction.

Environmental hazards

long-term aquatic hazard

Skin sensitization

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: A545-E15V-P00G-8QXE Belgium: A545-E15V-P00G-8QXE Bulgaria: A545-E15V-P00G-8QXE Croatia: A545-E15V-P00G-8QXE Cyprus: A545-E15V-P00G-8QXE

Czech Republic: A545-E15V-P00G-8QXE
Denmark: A545-E15V-P00G-8QXE
Estonia: A545-E15V-P00G-8QXE
EU: A545-E15V-P00G-8QXE
Finland: A545-E15V-P00G-8QXE
France: A545-E15V-P00G-8QXE
Germany: A545-E15V-P00G-8QXE
Greece: A545-E15V-P00G-8QXE
Hungary: A545-E15V-P00G-8QXE
Iceland: A545-E15V-P00G-8QXE
Ireland: A545-E15V-P00G-8QXE
Italy: A545-E15V-P00G-8QXE
Latvia: A545-E15V-P00G-8QXE
Lithuania: A545-E15V-P00G-8QXE

Latvia: A545-E15V-P00G-8QXE Lithuania: A545-E15V-P00G-8QXE Luxembourg: A545-E15V-P00G-8QXE Malta: A545-E15V-P00G-8QXE Netherlands: A545-E15V-P00G-8QXE Norway: A545-E15V-P00G-8QXE Poland: A545-E15V-P00G-8QXE Portugal: A545-E15V-P00G-8QXE Romania: A545-E15V-P00G-8QXE Slovakia: A545-E15V-P00G-8QXE

Slovenia: A545-E15V-P00G-8QXE Spain: A545-E15V-P00G-8QXE Sweden: A545-E15V-P00G-8QXE

Contains: oxirane, mono[(C12-14-alkyloxy)methyl] derivs., reaction product: bisphenol-A-(epichlorhydrin);

epoxy resin (number average molecular weight ≤ 700)

Hazard pictograms



Signal word Warning

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P261 Avoid breathing mist/vapors.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.
P280 Wear eye protection/face protection.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Ĝet medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

53,02% of the mixture consists of component(s) of unknown acute inhalation toxicity. 99,18% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 87,33% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

environmen

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name % CAS-No. / EC No. REACH Registration No. **Notes** Index No. 7 - 1301-2119456619-26-0000 603-074-00-8 reaction product: 25068-38-6 bisphenol-A-(epichlorhydrin); epoxy 500-033-5 resin (number average molecular weight ≤ 700)

Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Aquatic

Chronic 2;H411

Specific Concentration Limits: Skin Irrit. 2;H315: C ≥ 5 %, Eye Irrit. 2;H319: C ≥ 5 %

5 - 1068609-97-2 603-103-00-4 oxirane 271-846-8

mono[(C12-14-alkyloxy)methyl]

derivs.

Classification: Skin Irrit. 2;H315, Skin Sens. 1;H317

Other components below reportable 15 - 40

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

delayed

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. For emergency responders

Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all 6.2. Environmental precautions

environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent product from entering drains

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid

release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value	Form	
Alumina Trihydrate (CAS 21645-51-2)	MAK	5 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
	STEL	20 mg/m3	Inhalable fraction.	
		10 mg/m3	Respirable fraction.	

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -Chemical agents, as amended

Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Inhalable fraction

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Value Form Type

Alumina Trihydrate (CAS **VME** 4 mg/m3 Total dust. 21645-51-2)

Regulatory status: Regulatory binding (VRC)

0,9 mg/m3 Respirable dust.

Regulatory status: Regulatory binding (VRC)

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as undated

Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	4 mg/m3	Inhalable dust.

Material name: Insulcast RTVS 42 Curtis II - Part A

in the Work Area (DFG), as updated Components	Туре	Value	Form
		1,5 mg/m3	Respirable dust.
Germany. TRGS 900, Limit Values in	-		_
Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Iceland. OELs. Regulation 390/2009 Components	on Pollution Limits and Measures to Type	Reduce Pollution at Value	the Workplace, as amend Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Ireland. OELVs, Schedules 1 & 2, Co Components	ode of Practice for Chemical Agents a Type	nd Carcinogens Re Value	gulations Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	4 mg/m3	Respirable dust.
1043-31-2)		10 mg/m3	Total inhalable dust.
	re Limits of Chemical Substances at V	Workplace (Reg. No.	325/ 2007, L.V. 80, Anne
1), as amended Components	Туре	Value	
Alumina Trihydrate (CAS 21645-51-2)	TWA	6 mg/m3	
,	osure Limit Values for Chemical Subs	tances (Hygiene No	rm HN 23:2011: Order No
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended	osure Limit Values for Chemical Subs		rm HN 23:2011; Order No
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components	Туре	Value	rm HN 23:2011; Order No
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS			rm HN 23:2011; Order No
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible conc	Туре	Value 6 mg/m3	
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible conce 1286/2018, Annex 1)	Type TWA entrations and intensities of harmful f	Value 6 mg/m3 factors in the work 6	
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible conc 1286/2018, Annex 1) Components	Type TWA	Value 6 mg/m3 factors in the work of Value	environment (Dz.U.Poz.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS	Type TWA entrations and intensities of harmful f	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3	environment (Dz.U.Poz. Form Inhalable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2)	Type TWA entrations and intensities of harmful f Type TWA	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3	Form Inhalable fraction. Respirable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS	Type TWA entrations and intensities of harmful f	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3	environment (Dz.U.Poz. Form Inhalable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS	Type TWA entrations and intensities of harmful f Type TWA	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3	Form Inhalable fraction. Respirable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS	Type TWA entrations and intensities of harmful f Type TWA	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3 5 mg/m3	Form Inhalable fraction. Respirable fraction. Respirable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS	Type TWA entrations and intensities of harmful to Type TWA STEL	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3 5 mg/m3 10 mg/m3	Form Inhalable fraction. Respirable fraction. Respirable fraction. Inhalable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS 1317-61-9)	Type TWA entrations and intensities of harmful to Type TWA STEL	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 2,5 mg/m3	Provironment (Dz.U.Poz. Form Inhalable fraction. Respirable fraction. Respirable fraction. Inhalable fraction. Inhalable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS 1317-61-9) Portugal. VLEs. Norm on occupation Components Alumina Trihydrate (CAS	Type TWA entrations and intensities of harmful for the state of the s	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 2,5 mg/m3 1796-2014)	Inhalable fraction. Respirable fraction. Respirable fraction. Inhalable fraction. Inhalable fraction. Respirable fraction. Respirable fraction. Respirable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS 1317-61-9) Portugal. VLEs. Norm on occupation Components Alumina Trihydrate (CAS 21645-51-2) Slovakia. OELs. Maximum permissible	Type TWA entrations and intensities of harmful for the second of the s	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 2,5 mg/m3 1796-2014) Value 1 mg/m3	Inhalable fraction. Respirable fraction. Respirable fraction. Inhalable fraction. Inhalable fraction. Respirable fraction. Form Respirable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS 1317-61-9) Portugal. VLEs. Norm on occupation Components Alumina Trihydrate (CAS 21645-51-2) Blovakia. OELs. Maximum permissit Annex 1, Table 1, as amended)	Type TWA entrations and intensities of harmful to the state of the s	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 2,5 mg/m3 1796-2014) Value 1 mg/m3	Inhalable fraction. Respirable fraction. Respirable fraction. Inhalable fraction. Inhalable fraction. Respirable fraction. Form Respirable fraction.
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible concu 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Black Iron Oxide (CAS 1317-61-9) Portugal. VLEs. Norm on occupation Components Alumina Trihydrate (CAS 21645-51-2)	Type TWA entrations and intensities of harmful for the state of harmfu	Value 6 mg/m3 factors in the work of Value 2,5 mg/m3 1,2 mg/m3 5 mg/m3 2,5 mg/m3 2,5 mg/m3 1796-2014) Value 1 mg/m3	Inhalable fraction. Respirable fraction. Respirable fraction. Inhalable fraction. Inhalable fraction. Respirable fraction. Form Respirable fraction. Respirable fraction.

Value

10 mg/m3

1,25 mg/m3

Form

Inhalable fraction.

Respirable fraction.

Components

Alumina Trihydrate (CAS 21645-51-2)

Type

TWA

Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	3 mg/m3	Respirable fraction.
UK. OELs. Workplace Exposure I Components	Limits (WELs) (EH40/2005 (Fou Type	ırth Edition 2020)), Table 1 Value	Form
	` _ ' ` ` `	• • •	Form Respirable dust.

Biological limit values

Hungary. BELs. Decree of	on protection of work	workers exposed to chemical agents (5/2020. (II.6)), Annex 3&4, as amer		2020. (II.6)), Annex 3&4, as amended
Components	Value	Determinant	Specimen	Sampling Time
Alumina Trihydrate (CAS 21645-51-2)	0,25 µmol/mmol	Aluminum	Creatinine in urine	*
	0,06 mg/g	Aluminum	Creatinine in	*

^{* -} For sampling details, please see the source document.

Switzerland, SUVA Grenzwerte am Arbeitsplatz: Aktuelle BAT-Werte

Components	Value	Determinant	Specimen	Sampling Time
Alumina Trihydrate (CAS 21645-51-2)	50 μg/g	Aluminium	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles). Face shield is recommended. Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Color Black

Material name: Insulcast RTVS 42 Curtis II - Part A

IS130R Version #: 09 Revision date: 08-04-2023 Issue date: 07-22-2014

SDS FIL

Odor Slight.

Not available. Melting point/freezing point **Boiling point or initial boiling** Not available.

point and boiling range

Flammability Not applicable.

>200,0 °F (>93,3 °C) Flash point

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. pН Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure 1 mm Hg

Density and/or relative density

Density 11,90 lb/gal Vapor density Not available. Particle characteristics Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

1,43 Specific gravity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Strong oxidizing agents. 10.5. Incompatible materials

10.6. Hazardous decomposition products No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis, Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Material name: Insulcast RTVS 42 Curtis II - Part A IS130R Version #: 09 Revision date: 08-04-2023 Issue date: 07-22-2014 Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Not available. Other information

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria

are not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. Not available. Partition coefficient

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned.

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

Material name: Insulcast RTVS 42 Curtis II - Part A IS130R Version #: 09 Revision date: 08-04-2023 Issue date: 07-22-2014 RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards
Marine pollutant No.

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Material name: Insulcast RTVS 42 Curtis II - Part A

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: A545-E15V-P00G-8QXE Belgium: A545-E15V-P00G-8QXE Bulgaria: A545-E15V-P00G-8QXE Croatia: A545-E15V-P00G-8QXE Cyprus: A545-E15V-P00G-8QXE

Czech Republic: A545-E15V-P00G-8QXE Denmark: A545-E15V-P00G-8QXE Estonia: A545-E15V-P00G-8QXE EU: A545-E15V-P00G-8QXE Finland: A545-E15V-P00G-8QXE France: A545-E15V-P00G-8QXE Germany: A545-E15V-P00G-8QXE Greece: A545-E15V-P00G-8QXE Hungary: A545-E15V-P00G-8QXE Iceland: A545-E15V-P00G-8QXE Ireland: A545-E15V-P00G-8QXE Italy: A545-E15V-P00G-8QXE Latvia: A545-E15V-P00G-8QXE Lithuania: A545-E15V-P00G-8QXE Luxembourg: A545-E15V-P00G-8QXE Malta: A545-E15V-P00G-8QXE Netherlands: A545-E15V-P00G-8QXE Norway: A545-E15V-P00G-8QXE Poland: A545-E15V-P00G-8QXE Portugal: A545-E15V-P00G-8QXE Romania: A545-E15V-P00G-8QXE Slovakia: A545-E15V-P00G-8QXE Slovenia: A545-E15V-P00G-8QXE Spain: A545-E15V-P00G-8QXE Sweden: A545-E15V-P00G-8QXE

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EČ) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

époxydiques et leurs constituants 51

Maladies professionnelles provoquées par les résines

(CAS 25068-38-6)

Product registration number

UFI: A545-E15V-P00G-8QXE **Austria Belgium** UFI: A545-E15V-P00G-8QXE Czech Republic UFI: A545-E15V-P00G-8QXE UFI: A545-E15V-P00G-8QXE **Denmark European Union** UFI: A545-E15V-P00G-8QXE **Finland** UFI: A545-E15V-P00G-8QXE UFI: A545-E15V-P00G-8QXE **France** Germany UFI: A545-E15V-P00G-8QXE

UFI: A545-E15V-P00G-8QXE Greece Hungary UFI: A545-E15V-P00G-8QXE UFI: A545-E15V-P00G-8QXE Italy **Netherlands** UFI: A545-E15V-P00G-8QXE Norway UFI: A545-E15V-P00G-8QXE **Poland** UFI: A545-E15V-P00G-8QXE **Portugal** UFI: A545-E15V-P00G-8QXE UFI: A545-E15V-P00G-8QXE Slovakia UFI: A545-E15V-P00G-8QXE Slovenia UFI: A545-E15V-P00G-8QXE Spain UFI: A545-E15V-P00G-8QXE Sweden **Switzerland** UFI: A545-E15V-P00G-8QXE

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full

under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects. Physical & Chemical Properties: Multiple Properties

Revision information Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Insulcast RTVS 42 Curtis II - Part A