SAFETY DATA SHEET

1. Identification		
Product identifier	Insulcast RTVS 42 Curtis II - Part A	
Other means of identification		
SKU#	IS130R	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Road	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	215-855-8450	
Fax number	215-855-4688	
Emergency Number	800-424-9300 (CHEMTREC)	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 3
Label elements		
	\wedge	
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.	
Precautionary statement		
Prevention	Avoid breathing mist/vapours. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.	
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Not available.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Supplemental information	53.02 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 99.18 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 82.25 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.	
	82.25 % of the mixture consists of component environment.	it(s) of unknown long-term hazards to the aquatic

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Epoxy Resin:reaction Produc Bisphenol A And Epichlorohydr (refer To Epichlorohydrin)		25068-38-6	7 - 13
Oxirane, Mono[(c12-14-alkyloxy)methyl] Derivatives [alkyl (c12-14) Glyc Ether]		68609-97-2	5 - 10
Silica, amorphous		7631-86-9	< 0.2
Other components below repor	table levels		15 - 40
•	y weight unless ingredient is a gas. Gas conce	ntrations are in percent by volu	ume.
4. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.		

	present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

. Foam. Dry chemical powder. Carbon dioxide (CO2).	Suitable extinguishing media
e water jet as an extinguisher, as this will spread the fire.	Unsuitable extinguishing media
e, gases hazardous to health may be formed.	Specific hazards arising from the chemical
ained breathing apparatus and full protective clothing must be worn in case of fire.	Special protective equipment and precautions for firefighters
tainers from fire area if you can do so without risk.	Fire fighting equipment/instructions
lard firefighting procedures and consider the hazards of other involved materials.	Specific methods
al fire or explosion hazards noted.	General fire hazards
e water jet as an extinguisher, as this will spread the fire. e, gases hazardous to health may be formed. ained breathing apparatus and full protective clothing must be worn in case of fire. tainers from fire area if you can do so without risk. dard firefighting procedures and consider the hazards of other involved materials.	Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire fighting equipment/instructions Specific methods

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is
	possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

In subject DTV/C 42 Curtic II. Dert A

Environmental precautions	Avoid release to the environment. Infor environmental releases. Prevent furthe drains, water courses or onto the groun	r leakage or spillage if safe t	
7. Handling and storage			
Precautions for safe handling	Avoid breathing mist/vapours. Avoid co ventilation. Wear appropriate personal Observe good industrial hygiene practio	protective equipment. Avoid	
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store a SDS).	away from incompatible mat	erials (see Section 10 of the
8. Exposure controls/pe	rsonal protection		
Dccupational exposure limits Canada. Alberta OELs (Oc Components	ccupational Health & Safety Code, Sched Type	lule 1, Table 2), as amende Value	d Form
Silica, amorphous (CAS	TWA	3 mg/m3	Respirable particles.
7631-86-9)		10 mg/m3	Total
Canada. British Columbia Safety Regulation 296/97,	OELs. (Occupational Exposure Limits for as amended)	-	ccupational Health and
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable fraction.
7031-00-9)		10 mg/m3	Total dust.
Canada. New Brunswick (DELs: Threshold Limit Values (TLVs) Bas	sed on the 1991 and 1997 A	CGIH TLVs and BEIs
Publication (New Brunswi Components	ck Regulation 91-191)	Value	Form
-	Туре		-
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable.
		10 mg/m3	Inhalable
Canada. Quebec OELs. (M Components	linistry of Labor - Regulation respecting Type	occupational health and s Value	afety), as amended Form
Silica, amorphous (CAS 7631-86-9)	TWA	10 mg/m3	Total dust.
Canada. Saskatchewan Ol Components	ELs (Occupational Health and Safety Re Type	gulations, 1996, Table 21), Value	as amended Form
Silica, amorphous (CAS	15 minute	0 / 0	
	15 minute	6 mg/m3	Respirable fraction.
7631-86-9)	15 minute	6 mg/m3 20 mg/m3	Respirable fraction.
7631-86-9)	No biological exposure limits noted for	20 mg/m3	
7631-86-9) Biological limit values		20 mg/m3 the ingredient(s). d. Ventilation rates should b cal exhaust ventilation, or oth ended exposure limits. If exp	Inhalable fraction. e matched to conditions. If er engineering controls to posure limits have not been
7631-86-9) Siological limit values Appropriate engineering ontrols	No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, loc maintain airborne levels below recomm established, maintain airborne levels to	20 mg/m3 the ingredient(s). ed. Ventilation rates should b cal exhaust ventilation, or oth rended exposure limits. If exp an acceptable level. Provide nt	Inhalable fraction. e matched to conditions. If er engineering controls to posure limits have not been e eyewash station and safety
7631-86-9) Siological limit values oppropriate engineering ontrols	No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, loc maintain airborne levels below recomm established, maintain airborne levels to shower. s, such as personal protective equipmer	20 mg/m3 the ingredient(s). ed. Ventilation rates should b cal exhaust ventilation, or oth rended exposure limits. If exp an acceptable level. Provide nt or goggles). Face shield is re	Inhalable fraction. e matched to conditions. If er engineering controls to posure limits have not been e eyewash station and safety
7631-86-9) iological limit values ppropriate engineering ontrols ndividual protection measure Eye/face protection Skin protection	No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, loc maintain airborne levels below recomm established, maintain airborne levels to shower. s, such as personal protective equipmer Wear safety glasses with side shields (20 mg/m3 the ingredient(s). ed. Ventilation rates should b cal exhaust ventilation, or oth rended exposure limits. If exp an acceptable level. Provide nt or goggles). Face shield is re	Inhalable fraction. e matched to conditions. If er engineering controls to posure limits have not been e eyewash station and safety ecommended.
7631-86-9) Siological limit values appropriate engineering ontrols ndividual protection measure Eye/face protection Skin protection Hand protection	No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, loc maintain airborne levels below recomm established, maintain airborne levels to shower. s, such as personal protective equipmer Wear safety glasses with side shields (Wear appropriate chemical resistant gla	20 mg/m3 the ingredient(s). ad. Ventilation rates should b cal exhaust ventilation, or oth ended exposure limits. If exp an acceptable level. Provide nt or goggles). Face shield is re oves.	Inhalable fraction. e matched to conditions. If er engineering controls to bosure limits have not been e eyewash station and safety ecommended.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical	properties
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Black
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	>93.3 °C (>200.0 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	1 mm Hg
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	11.90 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.43
10. Stability and reactivity	/

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure		
Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction.	

Eye contact	Causes serious eye irritation.		
Ingestion	Expected to be a low ingestion	on hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Components	Species	Test Results	
Silica, amorphous (CAS 7631-86-	9)		
<u>Acute</u>			
Oral			
LD50	Rat	> 22500 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation		
Respiratory or skin sensitisation	n		
Canada - Alberta OELs: Irrit	ant		
Silica, amorphous (CAS	7631-86-9)	Irritant	
Respiratory sensitisation	Not a respiratory sensitiser.		
Skin sensitisation	May cause an allergic skin re	eaction.	
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	product or any components present at greater than 0.1% are	
Carcinogenicity			
IARC Monographs. Overall Silica, amorphous (CAS	Evaluation of Carcinogenicity 7631-86-9)	I 3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	This product is not expected	to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
12. Ecological information	n		
Ecotoxicity	Harmful to aquatic life with lo	ng lasting effects.	
Persistence and degradability	•	egradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideratio	ns		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with a	-	
Hazardous waste code	The waste code should be as disposal company.	ssigned in discussion between the user, the producer and the waste	
Waste from residues / unused	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:		
products	Disposal instructions).		

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory informat	ion	
Canadian regulations	This product has been classified in accordance with the hazard crite contains all the information required by the HPR.	ria of the HPR and the SDS
Controlled Drugs and Sul	ostances Act	
Not regulated.		
Export Control List (CEP	A 1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.	41	
Precursor Control Regula	tions	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable.		
Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Ric	o Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all com	ponents of this product comply with the inventory requirements administered by t	he governing country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	19-June-2017
Revision date	04-August-2023

Material name: Insulcast RTVS 42 Curtis II - Part A

Version No.	06
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Physical & Chemical Properties: Multiple Properties