# SAFETY DATA SHEET

Version #: 02

Issue date: 07-08-2023 Revision date: 08-06-2023 Supersedes date: 07-08-2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Insulcast RTVS 8127 LV - Part B

Registration number

None. Synonyms SKU# IS137H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**ITW Performance Polymers Company Name** 

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

**Contact Person Customer Service Telephone Number** 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail** 

**Emergency Phone Number** 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Croatia Poisons Information Center**  +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

**Cyprus Poison Center** 

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

**Czech Republic National Poisons Information** 

Center

**Control Center** 

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Estonia National Poisons** Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

**Finland National Poison** 

**Information Center** 

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons Control Center** 

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Insulcast RTVS 8127 LV - Part B - ITWPP - Montgomeryville IS137H Version #: 02 Revision date: 08-06-2023 Issue date: 07-08-2023

### 1.4. Emergency telephone number

**Greece Poison Information** 

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Hungary National Emergency Phone Number**  +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Iceland Poison Center** 

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

113

Latvia Poison and Drug Information Center

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**  2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

**Netherlands National Poisons Information** Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

**Norway Norwegian Poison Information Center** 

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Center** 

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

**Slovakia National Toxicological Information** Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Spain Toxicology Information Service**  + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison Information Center** 

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

**Switzerland Tox Info** 

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Aluminium Oxide, Polydimethylsiloxane, Quartz, Silicone Polymer Contains:

None. **Hazard pictograms** None. Signal word

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

Prevention Not available. Not available. Response Storage Not available. Disposal Not available.

Supplemental label information 53,56% of the mixture consists of component(s) of unknown acute inhalation toxicity. 91,18% of

the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 91,18% of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

#### 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

General Information	General	inform	ation
---------------------	---------	--------	-------

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Aluminium Oxide		30 - 60	1344-28-1 215-691-6	-	-	
	Classification: -					
Silicone Polymer		30 - 60	Proprietary	-	-	
	Classification: -		_			
Quartz		10 - 30	14808-60-7 238-878-4	-	-	#
	Classification: C	arc. 1A;⊦	1350			
Polydimethylsiloxane		5 - 10	63148-62-9	-	-	
	Classification: -		-			

Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

< 1

#### SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

Unsuit media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting Move containers from fire area if you can do so without risk.

Special fire fighting procedures

Material name: Insulcast RTVS 8127 LV - Part B - ITWPP - Montgomeryville IS137H Version #: 02 Revision date: 08-06-2023 Issue date: 07-08-2023

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

**6.2. Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Terriove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

7.1. Precautions for safe handling

Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

### SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended  Components Type Value Form				
<u> </u>	<b>,</b> ,		-	
Aluminium Oxide (CAS 1344-28-1)	MAK	5 mg/m3	Respirable fume.	
		5 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
	STEL	20 mg/m3	Inhalable fraction.	
		10 mg/m3	Respirable fume.	
		10 mg/m3	Respirable fraction.	
Quartz (CAS 14808-60-7)	MAK	0,05 mg/m3	Respirable dust.	

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.

Bulgaria. OEL values of carcinogens and mutagens at work (Reg. 10/2003 on prot. from carcinogens and mutagens at work. Ann. 1), as amended

Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction and

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	Inhalable fraction.
		1,5 mg/m3	Respirable fraction.

Biological Limit Values, Annex I (NN 9 Components	Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	MAC	4 mg/m3	Respirable dust.
·		10 mg/m3	Total dust.
Quartz (CAS 14808-60-7)	MAC	0,1 mg/m3	
Czech Republic. Occupational exposu 861/2007, Annex 2, Part A & Annex 3,	Part A, as amended)		
Components	Type	Value	Form
Aluminium Oxide (CAS 344-28-1)	TWA	0,1 mg/m3	Respirable dust.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Denmark. Work Environment Authorit Components	y. Exposure Limits for Substances Type	s & Materials, Annex 2 Value	? Form
Aluminium Oxide (CAS 344-28-1)	TLV	5 mg/m3	Total
		2 mg/m3	Respirable.
Quartz (CAS 14808-60-7)	TLV	0,3 mg/m3	Total
		0,1 mg/m3	Respirable.
Estonia. OELs. Occupational Exposur Components	e Limits of Hazardous Substances Type	s (Regulation No. 105/ Value	2001, Annex), as amended Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Fine dust, respiratory fraction
		10 mg/m3	Total dust.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Fine dust, respiratory fraction
Finland. HTP-arvot, App 3., Binding Li Components	mit Values, Social Affairs and Min Type	istry of Health Value	Form
Quartz (CAS 14808-60-7)	TWA	0,05 mg/m3	Respirable.
France. OELs. Occupational Exposure Components	Limits as Prescribed by Art. R.44 Type	12-149 of Labor Code Value	, as amended Form
Quartz (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable dust.
rance. Threshold Limit Values (VLEP Components	) for Occupational Exposure to Ch Type	nemicals in France, IN Value	RS ED 984 Form
Aluminium Oxide (CAS	VME	10 mg/m3	
344-28-1)	i+ /\/I \		
Regulatory status: Indicative lim		0.1 mg/m3	Pesnirable fraction
Quartz (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)  Regulatory status: Regulatory bi  Germany. DFG MAK List (advisory OE	VME inding (VRC)		·
Quartz (CAS 14808-60-7)  Regulatory status: Regulatory bi Germany. DFG MAK List (advisory OE n the Work Area (DFG), as updated	VME inding (VRC) Ls). Commission for the Investiga		·
Quartz (CAS 14808-60-7)  Regulatory status: Regulatory bi Germany. DFG MAK List (advisory OE n the Work Area (DFG), as updated Components Aluminium Oxide (CAS	VME inding (VRC)	ition of Health Hazard	s of Chemical Compound
Quartz (CAS 14808-60-7)  Regulatory status: Regulatory bi Germany. DFG MAK List (advisory OE n the Work Area (DFG), as updated Components Aluminium Oxide (CAS 1344-28-1)	VME inding (VRC) (Ls). Commission for the Investiga  Type  TWA	ition of Health Hazard Value	s of Chemical Compound
Quartz (CAS 14808-60-7)  Regulatory status: Regulatory bits and the Work Area (DFG), as updated components Aluminium Oxide (CAS 344-28-1)  Germany. TRGS 900, Limit Values in the Components	VME inding (VRC) Ls). Commission for the Investiga Type TWA	value 4 mg/m3	s of Chemical Compound Form Inhalable dust.
Quartz (CAS 14808-60-7)  Regulatory status: Regulatory bit Germany. DFG MAK List (advisory OE n the Work Area (DFG), as updated Components Aluminium Oxide (CAS 1344-28-1)  Germany. TRGS 900, Limit Values in the Components Aluminium Oxide (CAS	VME Inding (VRC) ILs). Commission for the Investiga Type TWA The Ambient Air at the Workplace	Value 4 mg/m3 1,5 mg/m3	s of Chemical Compounds  Form  Inhalable dust.  Respirable dust.
Quartz (CAS 14808-60-7)  Regulatory status: Regulatory bit Germany. DFG MAK List (advisory OE n the Work Area (DFG), as updated Components Aluminium Oxide (CAS 1344-28-1)  Germany. TRGS 900, Limit Values in the Components Aluminium Oxide (CAS	VME inding (VRC) Ls). Commission for the Investiga Type TWA he Ambient Air at the Workplace Type	Value 4 mg/m3 1,5 mg/m3 Value	s of Chemical Compounds  Form  Inhalable dust.  Respirable dust.  Form
Regulatory status: Regulatory bit Regulatory Status: Regulatory DFG MAK List (advisory OEn the Work Area (DFG), as updated Components  Aluminium Oxide (CAS 1344-28-1)  Germany. TRGS 900, Limit Values in the Components  Aluminium Oxide (CAS 1344-28-1)  Greece. OELs, Presidential Decree No	VME Inding (VRC) ILs). Commission for the Investigating Type TWA  The Ambient Air at the Workplace Type AGW  . 307/1986, as amended	Value 4 mg/m3 1,5 mg/m3  Value 10 mg/m3 1,25 mg/m3	Form Inhalable dust. Respirable dust. Form Inhalable fraction. Respirable fraction.
Quartz (CAS 14808-60-7)  Regulatory status: Regulatory bit Germany. DFG MAK List (advisory OE in the Work Area (DFG), as updated Components  Aluminium Oxide (CAS 1344-28-1)  Germany. TRGS 900, Limit Values in the Components  Aluminium Oxide (CAS 1344-28-1)  Greece. OELs, Presidential Decree No Components	VME inding (VRC) iLs). Commission for the Investigating Type TWA  TWA  The Ambient Air at the Workplace Type AGW  . 307/1986, as amended Type	Value 4 mg/m3 1,5 mg/m3 Value 10 mg/m3 1,25 mg/m3 Value	s of Chemical Compounds  Form  Inhalable dust.  Respirable dust.  Form  Inhalable fraction.  Respirable fraction.  Form
Quartz (CAS 14808-60-7)	VME Inding (VRC) ILs). Commission for the Investigating Type TWA  The Ambient Air at the Workplace Type AGW  . 307/1986, as amended	Value 4 mg/m3 1,5 mg/m3  Value 10 mg/m3 1,25 mg/m3	s of Chemical Compound  Form  Inhalable dust.  Respirable dust.  Form  Inhalable fraction.  Respirable fraction.

Components	Туре	Value	Form
		10 mg/m3	Inhalable
lungary. OELs. Decree on protec Components	tion of workers exposed to che Type	mical agents (5/2020. (II.6)), A Value	Annex 1&2, as amended Form
Aluminium Oxide (CAS	TWA	5 mg/m3	
344-28-1)		2 mg/m3	Respirable.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
celand. OELs. Regulation 390/200 components	09 on Pollution Limits and Meas Type	ures to Reduce Pollution at t Value	the Workplace, as amend Form
Numinium Oxide (CAS 344-28-1)	TWA	10 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0,3 mg/m3	Total dust.
		0,1 mg/m3	Respirable dust.
reland. OELVs, Schedules 1 & 2, Components	Code of Practice for Chemical A	Agents and Carcinogens Reg Value	ulations Form
Aluminium Oxide (CAS	TWA	4 mg/m3	Respirable dust.
344-28-1)		10 mg/m3	Total inhalable dust.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
taly. OELs (Legislative Decree n.	81, 9 April 2008), as amended Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
atvia. OELs. Occupational Expos	sure Limits of Chemical Substar	nces at Workplace (Reg. No.	325/ 2007, L.V. 80, Annex
), as amended Components	Туре	Value	Form
Aluminium Oxide (CAS	TWA	6 mg/m3	Decomposition aerosol
344-28-1)	1447.	4 mg/m3	Booompooliion doroool
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
ithuania. OELs. Occupational Ex			•
/-824/A1-389), as amended	posure Limit values for Chemic	ai Substances (Hygiene Noi	
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
uxembourg. Chemical Substanc 35/2016, as amended	es Prohibited at Work (Annex III	), G.D.R. of 14 November 20 <sup>4</sup>	16, OJ Memorial A, n °
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
	of Working Conditions Regulat	ion (Staatscourant no. 252, 2	
mended			F
mended	Туре	Value	Form
mended Components	<b>Type</b> TWA	<b>Value</b> 0,075 mg/m3	Respirable dust.
mended Components Quartz (CAS 14808-60-7) Jorway. Regulation No. 1358 on M nfection Groups for Biological Fa	TWA  Measures and Limit Values for Pactors, as amended	0,075 mg/m3 hysical and Chemical Factor	Respirable dust.
mended Components Quartz (CAS 14808-60-7) Norway. Regulation No. 1358 on M Infection Groups for Biological Fa Components	TWA  Measures and Limit Values for Pactors, as amended  Type	0,075 mg/m3 hysical and Chemical Factor Value	Respirable dust.
Imended Components Quartz (CAS 14808-60-7) Norway. Regulation No. 1358 on Monfection Groups for Biological Factomponents Aluminium Oxide (CAS	TWA  Measures and Limit Values for Pactors, as amended	0,075 mg/m3 hysical and Chemical Factor	Respirable dust.
Netherlands. OELs per Annex XIII mended Components Quartz (CAS 14808-60-7) Norway. Regulation No. 1358 on Norman Section Groups for Biological Factor Groups (CAS 1344-28-1) Quartz (CAS 14808-60-7)	TWA  Measures and Limit Values for Pactors, as amended  Type	0,075 mg/m3 hysical and Chemical Factor Value	Respirable dust.

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)					
Components	Туре	Value	Form		
Aluminium Oxide (CAS	TWA	2.5 mg/m3	Inhalable fraction.		

Components	Туре	Value	Form
lluminium Oxide (CAS 344-28-1)	3-1)		Inhalable fraction.
		1,2 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occupat Components	ional exposure to chemical ag Type	gents (NP 1796-2014) Value	Form
Aluminium Oxide (CAS 344-28-1)	TWA	1 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
Romania. OELs. Limit Values of C imended)	Chemical Agents at Workplace	(Regulation 1.218/2006, M.O 8	45, Annex 1, 3&4, as
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	STEL	5 mg/m3	Aerosol.
	TWA	2 mg/m3	Aerosol.
Slovakia. OELs for carcinogens a amended	nd mutagens. Regulation No.	356/2006 on carcinogenic and	mutagenic substances,
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
Slovakia. OELs. Maximum permis Annex 1, Table 1, as amended)	•	-	
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Inhalable fraction.
		$0.1 \mathrm{mg/m}^2$	Respirable fraction.
		0,1 mg/m3	rtoophable hadden.
Slovenia. OELs. Occupational Ex		_	•
lue to Exp. to Chemicals at Work	, Annex I), as amended	_	•
lue to Exp. to Chemicals at Work Components		Workplace (Reg. on Protection  Value	n of Workers from Risks
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work Components Aluminium Oxide (CAS 1344-28-1)	, Annex I), as amended Type	Workplace (Reg. on Protection  Value  10 mg/m3	Form Inhalable fraction.
due to Exp. to Chemicals at Work Components Aluminium Oxide (CAS 1344-28-1)	, Annex I), as amended Type TWA	Workplace (Reg. on Protection  Value  10 mg/m3  1,25 mg/m3	Form Inhalable fraction. Respirable fraction.
due to Exp. to Chemicals at Work Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de E	, Annex I), as amended Type TWA	Workplace (Reg. on Protection  Value  10 mg/m3  1,25 mg/m3	Form Inhalable fraction. Respirable fraction.
due to Exp. to Chemicals at Work Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de E VLAs)	, Annex I), as amended Type TWA	Workplace (Reg. on Protection  Value  10 mg/m3  1,25 mg/m3	Form Inhalable fraction. Respirable fraction.
due to Exp. to Chemicals at Work Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de E (VLAs) Components Aluminium Oxide (CAS	, Annex I), as amended Type TWA xposición Profesional Para Ag	Workplace (Reg. on Protection  Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor	Form Inhalable fraction. Respirable fraction. res Límites Ambientales
due to Exp. to Chemicals at Work Components Aluminium Oxide (CAS	, Annex I), as amended Type TWA xposición Profesional Para Ag	Workplace (Reg. on Protection  Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value	Form Inhalable fraction. Respirable fraction. res Límites Ambientales
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Límites de EVLAs) Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7)  Sweden. OELs (Annex 1). Work E	Type  TWA  Type  TWA  xposición Profesional Para Ag  Type  TWA  TWA	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3	Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction.
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Limites de E(VLAs) Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7)  Sweden. OELs (Annex 1). Work Eamended	Type  TWA  Type  TWA  xposición Profesional Para Ag  Type  TWA  TWA  TWA  nvironment Authority (AV), Oc	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Valor	Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form  Respirable fraction. Respirable fraction.
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Límites de EVLAs) Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7)  Sweden. OELs (Annex 1). Work Eamended Components	Type TWA  Type TWA  xposición Profesional Para Ag Type TWA  TWA TWA nvironment Authority (AV), Oc	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Value	Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Límites de E (VLAs) Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7)  Sweden. OELs (Annex 1). Work E	Type  TWA  Type  TWA  xposición Profesional Para Ag  Type  TWA  TWA  TWA  nvironment Authority (AV), Oc	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Value  5 mg/m3	Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form  Respirable fraction. Respirable fraction.
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Límites de EVLAs) Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7)  Sweden. OELs (Annex 1). Work Emended Components  Aluminium Oxide (CAS 1344-28-1)	Type TWA  Type TWA  xposición Profesional Para Ag Type TWA  TWA  TWA  nvironment Authority (AV), Oc Type TWA	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Value  5 mg/m3  2 mg/m3	rof Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Total dust. Respirable dust.
Aluminium Oxide (CAS 344-28-1)  Spain. OELs. INSST, Límites de EVLAs) Components  Aluminium Oxide (CAS 344-28-1)  Quartz (CAS 14808-60-7)  Sweden. OELs (Annex 1). Work Eumended Components  Aluminium Oxide (CAS 344-28-1)	Type TWA  Type TWA  xposición Profesional Para Ag Type TWA  TWA TWA nvironment Authority (AV), Oc	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Value  5 mg/m3	rof Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Total dust.
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Límites de EVLAs) Components  Aluminium Oxide (CAS 1344-28-1)  Quartz (CAS 14808-60-7)  Sweden. OELs (Annex 1). Work Emended Components  Aluminium Oxide (CAS 1344-28-1)  Quartz (CAS 14808-60-7)  Quartz (CAS 14808-60-7)  Switzerland. SUVA Grenzwerte an	TWA  TWA  Type  TWA  Type  TWA  Type  TWA  TWA  TWA  TWA  TWA  TYPE  TWA  TWA  TYPE  TWA  TYPE  TWA  TYPE  TWA  TYPE  TWA  TYPE  TWA	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Value  5 mg/m3  2 mg/m3  0,1 mg/m3	rof Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Total dust. Respirable dust.
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Límites de E (VLAs) Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7) Sweden. OELs (Annex 1). Work E amended Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7) Switzerland. SUVA Grenzwerte and Components  Aluminium Oxide (CAS 14808-60-7)  Switzerland. SUVA Grenzwerte and Components  Aluminium Oxide (CAS 14808-60-7)	Type TWA  Type TWA  Type TWA  Type TWA  TWA  TWA  TWA  Type TWA  TWA  TYPE TWA  TYPE TWA  TYPE TWA  TYPE TWA  TYPE TWA  TWA  TWA  TWA  TWA	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Value  5 mg/m3  2 mg/m3  0,1 mg/m3  Werte	rof Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Total dust. Respirable dust. Respirable dust. Form
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Límites de E (VLAs) Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7)  Sweden. OELs (Annex 1). Work E amended Components  Aluminium Oxide (CAS	Type TWA  Type TWA  Type TWA  Type TWA  TWA  TWA  TWA  TVA  TYPE TWA  TYPE TWA	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Value  5 mg/m3  2 mg/m3  0,1 mg/m3  Value  Value  Value	rof Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Total dust. Respirable dust. Respirable dust. Form Respirable dust and/or
due to Exp. to Chemicals at Work Components  Aluminium Oxide (CAS 1344-28-1)  Spain. OELs. INSST, Límites de E (VLAs) Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7) Sweden. OELs (Annex 1). Work E amended Components  Aluminium Oxide (CAS 1344-28-1) Quartz (CAS 14808-60-7) Switzerland. SUVA Grenzwerte and Components  Aluminium Oxide (CAS 14808-60-7)  Switzerland. SUVA Grenzwerte and Components  Aluminium Oxide (CAS 14808-60-7)	Type TWA  Type TWA  Type TWA  Type TWA  TWA  TWA  TWA  TVA  Type TWA  TWA  TWA  TWA  TWA  TWA  TWA  TWA	Value  10 mg/m3  1,25 mg/m3  gentes Químicos, Table 1-Valor  Value  10 mg/m3  0,05 mg/m3  ccupational Exposure Limit Val  Value  5 mg/m3  2 mg/m3  0,1 mg/m3  Werte  Value  24 mg/m3	rof Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Total dust. Respirable dust. Respirable dust. Respirable dust. Respirable dust and/or fume. Respirable dust and/or fume. Respirable dust and/or

UK. OELs. Workplace Exposure L Components	Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable.
EU. OELs, Directive 2004/37/EC o	n carcinogen and mutagens f	rom Annex III, Part A, as amer	nded
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction and dust

### **Biological limit values**

Hungary. BELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 3&4, as amended						
Components	Value	Determinant	Specimen	Sampling Time		
Aluminium Oxide (CAS 1344-28-1)	0,25 µmol/mmol	Aluminum	Creatinine in urine	*		
	0,06 mg/g	Aluminum	Creatinine in urine	*		

<sup>\* -</sup> For sampling details, please see the source document.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle BAT-Werte					
Components	Value	Determinant	Specimen	Sampling Time	
Aluminium Oxide (CAS	50 μg/g	Aluminium	Creatinine in	*	
1344-28-1)			urine		

<sup>\* -</sup> For sampling details, please see the source document.

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

# 8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Liquid.
Form Liquid.

Color Nearly colorless

Odor Slight.

Melting point/freezing point Not available.

Boiling point or initial boiling

point and boiling range

Not available.

Flammability Not applicable.

Flash point 485,0 °F (251,7 °C)

Auto-ignition temperature

Decomposition temperature

PH

Not available.

Not available.

Not available.

Not available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure 5,1 mm Hg

Density and/or relative density

Density 14,17 lb/gal

Vapor density 3,6

Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard No r to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Evaporation rate 0,1 BuAc Specific gravity 1,7 VOC <1 %

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

**10.6. Hazardous** No hazardous decomposition products are known.

decomposition products

### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Components Species Test Results

Aluminium Oxide (CAS 1344-28-1)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

**Respiratory sensitization**Due to partial or complete lack of data the classification is not possible.

**Skin sensitization** Due to partial or complete lack of data the classification is not possible.

**Germ cell mutagenicity**Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

onigio expecuie

Due to partial or complete lack of data the classification is not possible.

**Specific target organ toxicity -** Due to partial or complete lack of data the classification is not possible.

repeated exposure

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

**SECTION 12: Ecological information** 

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. **Special precautions**Dispose in accordance with all applicable regulations.

**SECTION 14: Transport information** 

**ADR** 

14.1. UN number14.2. UN proper shippingNot regulated as dangerous goods.Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned.

14.4. Packing group -

14.5. Environmental hazards No.

**14.6. Special precautions** Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**ADN** 

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**IATA** 

**14.1. UN number**Not regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**IMDG** 

**14.1. UN number**Not regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards
Marine pollutant No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Aluminium Oxide (CAS 1344-28-1)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Quartz (CAS 14808-60-7)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Aluminium Oxide (CAS 1344-28-1)

Faserstäube, anorganische (außer Asbest), Künstlich hergestellte anorganische einkristalline Fasern (Whisker) aus Aluminoxid

### France regulations

#### France INRS Table of Occupational Diseases

Quartz (CAS 14808-60-7)

Affections consécutives à l'inhalation de poussières minérales renfermant de la silicecristalline (quartz, cristobalite, tridymite), des silicates cristallins (kaolin, talc), du graphite ou de la houille 25

## **Product registration number**

UFI: TE45-X182-K00Y-7RPM Austria UFI: TE45-X182-K00Y-7RPM **Belgium Czech Republic** UFI: TE45-X182-K00Y-7RPM **Denmark** UFI: TE45-X182-K00Y-7RPM **European Union** UFI: TE45-X182-K00Y-7RPM UFI: TE45-X182-K00Y-7RPM **Finland France** UFI: TE45-X182-K00Y-7RPM UFI: TE45-X182-K00Y-7RPM Germany Greece UFI: TE45-X182-K00Y-7RPM Hungary UFI: TE45-X182-K00Y-7RPM UFI: TE45-X182-K00Y-7RPM Italy **Netherlands** UFI: TE45-X182-K00Y-7RPM UFI: TE45-X182-K00Y-7RPM Norway **Poland** UFI: TE45-X182-K00Y-7RPM **Portugal** UFI: TE45-X182-K00Y-7RPM Slovakia UFI: TE45-X182-K00Y-7RPM Slovenia UFI: TE45-X182-K00Y-7RPM UFI: TE45-X182-K00Y-7RPM Spain Sweden UFI: TE45-X182-K00Y-7RPM **Switzerland** UFI: TE45-X182-K00Y-7RPM

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

### **SECTION 16: Other information**

### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H350 May cause cancer.

Not available.

**Revision information** 

**Training information** 

Physical & Chemical Properties: Multiple Properties Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Insulcast RTVS 8127 LV - Part B - ITWPP - Montgomeryville IS137H Version #: 02 Revision date: 08-06-2023 Issue date: 07-08-2023