SAFETY DATA SHEET

1. Identification

1. Identification			
Product identifier	Insulcast RTVS 8127 LV Gray - Part A		
Other means of identification			
SKU#	IS137R		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	ITW Performance Polymers		
Address	130 Commerce Drive		
	Montgomeryville, PA 18936 United States		
Telephone	Customer Service	215-855-8450	
Website	www.itwperformancepolyme		
E-mail	Not available.		
Contact person	EHS Department		
Emergency phone number	CHEMTREC	800-424-9300	
	International	703-527-3887	
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 5
	Acute toxicity, dermal		Category 5
Environmental hazards	Hazardous to the aquatic er hazard	nvironment, acute	Category 3
	Hazardous to the aquatic er long-term hazard	nvironment,	Category 3
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	Warning		
Hazard statement	May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.		
Precautionary statement			
Prevention	Avoid release to the environ	iment.	
Response	Not available.		
Storage	Not available.		
Disposal	Dispose of contents/contain	er in accordance v	with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	mixture consists of compone of the mixture consists of co environment.	ent(s) of unknown) of unknown acute inhalation toxicity. 96.92% of the acute hazards to the aquatic environment. 96.92% known long-term hazards to the aquatic

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminium Oxide		1344-28-1	30 - 60

Chemical name	Common name and synonyms	CAS number	%
Quartz		14808-60-7	10 - 30
Silicone Polymer		Unknown	10 - 30
Polydimethylsiloxane		63148-62-9	5 - 10
Siloxanes and Silicones, di-Me, vinyl group-terminated		68083-19-2	5 - 10
Carbon Black		1333-86-4	0.1 - 1
4. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	
Skin contact	Wash off with soap and water. Get medical a attention if irritation develops and persists. W		
Eye contact	Rinse with water. Get medical attention if irrit	ation develops and persists.	
ngestion	Rinse mouth. If vomiting occurs, keep head le Get medical advice/attention if you feel unwe		esn't get into the lung
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporar	ry irritation.	
ndication of immediate medical attention and special treatment needed	Provide general supportive measures and tre Symptoms may be delayed.	at symptomatically. Keep victi	m under observation.
General information	Ensure that medical personnel are aware of t protect themselves. Show this safety data sh		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Cark	oon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as the	nis will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	protective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and con	sider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing or spilled material unless wearing appropriate Local authorities should be advised if significant protection, see section 8 of the SDS.	g during clean-up. Do not toucl e protective clothing. Ensure ac	h damaged containers dequate ventilation.
Methods and materials for	Prevent product from entering drains.		
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent materia remove residual contamination.	l (e.g. cloth, fleece). Clean surf	ace thoroughly to
Environmental precautions	Never return spills to original containers for re Avoid release to the environment. Inform app environmental releases. Prevent further leak drains, water courses or onto the ground.	propriate managerial or supervi	sory personnel of all

7. Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Carbon Black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Quartz (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
	ssible Exposure Limits (PEL) for Mineral D	usts (29 CFR 1910.1000)	
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Carbon Black (CAS 1333-86-4)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limi	t Values (TLV)		
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
	erous to Life or Health (IDLH) Values, as an	nended	
Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	IDLH	1750 mg/m3	
Quartz (CAS 14808-60-7)	IDLH	50 mg/m3	
US. NIOSH: Pocket Guide t Components	o Chemical Hazards Recommended Expos Type	ure Limits (REL) Value	Form
Carbon Black (CAS 1333-86-4)	TWA	0.1 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
ogical limit values	No biological exposure limits noted for the	ingredient(s).	
ropriate engineering rols Good general ventilation should be used. Ventilation rates should be matched to con applicable, use process enclosures, local exhaust ventilation, or other engineering co maintain airborne levels below recommended exposure limits. If exposure limits have established, maintain airborne levels to an acceptable level.		er engineering controls to	

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

er i fiyerear ana eriennear	
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Grey.
Odor	Slight.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °F (160 °C)
Flash point	205.0 °F (96.1 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	14.53 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	1.74
VOC	0

10. Stability and reactivity		
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.	

Hazardous decomposition products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure		
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	May be harmful in contact with skin.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	May be harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	

Information on toxicological effects

Acute toxicity

May be harmful in contact with skin. May be harmful if swallowed.

Components	Species	Test Results	
Aluminium Oxide (CAS 1344-28-1)		
<u>Acute</u>			
Oral			
LD50	Rat	> 5000 mg/kg	
Carbon Black (CAS 1333-86-4)			
Acute			
Oral			
LD50	Rat	> 8000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may c	ause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may	cause temporary irritation.	
Respiratory or skin sensitization	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected t	o cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinog	jenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Carbon Black (CAS 1333 Quartz (CAS 14808-60-7	0-7) 1 Carcinogenic to humans.		
	ed Substances (29 CFR 1910.1		
Quartz (CAS 14808-60-7		Cancer	
Carbon Black (CAS 1333 Quartz (CAS 14808-60-7		Known To Be Human Carcinogen. Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected t	o cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be l	harmful.	
12. Ecological information	n		
Ecotoxicity	Harmful to aquatic life with lor		
Persistence and degradability	No data is available on the de	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		

Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

10. Rogalatory mormatio	· · ·	
US federal regulations	This product is a "Haza Standard, 29 CFR 1910	rdous Chemical" as defined by the OSHA Hazard Communication 0.1200.
US EPCRA (SARA Title	III) Section 313 - Toxic (Chemical: De minimis concentration
Aluminium Oxide (C. US EPCRA (SARA Title	,	% 1.0 Chemical: Listed substance
Aluminium Oxide (C	AS 1344-28-1)	Listed.
Toxic Substances Control A	Act (TSCA)	
TSCA Section 12(b) Exp Not regulated.	port Notification (40 CFF	8 707, Subpt. D)
CERCLA Hazardous Substa	ance List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency relea	se notification	
Not regulated. OSHA Specifically Regulate	ed Substances (29 CFR 1	1910.1001-1053)
Quartz (CAS 14808-60-7	·)	Cancer lung effects immune system effects kidney effects
Superfund Amendments and Re	eauthorization Act of 198	36 (SARA)
SARA 302 Extremely hazard Not listed.	dous substance	
SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Acute toxicity (any route	e of exposure)

SARA 313 (TRI reporting	1)			
Chemical name	-	CAS number	% by wt.	
Aluminium Oxide		1344-28-1	30 - 60	
Other federal regulations				
Clean Air Act (CAA) Sec	tion 112 Hazardous Air I	Pollutants (HAPs) List		
Not regulated.				
Clean Air Act (CAA) Sec	tion 112(r) Accidental R	elease Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations				
US. California. Candidat (a))	e Chemicals List. Safer	Consumer Products Re	gulations (Cal. Code Regs	, tit. 22, 69502.3, subd.
Carbon Black (CAS 1 Quartz (CAS 14808-6	,			
California Proposition 6	5			
WARNING:			ng Quartz, which is known t go to www.P65Warnings.ca	

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Carbon Black (CAS 1333-86-4)	Listed: February 21, 2003
Quartz (CAS 14808-60-7)	Listed: October 1, 1988

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	07-08-2023
Revision date	08-06-2023
Version #	02
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 1 Personal protection: X
NFPA ratings	Health: 1 Flammability: 1 Instability: 1

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Physical & Chemical Properties: Multiple Properties

Revision information