SAFETY DATA SHEET

Version #: 06

Issue date: 11-19-2014 Revision date: 08-06-2023 Supersedes date: 07-09-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Insulcast RTVS 3-95-2 Red - Part A

Registration number

None. Synonyms **IS300R** SKU#

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service Telephone Number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

Control Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons

Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison

Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Insulcast RTVS 3-95-2 Red - Part A

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

available for the Emergency Service.)

Information Center Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

Informare Toxicologica

800 250 250 (Available 24 hours a day. SDS/Product information may not be

Romania Biroul RSI si

available for the Emergency Service.)

113

021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard

Category 3

H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

IS300R Version #: 06 Revision date: 08-06-2023 Issue date: 11-19-2014

Material name: Insulcast RTVS 3-95-2 Red - Part A

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: XY35-D1T3-200H-X1S9 Belgium: XY35-D1T3-200H-X1S9 Bulgaria: XY35-D1T3-200H-X1S9 Croatia: XY35-D1T3-200H-X1S9 Cyprus: XY35-D1T3-200H-X1S9

Czech Republic: XY35-D1T3-200H-X1S9 Denmark: XY35-D1T3-200H-X1S9 Estonia: XY35-D1T3-200H-X1S9 EU: XY35-D1T3-200H-X1S9 Finland: XY35-D1T3-200H-X1S9 France: XY35-D1T3-200H-X1S9 Germany: XY35-D1T3-200H-X1S9 Greece: XY35-D1T3-200H-X1S9 Hungary: XY35-D1T3-200H-X1S9 Iceland: XY35-D1T3-200H-X1S9 Ireland: XY35-D1T3-200H-X1S9 Italy: XY35-D1T3-200H-X1S9 Latvia: XY35-D1T3-200H-X1S9 Lithuania: XY35-D1T3-200H-X1S9 Luxembourg: XY35-D1T3-200H-X1S9 Malta: XY35-D1T3-200H-X1S9 Netherlands: XY35-D1T3-200H-X1S9 Norway: XY35-D1T3-200H-X1S9

Malta: XY35-D1T3-200H-X1S9
Netherlands: XY35-D1T3-200H-X1S9
Norway: XY35-D1T3-200H-X1S9
Poland: XY35-D1T3-200H-X1S9
Portugal: XY35-D1T3-200H-X1S9
Romania: XY35-D1T3-200H-X1S9
Slovakia: XY35-D1T3-200H-X1S9
Slovenia: XY35-D1T3-200H-X1S9
Spain: XY35-D1T3-200H-X1S9
Sweden: XY35-D1T3-200H-X1S9

Contains: Aluminium Oxide, IRON OXIDE, Siloxanes and Silicones, di-Me, Me hydrogen, hydrogen

terminated, Vinyl Silicone Polymer

Hazard pictograms None.

Signal word None.

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response Not available.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the

aquatic environment.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Aluminium Oxide	60 - 100	1344-28-1 215-691-6	-	-	
Classification	:-	215-091-0			
Vinyl Silicone Polymer	10 - 30	68083-19-2	-	-	

Classification: -

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
IRON OXIDE	1 - 5	1309-37-1 215-168-2	-	-	
Classification:	: -				
Siloxanes and Silicones, di-Me, Me	1 - 5	69013-23-6	-	-	
hydrogen, hydrogen terminated		-			
Classification:	-				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. **Eve contact**

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

1/-1--

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (Gw	V), BGBI. II, no. 184/2001, as amended
Components	Туре

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	MAK	5 mg/m3	Respirable fraction.
		5 mg/m3	Respirable fume.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fume.
		10 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	MAK	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -Chemical agents, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	Inhalable fraction.
		1,5 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	TWA	5 mg/m3	

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Type	Value	Form	
Aluminium Oxide (CAS 1344-28-1)	MAC	4 mg/m3	Respirable dust.	_
		10 mg/m3	Total dust.	

Material name: Insulcast RTVS 3-95-2 Red - Part A

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	Form
IRON OXIDE (CAS 1309-37-1)	MAC	5 mg/m3	Fume.
		4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
	STEL	10 mg/m3	Fume.

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	0,1 mg/m3	Respirable dust.

Denmark, Work Environment Authority, Exposure Limits for Substances & Materials, Annex 2				
Components	Type	Value	Form	
Aluminium Oxide (CAS 1344-28-1)	TLV	5 mg/m3	Total	
		2 mg/m3	Respirable.	
IRON OXIDE (CAS	TLV	3,5 mg/m3		

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Value Form Type Aluminium Oxide (CAS TWA 4 mg/m3 Fine dust, respiratory 1344-28-1) fraction 10 mg/m3 Total dust. IRON OXIDE (CAS TWA 3,5 mg/m3 Fine dust, respiratory 1309-37-1) fraction Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health **Form** Components **Type** Value IRON OXIDE (CAS TWA 5 mg/m3 Fume.

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984				
Components	Туре	Value	Form	
Aluminium Oxide (CAS 1344-28-1)	VME	10 mg/m3		
Regulatory status:	Indicative limit (VL)			
IRON OXIDE (CAS 1309-37-1)	VME	5 mg/m3	Fume.	

Regulatory status: Indicative limit (VL)

1309-37-1)

1309-37-1)

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Inhalable dust.
		1,5 mg/m3	Respirable dust.
IRON OXIDE (CAS 1309-37-1)	TWA	4 mg/m3	Inhalable dust.
Germany. TRGS 900, Limit Value	es in the Ambient Air at the Wo	rkplace	
Components	Туре	Value	Form
Aluminium Oxide (CAS	AGW	10 mg/m3	Inhalable fraction.

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	AGW	10 mg/m3	Inhalable fraction.
·		1,25 mg/m3	Respirable fraction.

Components	e No. 307/1986, as amended Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Inhalable
RON OXIDE (CAS 1309-37-1)	STEL	10 mg/m3	
	TWA	10 mg/m3	
Hungary. OELs. Decree on protec Components	tion of workers exposed to cher Type	nical agents (5/2020. (II.6)), Value	Annex 1&2, as amended Form
Aluminium Oxide (CAS	TWA	5 mg/m3	
1344-28-1)			
		2 mg/m3	Respirable.
RON OXIDE (CAS 1309-37-1)	TWA	4 mg/m3	Respirable.
celand. OELs. Regulation 390/20 Components	09 on Pollution Limits and Meas Type	ures to Reduce Pollution at Value	t the Workplace, as amend Form
Aluminium Oxide (CAS	TWA	10 mg/m3	
1344-28-1) RON OXIDE (CAS 1309-37-1)	TWA	3,5 mg/m3	Respirable dust.
reland. OELVs, Schedules 1 & 2, Components	Code of Practice for Chemical A Type	gents and Carcinogens Re Value	gulations Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
RON OXIDE (CAS 1309-37-1)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
taly. OELs (Legislative Decree n.	81, 9 April 2008), as amended		
Components	Туре	Value	Form
RON OXIDE (CAS 309-37-1)	TWA	5 mg/m3	Respirable fraction.
_atvia. OELs. Occupational Expo	sure Limits of Chemical Substar	nces at Workplace (Reg. No	. 325/ 2007, L.V. 80, Annex
l), as amended Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	6 mg/m3	Decomposition aerosol
1011 20 1)		4 mg/m3	
Lithuania. OELs. Occupational Ex V-824/A1-389), as amended	posure Limit Values for Chemic	al Substances (Hygiene No	orm HN 23:2011; Order No.
Components	Туре	Value	Form
RON OXIDE (CAS 1309-37-1)	TWA	3,5 mg/m3	Respirable fraction.
Norway. Regulation No. 1358 on I nfection Groups for Biological Fa		hysical and Chemical Facto	ors in Work Environment a
Components	Туре	Value	
	- -		
Aluminium Oxide (CAS 1344-28-1)	TLV	10 mg/m3	

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

1286/2018, Annex 1) Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	2,5 mg/m3	Inhalable fraction.
		1,2 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	STEL	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	TWA	5 mg/m3	Inhalable fraction.
		2,5 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occupa Components	ntional exposure to chemical ag Type	gents (NP 1796-2014) Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.
Romania. OELs. Limit Values of amended)	Chemical Agents at Workplace	(Regulation 1.218/2006, M.O	845, Annex 1, 3&4, as
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	STEL	5 mg/m3	Aerosol.
•	TWA	2 mg/m3	Aerosol.
IRON OXIDE (CAS 1309-37-1)	STEL	10 mg/m3	Dust and fume.
	TWA	5 mg/m3	Dust and fume.
Slovakia. OELs. Maximum permi Annex 1, Table 1, as amended)	ssible exposure limits for chen	nical factors in workplace air ((Regulation No 355/2006,
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Inhalable fraction.
		0,1 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	TWA	4 mg/m3	Inhalable fume.
		1,5 mg/m3	Respirable fume.
Slovenia. OELs. Occupational Ex		Workplace (Reg. on Protection	on of Workers from Risks
due to Exp. to Chemicals at Wor Components	Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	Inhalable fraction.
,		1,25 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	TWA	10 mg/m3	Inhalable fraction.
,		1,25 mg/m3	Respirable fraction.
Spain. OELs. INSST, Límites de l (VLAs)	Exposición Profesional Para Aç	gentes Químicos, Table 1-Valo	ores Límites Ambientales
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	
IRON OXIDE (CAS 1309-37-1)	TWA	5 mg/m3	Dust and fume.
Sweden. OELs (Annex 1). Work I amended	Environment Authority (AV), Oc	ccupational Exposure Limit Va	alues (AFS 2018:1), as
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	5 mg/m3	Total dust.
		2 mg/m3	Respirable dust.

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), a	S
amended	

Components	Туре	Value	Form
IRON OXIDE (CAS 1309-37-1)	TWA	3,5 mg/m3	Respirable dust.
Switzerland. SUVA Grenzwerte	am Arbeitsplatz: Aktuelle MAK-\	Nerte	
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	STEL	24 mg/m3	Respirable dust and/or fume.
	TWA	3 mg/m3	Respirable dust.
		3 mg/m3	Respirable dust and/or fume.
IRON OXIDE (CAS 1309-37-1)	TWA	3 mg/m3	Respirable fraction.
UK. OELs. Workplace Exposure	Limits (WELs) (EH40/2005 (Fou	rth Edition 2020)), Table 1	
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
IRON OXIDE (CAS 1309-37-1)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		4 mg/m3	Respirable.
		10 mg/m3	Inhalable

Biological limit values

Hungary. BELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 3&4, as amended				
Components	Value	Determinant	Specimen	Sampling Time
Aluminium Oxide (CAS 1344-28-1)	0,25 µmol/mmol	Aluminum	Creatinine in urine	*
	0,06 mg/g	Aluminum	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle BAT-Werte					
Components	Value	Determinant	Specimen	Sampling Time	
Aluminium Oxide (CAS	50 μg/g	Aluminium	Creatinine in	*	
1344-28-1)			urine		

^{* -} For sampling details, please see the source document.

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid. Physical state Form Liquid. Red. Color Slight. Odor

Melting point/freezing point Not available 320 °F (160 °C) **Boiling point or initial boiling**

point and boiling range

Flammability

Not applicable. 485,0 °F (251,7 °C) Flash point Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. pН Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water) (log value)

Not available. Vapor pressure

Density and/or relative density

Density 19,66 lb/gal Not available. Vapor density Not available. **Particle characteristics**

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity 2,36 VOC 0

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

10.6. Hazardous

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

No adverse effects due to skin contact are expected. Skin contact Eye contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Material name: Insulcast RTVS 3-95-2 Red - Part A

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components **Species Test Results**

Aluminium Oxide (CAS 1344-28-1)

<u>Acute</u> Oral

LD50 Rat > 5000 mg/kg

IRON OXIDE (CAS 1309-37-1)

Acute Oral

> 10000 mg/kgLD50 Rat

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye irritation

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Skin sensitization Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

IRON OXIDE (CAS 1309-37-1) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity single exposure

Specific target organ toxicity repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria

are not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil

12.5. Results of PBT and vPvB

No data available. This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

assessment

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Material name: Insulcast RTVS 3-95-2 Red - Part A

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

Not regulated as dangerous goods. 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned.

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods.

name

Material name: Insulcast RTVS 3-95-2 Red - Part A

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Aluminium Oxide (CAS 1344-28-1) IRON OXIDE (CAS 1309-37-1)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: XY35-D1T3-200H-X1S9 Belgium: XY35-D1T3-200H-X1S9 Bulgaria: XY35-D1T3-200H-X1S9 Croatia: XY35-D1T3-200H-X1S9 Cyprus: XY35-D1T3-200H-X1S9

Czech Republic: XY35-D1T3-200H-X1S9
Denmark: XY35-D1T3-200H-X1S9
Estonia: XY35-D1T3-200H-X1S9
EU: XY35-D1T3-200H-X1S9
Finland: XY35-D1T3-200H-X1S9
France: XY35-D1T3-200H-X1S9
Germany: XY35-D1T3-200H-X1S9
Hungary: XY35-D1T3-200H-X1S9
Iceland: XY35-D1T3-200H-X1S9
Ireland: XY35-D1T3-200H-X1S9
Italy: XY35-D1T3-200H-X1S9
Latvia: XY35-D1T3-200H-X1S9
Lithuania: XY35-D1T3-200H-X1S9
Lithuania: XY35-D1T3-200H-X1S9

Lithuania: XY35-D1T3-200H-X1S9 Luxembourg: XY35-D1T3-200H-X1S9 Malta: XY35-D1T3-200H-X1S9 Netherlands: XY35-D1T3-200H-X1S9 Norway: XY35-D1T3-200H-X1S9 Poland: XY35-D1T3-200H-X1S9 Portugal: XY35-D1T3-200H-X1S9 Romania: XY35-D1T3-200H-X1S9 Slovakia: XY35-D1T3-200H-X1S9 Slovenia: XY35-D1T3-200H-X1S9 Spain: XY35-D1T3-200H-X1S9 Sweden: XY35-D1T3-200H-X1S9

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Aluminium Oxide (CAS 1344-28-1)

IRON OXIDE (CAS 1309-37-1)

Faserstäube, anorganische (außer Asbest), Künstlich hergestellte anorganische einkristalline Fasern (Whisker) aus Aluminoxid Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

Austria UFI: XY35-D1T3-200H-X1S9 **Belgium** UFI: XY35-D1T3-200H-X1S9 **Czech Republic** UFI: XY35-D1T3-200H-X1S9 **Denmark** UFI: XY35-D1T3-200H-X1S9 **European Union** UFI: XY35-D1T3-200H-X1S9 **Finland** UFI: XY35-D1T3-200H-X1S9 France UFI: XY35-D1T3-200H-X1S9 UFI: XY35-D1T3-200H-X1S9 Germany UFI: XY35-D1T3-200H-X1S9 Greece Hungary UFI: XY35-D1T3-200H-X1S9 Italy UFI: XY35-D1T3-200H-X1S9 **Netherlands** UFI: XY35-D1T3-200H-X1S9 **Norway** UFI: XY35-D1T3-200H-X1S9 UFI: XY35-D1T3-200H-X1S9 **Poland Portugal** UFI: XY35-D1T3-200H-X1S9 Slovakia UFI: XY35-D1T3-200H-X1S9 Slovenia UFI: XY35-D1T3-200H-X1S9 UFI: XY35-D1T3-200H-X1S9 Spain UFI: XY35-D1T3-200H-X1S9 Sweden **Switzerland** UFI: XY35-D1T3-200H-X1S9

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value.

Material name: Insulcast RTVS 3-95-2 Red - Part A

TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Not available.

Revision information

Physical & Chemical Properties: Multiple Properties

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Insulcast RTVS 3-95-2 Red - Part A