SAFETY DATA SHEET

Version #: 04

Issue date: 06-27-2023 Revision date: 08-02-2023 Supersedes date: 07-12-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Plexus MA420 (AO420) EU Activator

Registration number

Synonyms None. SKU# IT112

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Plexus MA420 (AO420) EU Activator

vision data: 08.02-2023 | Issue data: 06.27-2023 | 1 / 13

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

113

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be

Portugal Poison Center

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

Slovakia National

available for the Emergency Service.)

Toxicological Information

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Center

Spain Toxicology

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Information Service Sweden National Poison

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Information Center Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.

H319 - Causes serious eye

Category 2 irritation. Category 1

H317 - May cause an allergic skin

reaction.

Environmental hazards

Skin sensitization

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long lasting effects. long-term aquatic hazard

2.2. Label elements

IT112 Version #: 04 Revision date: 08-02-2023 Issue date: 06-27-2023

Label according to Regulation (EC) No. 1272/2008 as amended

Austria: 2990-H0CD-N006-8N1N Belgium: 2990-H0CD-N006-8N1N Bulgaria: 2990-H0CD-N006-8N1N Croatia: 2990-H0CD-N006-8N1N Cyprus: 2990-H0CD-N006-8N1N

Czech Republic: 2990-H0CD-N006-8N1N Denmark: 2990-H0CD-N006-8N1N Estonia: 2990-H0CD-N006-8N1N EU: 2990-H0CD-N006-8N1N Finland: 2990-H0CD-N006-8N1N France: 2990-H0CD-N006-8N1N Germany: 2990-H0CD-N006-8N1N Greece: 2990-H0CD-N006-8N1N Hungary: 2990-H0CD-N006-8N1N Iceland: 2990-H0CD-N006-8N1N Ireland: 2990-H0CD-N006-8N1N Italy: 2990-H0CD-N006-8N1N Latvia: 2990-H0CD-N006-8N1N Lithuania: 2990-H0CD-N006-8N1N

Luxembourg: 2990-H0CD-N006-8N1N Malta: 2990-H0CD-N006-8N1N Netherlands: 2990-H0CD-N006-8N1N Norway: 2990-H0CD-N006-8N1N Poland: 2990-H0CD-N006-8N1N Portugal: 2990-H0CD-N006-8N1N Romania: 2990-H0CD-N006-8N1N Slovakia: 2990-H0CD-N006-8N1N

Slovenia: 2990-H0CD-N006-8N1N Spain: 2990-H0CD-N006-8N1N Sweden: 2990-H0CD-N006-8N1N

Contains: dibenzoyl peroxide; benzoyl peroxide, DIISODECYL ADIPATE, Epoxy Resin:- Reaction product of

Bisphenol A and Epichlorohydrin (refer to Epicholorohydrin)

Hazard pictograms



Signal word Warning

Hazard statements

Causes skin irritation. H315

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

P261 Avoid breathing mist/vapors. Wash thoroughly after handling. P264

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment. Wear eye protection/face protection. P280

Wear protective gloves. P280

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Collect spillage. P391 Not available. **Storage**

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
dibenzoyl peroxide; benzoyl peroxide	15 - 40	94-36-0 202-327-6	-	617-008-00-0	
Classification: (Org. Perox	. B;H241, Eye Irrit. 2	;H319, Skin Sens. 1;H317		
Epoxy Resin:- Reaction product of Bisphenol A and Epichlorohydrin (refer to Epicholorohydrin)	15 - 40	25068-38-6 -	01-2119456619-26-0000	-	
Classification: S	Skin Irrit. 2	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
DIISODECYL ADIPATE	10 - < 20	27178-16-1 248-299-9	-	-	
Classification: -	•				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

Other components below reportable

M: M-factor

levels

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

30 - 60

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delaved

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk. Special fire fighting

procedures

Specific methods

Material name: Plexus MA420 (AO420) EU Activator

IT112 Version #: 04 Revision date: 08-02-2023 Issue date: 06-27-2023

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tons;

Upper-tier requirements = 500 tons)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value	Form
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	Ceiling	10 mg/m3	Inhalable fraction.
	MAK	5 mg/m3	Inhalable fraction.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value
dibenzoyl peroxide; benzoyl	TWA	5 mg/m3
peroxide (CAS 94-36-0)		

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	MAC	5 mg/m3	

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	Ceiling	10 mg/m3
	TWA	5 mg/m3

Material name: Plexus MA420 (AO420) EU Activator

IT112 Version #: 04 Revision date: 08-02-2023 Issue date: 06-27-2023

dibenzoyl peroxide; benzoyl	TLV	5 mg/m3	
peroxide (CAS 94-36-0)	124	o mg/mo	
Estonia. OELs. Occupational Exposur Components	e Limits of Hazardous Su Type	bstances (Regulation No. 10 Value	5/2001, Annex), as amended
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	
Finland. HTP-arvot, App 3., Binding Li Components	mit Values, Social Affairs Type	and Ministry of Health Value	
libenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	STEL	10 mg/m3	
	TWA	5 mg/m3	
France. Threshold Limit Values (VLEP Components) for Occupational Expos Type	sure to Chemicals in France, Value	INRS ED 984
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	VME	5 mg/m3	
Regulatory status: Indicative lim	it (VL)		
Germany. DFG MAK List (advisory OE n the Work Area (DFG), as updated	Ls). Commission for the	Investigation of Health Hazar	rds of Chemical Compounds
Components	Туре	Value	Form
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	Inhalable fraction.
Germany. TRGS 900, Limit Values in t	he Ambient Air at the Wo	rkplace	
Components	Туре	Value	Form
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	AGW	5 mg/m3	Inhalable fraction.
Greece. OELs, Presidential Decree No Components	. 307/1986, as amended Type	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	
Hungary. OELs. Decree on protection			, Annex 1&2, as amended
Components	Туре	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	STEL	5 mg/m3	
	TWA	5 mg/m3	
celand. OELs. Regulation 390/2009 or Components	n Pollution Limits and Me Type	asures to Reduce Pollution a Value	It the Workplace, as amende
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	
reland. OELVs, Schedules 1 & 2, Cod Components	e of Practice for Chemica Type	l Agents and Carcinogens Re Value	egulations
dibenzoyl peroxide; benzoyl	TWA	5 mg/m3	
peroxide (CAS 94-36-0)	A !! 0000\		
taly. OELs (Legislative Decree n.81, 9 Components	April 2008), as amended Type	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	
Norway. Regulation No. 1358 on Meas		r Physical and Chemical Fact	ors in Work Environment ar
NTARTIAN (SYALINA TAY DIRIAMIRAL Laster	> 4> 400E00E0		
Infection Groups for Biological Factor Components	Туре	Value	

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

Components	Туре	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Portugal. VLEs. Norm on occupati	onal exposure to chemical a	gents (NP 1796-2014)	
Componento	Tuna	Value	

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)

Components Type Value

dibenzoyl peroxide; benzoyl TWA 5 mg/m3

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1. Table 1. as amended)

Components	Туре	Value	
dibenzoyl peroxide; benzoyl	TWA	5 mg/m3	
peroxide (CAS 94-36-0)			

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work. Annex I), as amended

Components	Туре	Value	Form
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	Inhalable fraction.

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Туре	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Туре	Value	Form
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	STEL	5 mg/m3	Inhalable fraction.
	TWA	5 mg/m3	Inhalable fraction.

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Components Type Value

dibenzoyl peroxide; benzoyl	TWA	5 mg/m3
peroxide (CAS 94-36-0)		

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

peroxide (CAS 94-36-0)

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines

Hungary OELs: Skin designation

dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0) Can be absorbed through the skin.

Follow standard monitoring procedures.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General informationUse personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Material name: Plexus MA420 (AO420) EU Activator

Trodi appropriate enemical reciciant gi

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Viscous. Liquid. **Form**

Color Neutral Slight. Odor

Melting point/freezing point **Boiling point or initial boiling** point and boiling range

217,4 °F (103 °C) estimated 608 °F (320 °C) estimated

Flammability Not applicable.

265,0 °F (129,4 °C) estimated Flash point 176 °F (80 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available. pН Not available. Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

-0,001 hPa estimated Vapor pressure

Density and/or relative density

Density 1,13 g/cm3 estimated

Vapor density Not available. Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

5.2 % estimated Percent volatile **Specific gravity** 1,13 estimated VOC <50 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

Acids. Alcohols. Amines. 10.5. Incompatible materials

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Material name: Plexus MA420 (AO420) EU Activator

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Components Species Test Results

dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)

Acute Oral

LD50 Rat 7710 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure

ingle exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are

not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

dibenzoyl peroxide; benzoyl peroxide 3,46

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No

1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Material name: Plexus MA420 (AO420) EU Activator

IT112 Version #: 04 Revision date: 08-02-2023 Issue date: 06-27-2023

20) EU Activator

The product contains volatile organic compounds which have a photochemical ozone creation

potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibenzoyl peroxide; benzoyl 14.2. UN proper shipping

name peroxide)

14.3. Transport hazard class(es)

Class 9 Subsidiary risk Label(s) 9 90 Hazard No. (ADR) **Tunnel restriction code** Ε Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

RID

UN3082 14.1. UN number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibenzoyl peroxide; benzoyl 14.2. UN proper shipping

peroxide) name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

ADN

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibenzoyl peroxide; benzoyl

peroxide) name

14.3. Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number

14.2. UN proper shipping

Environmentally hazardous substance, liquid, n.o.s. (dibenzoyl peroxide; benzoyl peroxide)

name

14.3. Transport hazard class(es)

9 Class Subsidiary risk

Material name: Plexus MA420 (AO420) EU Activator

IT112 Version #: 04 Revision date: 08-02-2023 Issue date: 06-27-2023

14.4. Packing group Ш 14.5. Environmental hazards Yes **ERG Code** 9L

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

14.1. UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibenzoyl peroxide; benzoyl 14.2. UN proper shipping

peroxide), MARINE POLLUTANT name

14.3. Transport hazard class(es)

9 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Marine pollutant Yes

EmS F-A, S-F

14.6. Special precautions


for user Dibenzoyl Peroxide Read safety instructions, SDS and emergency procedures before handling.

14.7. Maritime transport in bulk

according to IMO instruments

Not established.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



IMDG Regulated Marine Pollutant. **General information**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Material name: Plexus MA420 (AO420) EU Activator

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: 2990-H0CD-N006-8N1N Belgium: 2990-H0CD-N006-8N1N Bulgaria: 2990-H0CD-N006-8N1N Croatia: 2990-H0CD-N006-8N1N Cyprus: 2990-H0CD-N006-8N1N

Czech Republic: 2990-H0CD-N006-8N1N Denmark: 2990-H0CD-N006-8N1N Estonia: 2990-H0CD-N006-8N1N EU: 2990-H0CD-N006-8N1N Finland: 2990-H0CD-N006-8N1N France: 2990-H0CD-N006-8N1N Germany: 2990-H0CD-N006-8N1N Greece: 2990-H0CD-N006-8N1N Hungary: 2990-H0CD-N006-8N1N Iceland: 2990-H0CD-N006-8N1N Ireland: 2990-H0CD-N006-8N1N Italy: 2990-H0CD-N006-8N1N Latvia: 2990-H0CD-N006-8N1N Lithuania: 2990-H0CD-N006-8N1N Luxembourg: 2990-H0CD-N006-8N1N Malta: 2990-H0CD-N006-8N1N Netherlands: 2990-H0CD-N006-8N1N Norway: 2990-H0CD-N006-8N1N Poland: 2990-H0CD-N006-8N1N Portugal: 2990-H0CD-N006-8N1N Romania: 2990-H0CD-N006-8N1N Slovakia: 2990-H0CD-N006-8N1N

Slovenia: 2990-H0CD-N006-8N1N Spain: 2990-H0CD-N006-8N1N Sweden: 2990-H0CD-N006-8N1N

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Young people under 18 years old are not allowed to work with this product according to EU **National regulations**

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Epoxy Resin:- Reaction product of Bisphenol A and

Epichlorohydrin (refer to Epicholorohydrin)

(CAS 25068-38-6)

Maladies professionnelles provoquées par les résines

époxydiques et leurs constituants 51

Product registration number

Austria UFI: 2990-H0CD-N006-8N1N **Belgium** UFI: 2990-H0CD-N006-8N1N UFI: 2990-H0CD-N006-8N1N Czech Republic

UFI: 2990-H0CD-N006-8N1N Denmark **Finland** UFI: 2990-H0CD-N006-8N1N UFI: 2990-H0CD-N006-8N1N France UFI: 2990-H0CD-N006-8N1N Germany Greece UFI: 2990-H0CD-N006-8N1N UFI: 2990-H0CD-N006-8N1N Hungary UFI: 2990-H0CD-N006-8N1N Italy UFI: 2990-H0CD-N006-8N1N **Netherlands** UFI: 2990-H0CD-N006-8N1N Norway UFI: 2990-H0CD-N006-8N1N **Poland** UFI: 2990-H0CD-N006-8N1N **Portugal** Slovakia UFI: 2990-H0CD-N006-8N1N Slovenia UFI: 2990-H0CD-N006-8N1N UFI: 2990-H0CD-N006-8N1N Spain UFI: 2990-H0CD-N006-8N1N Sweden **Switzerland** UFI: 2990-H0CD-N006-8N1N

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H241 Heating may cause a fire or explosion.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Revision information

Training information

None

Follow training instructions when handling this material.

Not available.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Plexus MA420 (AO420) EU Activator

IT112 Version #: 04 Revision date: 08-02-2023 Issue date: 06-27-2023

SDS FII