# **ITW** Performance Polymers

# SAFETY DATA SHEET MA3940 ADHESIVE

Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name MA3940 ADHESIVE

Product number Z0034

UFI: QDA0-30AJ-M00N-V2MG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Adhesive.

#### 1.3. Details of the supplier of the safety data sheet

Supplier ITW Performance Polymers

Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82 353(61)771500 353(61)471285

customerservice.shannon@itwpp.com

# 1.4. Emergency telephone number

**Emergency telephone** +44(0)1235 239 670 (24h)

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

Health hazards Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 - H335

Environmental hazards Not Classified

# 2.2. Label elements

#### Hazard pictograms





Signal word Danger

**Hazard statements** H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Revision date: 18/03/2021 Revision: 14 Supersedes date: 05/04/2018

# MA3940 ADHESIVE

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

Contains METHYL METHACRYLATE, 2,2'-[(4-methylphenyl)imino]bisethanol

Supplementary precautionary

statements

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE/doctor if you feel unwell.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

methyl methacrylate 30-60%

CAS number: 80-62-6 EC number: 201-297-1 REACH registration number: 01-

2119452498-28-0000

Classification

Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 - H335

#### 2,2'-[(4-methylphenyl)imino]bisethanol

5-10%

CAS number: 3077-12-1 EC number: 221-359-1

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information Avoid contact with eyes. Do not breathe vapour/spray. In case of accident or if you feel

unwell, seek medical advice immediately (show the label where possible).

**Inhalation** Move affected person to fresh air at once. When breathing is difficult, properly trained

personnel may assist affected person by administering oxygen. Get medical attention if any

discomfort continues.

**Ingestion** Do not induce vomiting. Give plenty of water to drink. Get medical attention. Never give

anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, the

head should be kept low so that vomit does not enter the lungs.

Skin contact Remove affected person from source of contamination. Wash skin thoroughly with soap and

water. Get medical attention if irritation persists after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes and get medical attention. Get medical attention if irritation persists after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Highly flammable Avoid breathing fire gases or vapours. Vapours are heavier than air and

may spread near ground and travel a considerable distance to a source of ignition and flash

back. Polymerises easily with evolution of heat.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Keep up-wind to avoid fumes. Do not use water jet as an extinguisher, as this will spread the

fire. Cool containers exposed to flames with water until well after the fire is out.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Highly flammable Warn everybody of potential hazards and evacuate if necessary. Provide

adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation

of vapours and contact with skin and eyes.

#### 6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled

discharges into watercourses must be reported immediately to the Environmental Agency or

other appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Containers with collected spillage must be properly

labelled with correct contents and hazard symbol.

#### 6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11

for additional information on health hazards.

#### SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Warn everybody

of potential hazards and evacuate if necessary. Do not breathe vapour. Take precautionary measures against static discharges. Storage tanks and other containers must be earthed. No smoking, sparks, flames or other sources of ignition near spillage. Good personal hygiene

procedures should be implemented.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away

from incompatible materials (see Section 10).

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

# 8.1. Control parameters

#### Occupational exposure limits

#### methyl methacrylate

Long-term exposure limit (8-hour TWA): WEL 50 ppm 208 mg/m $^3$  Short-term exposure limit (15-minute): WEL 100 ppm 416 mg/m $^3$ 

WEL = Workplace Exposure Limit.

Ingredient comments WEL = Workplace Exposure Limits

# 8.2. Exposure controls

# Protective equipment









# Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Wear protective gloves made of the following material: Rubber or plastic. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 8 hours.

Revision date: 18/03/2021 Revision: 14 Supersedes date: 05/04/2018

#### MA3940 ADHESIVE

Other skin and body

protection

Wear chemical protective suit.

Hygiene measures Provide eyewash station and safety shower. Keep away from food, drink and animal feeding

stuffs. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Change work clothing daily before leaving

workplace.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection

must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard

EN140.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Paste.

Colour White/off-white.

Odour Slight pungent.

pH (concentrated solution): 7 @ 20 °C

Melting point -47.7°C

Initial boiling point and range 101°C @

Flash point 10°C

**Evaporation rate** 3 (butyl acetate =1)

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 1.7 Upper flammable/explosive limit: 12.5

Vapour pressure 28mmHg @ °C

Vapour density 3.5

**Relative density** .93 - 1.05 @ @ 20 °C °C

9.2. Other information

Other information Not available.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

**Reactivity** Strong oxidising agents. Strong reducing agents.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

May polymerise.

reactions

#### 10.4. Conditions to avoid

Revision date: 18/03/2021 Revision: 14 Supersedes date: 05/04/2018

# MA3940 ADHESIVE

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid excessive heat for prolonged periods

of time.

10.5. Incompatible materials

Materials to avoid Avoid contact with oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition C

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

**products** other toxic gases or vapours.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 5,555.56

Inhalation Vapour may affect central nervous system. Symptoms following overexposure may include

the following: Headache. Nausea, vomiting. Intoxication. May cause discomfort.

Skin contact Irritating to skin. May cause sensitisation by skin contact. May cause sensitisation or allergic

reactions in sensitive individuals.

**Eye contact** Irritating to eyes.

**Target organs** Prolonged or repeated exposure may cause the following adverse effects: May cause damage

to the liver and kidneys. Respiratory system, lungs Central nervous system

#### Toxicological information on ingredients.

#### methyl methacrylate

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

# STYRENE-BUTADIENE BLOCK COPOLYMER

Carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

#### SECTION 12: Ecological information

**Ecotoxicity** Do not release into the environment.

12.1. Toxicity

**Toxicity** Not considered toxic to fish.

# 12.2. Persistence and degradability

Persistence and degradability Methyl methacrylate monomer: Biochemical oxygen demand within 5 days (BOD5) = .14 g/g

- 0.9 g/g.

# 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

**Mobility** Do not discharge into drains or watercourses or onto the ground.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Other adverse effects Not available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

**Waste class** 08 04 09

# SECTION 14: Transport information

**General** No other information known.

14.1. UN number

UN No. (ADR/RID) 1133 UN No. (IMDG) 1133 UN No. (ICAO) 1133

# 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

**ADHESIVES** 

Proper shipping name (IMDG) ADHESIVES

Proper shipping name (ICAO) ADHESIVES

Proper shipping name (ADN) ADHESIVES

#### 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID label 3

IMDG class 3

ICAO class/division 3

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II

# 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

**EmS** F-E, S-D

Emergency Action Code 3YE

Hazard Identification Number 33

(ADR/RID)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to No information required.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision date 18/03/2021

Revision 14

Supersedes date 05/04/2018

Hazard statements in full H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.