

PLEXUS Structural Bonding Solutions for Thermoformed Parts



Why use Plexus on thermoformed plastic?

- · Reduces tooling cost by eliminating molded in features
- Requires minimal surface preparation
- Enhances design freedom by joining dissimilar materials
- Reduces assembly cost

The major advantages of Plexus Adhesives

- · Durable, long-lasting bonds
- Simplifies the assembly process
- · Can be used in a variety of applications
- · No print-through with specialty formulas

The Plexus range of MMA's, hybrid, and PU adhesives are designed to produce high strength bonds to thermoformed parts, can be applied with minimal to no surface preparation, and cure quickly over a wide range of temperatures. They accommodate the full scope of possible bonding applications for the thermoforming industry.

PLEXUS Structural Bonding Solutions for Thermoformed Parts

Unlock new design choices! Efficiently and durably bond thermoformed plastics to gaskets, metals, composites, and other plastic materials with no print-through

Product	Description	Color	Mix ratio by volume	Working Time, mins	Substrate			Properties		
MA8110	Low odor, universal bonding, medium open time	Gray	1:1	8-12						
MA8120	Low odor, universal bonder, medium open time	Gray	1:1	18-22						
MA300	High strength for Primary static applications	Black, Straw	1:1	3-10	\mathbf{O}^*				-	-
MA205HV	Fastest curing, dynamic stress capable	Green	10:1	3 - 6					-	-
MA420	General purpose, dynamic stress capable	Blue, Black, Straw	10:1	4 - 6	\mathbf{O}^*	•		•	-	-
MA1020	General purpose, low print	Blue, Straw	10:1	4 - 6	\mathbf{O}^{*}					
MA320	General purpose, dynamic stress capable	White	10:1	8 - 12	\mathbf{O}^{\star}				-	-

Excellent Good *Use PC120 Cleaner

Amorphous hemoplastic

Low Odo

How Plexus adhesives fit into the Thermoforming process:



Inserts

Effectively bond secondary materials into the original thermoformed part



Stiffeners

Bond metal stiffeners onto thermoformed parts with minimal surface prep



Dissimilar materials Primerless adhesion to

Coated Metal

a variety of substrates



Clips, fasteners, gaskets

Quickly join items such as clips and fasteners to the molded part

Plexus is a registered trademark of Illinois Tool Works, Inc. – © ITW Performance Polymers – July, 2021.

The technical information, recommendations and other statements contained in this sheet are based upon good faith tests or experiences that ITW Performance Polymers believes are reliable, but the accuracy or completeness of such information is not guaranteed. The information provided is not intended to substitute for the customers own testing.