SAFETY DATA SHEET

Version #: 01

Issue date: 07-24-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Registration number

Trade name or designation

on

of the mixture

Synonyms

None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

WB S Component B

Identified usesNot available.Uses advised againstNone known.1.3. Details of the supplier of the safety data sheet

Supplier

Company name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare, Ireland

Division

Telephone Phone 353(61)771500

e-mail customerservice.shannon@itwpp.com

Contact person Not available.

1.4. Emergency telephone

number

Emergency Number 44(0)1235 239 670

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: WB S Component B 4446 Version #: 01 Issue date: 07-24-2023

Greece Poison Information

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

113

Latvia Poison and Drug Information Center

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

H302 - Harmful if swallowed. Acute toxicity, oral Category 4 H332 - Harmful if inhaled. Acute toxicity, inhalation Category 4

H314 - Causes severe skin burns Skin corrosion/irritation Category 1B

and eye damage.

Serious eye damage/eye irritation H318 - Causes serious eye Category 1

damage.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

Environmental hazards

long-term aquatic hazard

Hazardous to the aquatic environment. Category 2 H411 - Toxic to aquatic life with

long lasting effects.

2.2. Label elements

Material name: WB S Component B 4446 Version #: 01 Issue date: 07-24-2023

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: 5WG0-G0GY-7009-6WWM Belgium: 5WG0-G0GY-7009-6WWM Bulgaria: 5WG0-G0GY-7009-6WWM Croatia: 5WG0-G0GY-7009-6WWM Cyprus: 5WG0-G0GY-7009-6WWM

Czech Republic: 5WG0-G0GY-7009-6WWM Denmark: 5WG0-G0GY-7009-6WWM Estonia: 5WG0-G0GY-7009-6WWM EU: 5WG0-G0GY-7009-6WWM Finland: 5WG0-G0GY-7009-6WWM France: 5WG0-G0GY-7009-6WWM

Germany: 5WG0-G0GY-7009-6WWM Greece: 5WG0-G0GY-7009-6WWM Hungary: 5WG0-G0GY-7009-6WWM Iceland: 5WG0-G0GY-7009-6WWM Ireland: 5WG0-G0GY-7009-6WWM Italy: 5WG0-G0GY-7009-6WWM Latvia: 5WG0-G0GY-7009-6WWM Lithuania: 5WG0-G0GY-7009-6WWM

Luxembourg: 5WG0-G0GY-7009-6WWM Malta: 5WG0-G0GY-7009-6WWM Netherlands: 5WG0-G0GY-7009-6WWM Norway: 5WG0-G0GY-7009-6WWM Poland: 5WG0-G0GY-7009-6WWM Portugal: 5WG0-G0GY-7009-6WWM Romania: 5WG0-G0GY-7009-6WWM

Slovakia: 5WG0-G0GY-7009-6WWM Slovenia: 5WG0-G0GY-7009-6WWM Spain: 5WG0-G0GY-7009-6WWM Sweden: 5WG0-G0GY-7009-6WWM

Contains: 2,4,6-tris(dimethylaminomethyl)phenol, 3-aminomethyl-3,5,5-trimethylcyclohexylamine,

> 4,4'-isopropylidenediphenol, Oligomeric Reaction Products With 1-chloro-2,3-epoxypropane, Reaction Products With 3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyl alcohol

Hazard pictograms







Signal word Danger

Hazard statements

Harmful if swallowed. H302

Causes severe skin burns and eye damage. H314

May cause an allergic skin reaction. H317 Causes serious eye damage. H318

Harmful if inhaled. H332

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Do not breathe mist/vapors. P260 Wash thoroughly after handling. P264

Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P280

Response

Rinse mouth. P330

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301 + P330 + P331

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with P303 + P361 + P353

water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304 + P340

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor. P310

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Collect spillage. P391

Storage

Store locked up. P405

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

20% of the mixture consists of component(s) of unknown acute oral toxicity. 40% of the mixture Supplemental label information

> consists of component(s) of unknown acute dermal toxicity. 88% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 23% of the mixture consists

of component(s) of unknown long-term hazards to the aquatic environment.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
benzyl alcohol	30-60%	100-51-6 202-859-9	01-2119492630-38-0000	603-057-00-5	
Classification:			ng/kg bw), Acute Tox. 4;H31 (ATE: 11 mg/l), Aquatic Chro		
3-aminomethyl-3,5,5-trimethylcyclohe xylamine	10-30%	2855-13-2 220-666-8	01-2119514687-32-0000	612-067-00-9	
	1B;H314, E Aquatic Ch	Eye Dam. 1;H318, Sk ironic 3;H412	mg/kg bw), Acute Tox. 4;H3 iin Sens. 1;H317, Skin Sens		
Specific Concentration Limits:	SKIII SEIIS.	IA,⊓317. C ≥ 0.001	70		
4,4'-isopropylidenediphenol,	10-30%	38294-64-3	01-2119965165-33-0000	_	
Oligomeric Reaction Products With 1-chloro-2,3-epoxypropane, Reaction Products With 3-aminomethyl-3,5,5-trimethylcyclohe		500-101-4			
Oligomeric Reaction Products With 1-chloro-2,3-epoxypropane, Reaction Products With 3-aminomethyl-3,5,5-trimethylcyclohe xylamine Classification:	-	500-101-4			

mg/kg bw), Skin Irrit. 2;H315, Eye Irrit. 2;H319

Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

12

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated

clothing before reuse.

4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a poison center or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Call a physician

or poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Material name: WB S Component B

SDS FII 4446 Version #: 01 Issue date: 07-24-2023

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tons; Upper-tier requirements = 500 tons)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Material name: WB S Component B

Occupational exposure limits

Components	Туре	Value	
benzyl alcohol (CAS 100-51-6)	TWA	5 mg/m3	
Czech Republic. Occupational o	exposure limit values of chemicals at work nex 3, Part A, as amended)	(Decree on protec	tion of health at work,
Components	Туре	Value	
benzyl alcohol (CAS 100-51-6)	Ceiling	80 mg/m3	
	TWA	40 mg/m3	
Finland. HTP-arvot, App 3., Bin Components	ding Limit Values, Social Affairs and Minis Type	try of Health Value	
benzyl alcohol (CAS 100-51-6)	TWA	45 mg/m3	
		10 ppm	
in the Work Area (DFG), as upd	ory OELs). Commission for the Investigati ated		·
Components	Туре	Value	Form
benzyl alcohol (CAS 100-51-6)	TWA	22 mg/m3	Vapor and aerosol.
		5 ppm	Vapor and aerosol.
Germany. TRGS 900, Limit Valu Components	ies in the Ambient Air at the Workplace Type	Value	Form
benzyl alcohol (CAS 100-51-6)	AGW	22 mg/m3	Vapor and aerosol.
Latvia. OELs. Occupational Exp	posure Limits of Chemical Substances at V	5 ppm Vorkplace (Reg. No	Vapor and aerosol. b. 325/ 2007, L.V. 80, Annex
Latvia. OELs. Occupational Exp 1), as amended Components	Туре	Vorkplace (Reg. No	·
Latvia. OELs. Occupational Exp 1), as amended		Vorkplace (Reg. No	·
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended	Type TWA Exposure Limit Values for Chemical Subst	Vorkplace (Reg. No Value 5 mg/m3 tances (Hygiene No	o. 325/ 2007, L.V. 80, Anne
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational	Type TWA	Vorkplace (Reg. No Value 5 mg/m3	o. 325/ 2007, L.V. 80, Anne
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended	Type TWA Exposure Limit Values for Chemical Subst	Vorkplace (Reg. No Value 5 mg/m3 tances (Hygiene No	o. 325/ 2007, L.V. 80, Anne
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6)	Type TWA Exposure Limit Values for Chemical Subst	Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3	o. 325/ 2007, L.V. 80, Annex orm HN 23:2011; Order No
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6)	Type TWA Exposure Limit Values for Chemical Subst Type TWA	Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3	o. 325/ 2007, L.V. 80, Annex
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6) Poland. Maximum permissible of	Type TWA Exposure Limit Values for Chemical Subst Type TWA concentrations and intensities of harmful f	Vorkplace (Reg. No Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3 factors in the work	o. 325/ 2007, L.V. 80, Annex
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6) Poland. Maximum permissible of 1286/2018, Annex 1) Components benzyl alcohol (CAS 100-51-6) Slovenia. OELs. Occupational E	Type TWA Exposure Limit Values for Chemical Subst Type TWA concentrations and intensities of harmful f Type TWA Exposure Limits of Chemicals at Workplace	Vorkplace (Reg. No Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3 factors in the work Value 240 mg/m3	o. 325/ 2007, L.V. 80, Annexorm HN 23:2011; Order No
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6) Poland. Maximum permissible (1286/2018, Annex 1) Components benzyl alcohol (CAS 100-51-6) Slovenia. OELs. Occupational Edue to Exp. to Chemicals at Wo	Type TWA Exposure Limit Values for Chemical Subst Type TWA concentrations and intensities of harmful f Type TWA Exposure Limits of Chemicals at Workplace	Vorkplace (Reg. No Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3 factors in the work Value 240 mg/m3	o. 325/ 2007, L.V. 80, Annexorm HN 23:2011; Order No
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6) Poland. Maximum permissible of 1286/2018, Annex 1) Components benzyl alcohol (CAS 100-51-6) Slovenia. OELs. Occupational Edue to Exp. to Chemicals at Wolcomponents benzyl alcohol (CAS	Type TWA Exposure Limit Values for Chemical Subst Type TWA concentrations and intensities of harmful f Type TWA Exposure Limits of Chemicals at Workplace ork, Annex I), as amended	Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3 factors in the work Value 240 mg/m3 e (Reg. on Protection	o. 325/ 2007, L.V. 80, Annexorm HN 23:2011; Order No
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6) Poland. Maximum permissible of the components benzyl alcohol (CAS 100-51-6) Slovenia. OELs. Occupational Edue to Exp. to Chemicals at Wolcomponents	Type TWA Exposure Limit Values for Chemical Substance Type TWA Concentrations and intensities of harmful for the temperature of the temperatu	Vorkplace (Reg. No Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3 factors in the work Value 240 mg/m3 e (Reg. on Protectic	o. 325/ 2007, L.V. 80, Annexorm HN 23:2011; Order No
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6) Poland. Maximum permissible of 1286/2018, Annex 1) Components benzyl alcohol (CAS 100-51-6) Slovenia. OELs. Occupational Edue to Exp. to Chemicals at Wo Components benzyl alcohol (CAS 100-51-6)	Type TWA Exposure Limit Values for Chemical Substance Type TWA Concentrations and intensities of harmful for the temperature of the temperatu	Vorkplace (Reg. No Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3 factors in the work Value 240 mg/m3 e (Reg. on Protecti Value 22 mg/m3	o. 325/ 2007, L.V. 80, Annexorm HN 23:2011; Order No
Latvia. OELs. Occupational Exp 1), as amended Components benzyl alcohol (CAS 100-51-6) Lithuania. OELs. Occupational V-824/A1-389), as amended Components benzyl alcohol (CAS 100-51-6) Poland. Maximum permissible of 1286/2018, Annex 1) Components benzyl alcohol (CAS 100-51-6) Slovenia. OELs. Occupational Edue to Exp. to Chemicals at Wo Components benzyl alcohol (CAS 100-51-6) Switzerland. SUVA Grenzwerte	Type TWA Exposure Limit Values for Chemical Subst Type TWA concentrations and intensities of harmful f Type TWA Exposure Limits of Chemicals at Workplace ork, Annex I), as amended Type TWA TWA am Arbeitsplatz: Aktuelle MAK-Werte	Vorkplace (Reg. No Value 5 mg/m3 tances (Hygiene No Value 5 mg/m3 factors in the work Value 240 mg/m3 e (Reg. on Protecti Value 22 mg/m3 5 ppm	orm HN 23:2011; Order No environment (Dz.U.Poz.

Material name: WB S Component B 4446 Version #: 01 Issue date: 07-24-2023 **Recommended monitoring**

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Germany DFG MAK (advisory): Skin designation

benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin.

Lithuania OELs: Skin designation

benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin.

Switzerland SUVA Limit Values at the Workplace: Skin designation

benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Face shield is

recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Keep away from food and drink. Always observe good personal hygiene measures, such as

> washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing

should not be allowed out of the workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liquid.

Color Light brown or Colorless

Odor Characteristic.

Melting point/freezing point 4,64 °F (-15,2 °C) estimated 401,54 °F (205,3 °C) estimated **Boiling point or initial boiling**

point and boiling range

>392 °F (>200 °C)

Flammability Not applicable. 212,0 °F (100,0 °C) Flash point >392 °F (>200 °C) Auto-ignition temperature **Decomposition temperature** Not available Ha Not available.

4446 Version #: 01 Issue date: 07-24-2023

Material name: WB S Component B

SDS FII

Kinematic viscosity Not available.

Solubility

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water) (log value)

<0.5 kPa Vapor pressure

Density and/or relative density

1,00 g/cm3 estimated Density

Not available. Vapor density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard

to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity 1,01 estimated

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

Peroxides. Phenols. 10.5. Incompatible materials

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Harmful if inhaled. Inhalation

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Causes serious eye damage. Eye contact

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful if inhaled. Harmful if swallowed. **Acute toxicity**

Components **Species Test Results**

2,4,6-tris(dimethylaminomethyl)phenol (CAS 90-72-2)

Acute Dermal

LD50 Rat 1280 mg/kg

benzyl alcohol (CAS 100-51-6)

Acute Dermal

LD50 Rabbit

2000 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Material name: WB S Component B

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

benzyl alcohol

1,1

No data is available on the degradability of any ingredients in the mixture.

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

potential, endocrine disruption, global warming potential) are expected from this component.

0.1% by weight. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

12.8. Additional information

12.7. Other adverse effects

Estonia Dangerous substances in soil Data

benzyl alcohol (CAS 100-51-6)

Chemical pesticides (As the total sum of the active substances) 0,5 MG/KG

Chemical pesticides (As the total sum of the active substances) 20 MG/KG

Chemical pesticides (As the total sum of the active substances) 5 MG/KG

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN2289

14.2. UN proper shipping

ISOPHORONEDIAMINE

Material name: WB S Component B

4446 Version #: 01 Issue date: 07-24-2023

```
Class
        Subsidiary risk
                                 8
        Label(s)
        Hazard No. (ADR)
                                 80
                                 Ε
        Tunnel restriction code
                                 Ш
    14.4. Packing group
    14.5. Environmental hazards No.
                                 Read safety instructions, SDS and emergency procedures before handling.
    14.6. Special precautions
    for user
RID
    14.1. UN number
                                 UN2289
    14.2. UN proper shipping
                                 ISOPHORONEDIAMINE
    14.3. Transport hazard class(es)
                                 8
        Class
        Subsidiary risk
                                 8
        Label(s)
                                 Ш
    14.4. Packing group
    14.5. Environmental hazards No.
    14.6. Special precautions
                                 Read safety instructions, SDS and emergency procedures before handling.
    for user
ADN
                                 LIN2289
    14.1. UN number
                                 ISOPHORONEDIAMINE
    14.2. UN proper shipping
    name
    14.3. Transport hazard class(es)
                                 8
        Class
        Subsidiary risk
                                 8
        Label(s)
    14.4. Packing group
                                 Ш
    14.5. Environmental hazards No.
    14.6. Special precautions
                                 Read safety instructions, SDS and emergency procedures before handling.
    for user
IATA
    14.1. UN number
                                 UN2289
                                 Isophoronediamine
    14.2. UN proper shipping
    name
    14.3. Transport hazard class(es)
        Class
                                 8
        Subsidiary risk
    14.4. Packing group
                                 Ш
    14.5. Environmental hazards No.
    ERG Code
    14.6. Special precautions
                                 Read safety instructions, SDS and emergency procedures before handling.
    for user
    Other information
                                 Allowed with restrictions.
        Passenger and cargo
        aircraft
        Cargo aircraft only
                                 Allowed with restrictions.
IMDG
    14.1. UN number
                                 UN2289
    14.2. UN proper shipping
                                 ISOPHORONEDIAMINE
    name
    14.3. Transport hazard class(es)
                                 8
        Class
        Subsidiary risk
                                 Ш
    14.4. Packing group
    14.5. Environmental hazards
        Marine pollutant
                                 No.
                                 F-A, S-B
    EmS
    14.6. Special precautions
                                 Read safety instructions, SDS and emergency procedures before handling.
```

for user

14.3. Transport hazard class(es)

14.7. Maritime transport in bulk Not established. according to IMO instruments

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: 5WG0-G0GY-7009-6WWM Belgium: 5WG0-G0GY-7009-6WWM Bulgaria: 5WG0-G0GY-7009-6WWM Croatia: 5WG0-G0GY-7009-6WWM Cyprus: 5WG0-G0GY-7009-6WWM

Czech Republic: 5WG0-G0GY-7009-6WWM Denmark: 5WG0-G0GY-7009-6WWM Estonia: 5WG0-G0GY-7009-6WWM EU: 5WG0-G0GY-7009-6WWM Finland: 5WG0-G0GY-7009-6WWM France: 5WG0-G0GY-7009-6WWM Germany: 5WG0-G0GY-7009-6WWM Greece: 5WG0-G0GY-7009-6WWM Hungary: 5WG0-G0GY-7009-6WWM Iceland: 5WG0-G0GY-7009-6WWM Ireland: 5WG0-G0GY-7009-6WWM Italy: 5WG0-G0GY-7009-6WWM Latvia: 5WG0-G0GY-7009-6WWM Lithuania: 5WG0-G0GY-7009-6WWM Luxembourg: 5WG0-G0GY-7009-6WWM Malta: 5WG0-G0GY-7009-6WWM Netherlands: 5WG0-G0GY-7009-6WWM Norway: 5WG0-G0GY-7009-6WWM Poland: 5WG0-G0GY-7009-6WWM Portugal: 5WG0-G0GY-7009-6WWM Romania: 5WG0-G0GY-7009-6WWM

Slovakia: 5WG0-G0GY-7009-6WWM Slovenia: 5WG0-G0GY-7009-6WWM Spain: 5WG0-G0GY-7009-6WWM Sweden: 5WG0-G0GY-7009-6WWM

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

2,4,6-tris(dimethylaminomethyl)phenol (CAS 90-72-2)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

UFI: 5WG0-G0GY-7009-6WWM **Austria Belgium** UFI: 5WG0-G0GY-7009-6WWM **Czech Republic** UFI: 5WG0-G0GY-7009-6WWM Denmark UFI: 5WG0-G0GY-7009-6WWM **European Union** UFI: 5WG0-G0GY-7009-6WWM UFI: 5WG0-G0GY-7009-6WWM **Finland France** UFI: 5WG0-G0GY-7009-6WWM Germany UFI: 5WG0-G0GY-7009-6WWM Greece UFI: 5WG0-G0GY-7009-6WWM Hungary UFI: 5WG0-G0GY-7009-6WWM UFI: 5WG0-G0GY-7009-6WWM Italy UFI: 5WG0-G0GY-7009-6WWM **Netherlands** UFI: 5WG0-G0GY-7009-6WWM Norway **Poland** UFI: 5WG0-G0GY-7009-6WWM **Portugal** UFI: 5WG0-G0GY-7009-6WWM Slovakia UFI: 5WG0-G0GY-7009-6WWM Slovenia UFI: 5WG0-G0GY-7009-6WWM Spain UFI: 5WG0-G0GY-7009-6WWM Sweden UFI: 5WG0-G0GY-7009-6WWM **Switzerland** UFI: 5WG0-G0GY-7009-6WWM

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average.

Material name: WB S Component B

VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: WB S Component B 4446 Version #: 01 Issue date: 07-24-2023