# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation of the mixture	Devweld 531 Adhesive	
Registration number	-	
Product registration number	UFI: JFG0-Y01Y-P00U-V709	
Synonyms	None.	
Issue date	09-September-2023	
Version number	01	
1.2. Relevant identified uses of Identified uses	the substance or mixture and u Not available.	ses advised against
Uses advised against	None known.	
1.3. Details of the supplier of the safety data sheet		
Supplier		
Company name Address	ITW Performance Polymers Bay 150 Shannon Industrial Estate	
Division	Co. Clare, Ireland	
	Phone	252/61/771500
Telephone e-mail	customerservice.shannon@itw	353(61)771500
Contact person	Not available.	pp.0011
1.4. Emergency telephone number	Emergency Number	44(0)1235 239 670
General emergency	112 or 999 SDS/Product inform Service.	nation may not be available for the Emergency
Non-emergency medical helpline	111 SDS/Product information r	nay not be available for the Emergency Service.

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards Flammable liquids	Category 2	H225 - Highly flammable liquid and vapour.
Health hazards		
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.
Environmental hazards		
Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

Signal word

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Maleic acid, methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate

Hazard pictograms



#### Hazard statements

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

Prevention	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P235	Keep cool.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing mist/vapours.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use appropriate media to extinguish.
Storage	
P403 + P235	Store in a well-ventilated place. Keep cool.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	45 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 52.5 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 45 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information Chemical name** % CAS-No. / EC No. REACH Registration No. Index No. Notes methyl methacrylate; methyl 30-60% 80-62-6 01-2119452498-28-0000 607-035-00-6 # 2-methylprop-2-enoate; methyl 201-297-1 2-methylpropenoate Classification: Flam. Liq. 2;H225, Acute Tox. 4;H332, Skin Irrit. 2;H315, Skin Sens. D 1;H317, STOT SE 3;H335 Maleic acid 5-10% 110-16-7 607-095-00-3 \_ 203-742-5 Classification: Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, STOT SE 3;H335, Aquatic Chronic 2;H411

Other components below reportable

levels

### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### **Composition comments** The full text for all H-statements is displayed in section 16.

### **SECTION 4: First aid measures**

General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	
4.1. Description of first aid meas	sures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
4.2. Most important symptoms and effects, both acute and delayed	Direct contact with eyes may cause temporary irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.	
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.	

#### **SECTION 5: Firefighting measures** General fire hazards Highly flammable liquid and vapour. 5.1. Extinguishing media Suitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). media Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media 5.2. Special hazards arising Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. from the substance or mixture 5.3. Advice for firefighters **Special protective** Self-contained breathing apparatus and full protective clothing must be worn in case of fire. equipment for firefighters **Special fire fighting** In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do procedures so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.	
For emergency responders	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.	
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent product from entering drains.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.	
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use.	
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.	

## SECTION 7: Handling and storage

7.1. Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
	Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended
	ANNEX 1, PART 1 Categories of dangerous substances Hazard categories in accordance with Regulation (EC) No 1272/2008 - P5a, b or c FLAMMABLE LIQUIDS (Lower-tier requirements = 50 tonnes; Upper-tier requirements = 200 tonnes)
7.3. Specific end use(s)	Observe industrial sector guidance on best practices.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

Components	Туре	Value
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (CAS 80-62-6)	STEL	416 mg/m3
		100 ppm
	TWA	208 mg/m3
		50 ppm
Biological limit values	No biological exposure limits noted for	r the ingredient(s).
Recommended monitoring procedures	Follow standard monitoring procedures.	
Derived no effect levels DNELs)	Not available.	
Predicted no effect concentrations (PNECs)	Not available.	
3.2. Exposure controls		
Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.	
ndividual protection measures,	such as personal protective equipm	ent
General information		s required. Personal protection equipment should be chosen in discussion with the supplier of the personal protective
Eye/face protection	Wear safety glasses with side shields	o (or goggles). Face shield is recommended.
Skin protection		
- Hand protection	Wear appropriate chemical resistant	gloves.
- Other	Wear appropriate chemical resistant	clothing. Use of an impervious apron is recommended.
Respiratory protection		n airborne concentrations below recommended exposure eptable level (in countries where exposure limits have not rator must be worn.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.
Hygiene measures	after handling the material and before	pserve good personal hygiene measures, such as washing e eating, drinking, and/or smoking. Routinely wash work remove contaminants. Contaminated work clothing should no

Material name: Devweld 531 Adhesive

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physic	al and chemical properties	
Appearance	Paste.	
Physical state	Liquid.	
Form	Liquid.	
Colour	White, Off-white	
Odour	Slight. Pungent.	
Odour threshold	Not available.	
рН	3 - 3.5	
Melting point/freezing point	-47.7 °C (-53.86 °F) / -48 °C (-54.4 °F) estimated	
Initial boiling point and boiling range	100.5 °C (212.9 °F)	
Flash point	10.0 °C (50.0 °F)	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	losive limits	
Explosive limit - lower (%)	2.1 % estimated	
Explosive limit – upper (%)	8.2 % estimated	
Vapour pressure	28 mm Hg	
Vapour density	Not available.	
Relative density	Not available.	
Solubility(ies) Solubility (water)	Not available.	
Partition coefficient	Not available.	
(n-octanol/water)		
Auto-ignition temperature	435 °C (815 °F) estimated	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Explosive properties	Not explosive.	
Oxidising properties	Not oxidising.	
9.2. Other information		
Density	0.93 - 1.05 g/cm <sup>3</sup>	
Kinematic viscosity	0.04 - 0.071 m²/s	
Specific gravity	0.93 - 1.05	
VOC	<50 g/l Mixed components	
SECTION 10: Stability and	l reactivity	
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	Material is stable under normal conditions.	
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.	
10.5. Incompatible materials	Strong oxidising agents. Nitrates. Peroxides.	
10.6. Hazardous decomposition products	No hazardous decomposition products are known.	
<b>SECTION 11: Toxicologica</b>	al information	
General information	Occupational exposure to the substance or mixture may cause adverse effects.	

### **General information**

Inhalation

Occupational exposure to the substance or mixture may cause adverse effects.

#### Information on likely routes of exposure

Prolonged inhalation may be harmful.

Skin contact	Causes skin irritation. May cause an allergic skin reaction.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms	Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.	
11.1. Information on toxicologic	al effects	
Acute toxicity	Not known.	
Components	Species Test Results	
Maleic acid (CAS 110-16-7)		
Acute		
Dermal		
LD50	Rabbit 1560 mg/kg	
methyl methacrylate; methyl 2-met	thylprop-2-enoate; methyl 2-methylpropenoate (CAS 80-62-6)	
<u>Acute</u>		
Oral		
LD50	Rat 7800 mg/kg	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	
Skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
	Evaluation of Carcinogenicity	
methyl 2-methylpropenoa		
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - single exposure	Not applicable.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Mixture versus substance information	No information available.	
SECTION 12: Ecological i	nformation	
12.1. Toxicity	Harmful to aquatic life with long lasting effects.	
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
12.3. Bioaccumulative potential		
Partition coefficient		
n-octanol/water (log Kow)	a 1a	
Maleic acid methyl methacrylate; methyl 2 2-methylpropenoate	-0.48 2-methylprop-2-enoate; methyl 1.38	
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
12.5. Results of PBT and vPvB	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation	
assessment	(EC) No 1907/2006, Annex XIII.	
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
SECTION 13: Disposal co	nsiderations	

### 13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.
SECTION 14: Transport information	

### ADR

AD	n	
	14.1. UN number	UN1133
	14.2. UN proper shipping	ADHESIVES containing flammable liquid (vapour pressure at 50 °C more than 110 kPa)
	name	<b>o i ( i i )</b>
	14.3. Transport hazard class(es)	
	Class	3
	Subsidiary risk	-
	-	3
	Label(s)	33
	Hazard No. (ADR)	
	Tunnel restriction code	
	14.4. Packing group	
	14.5. Environmental hazards	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	
RID		
	14.1. UN number	UN1133
	14.2. UN proper shipping	ADHESIVES containing flammable liquid (having a flash-point below 23 °C and viscous
	name	according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)
	14.3. Transport hazard class	(es)
	Class	3
	Subsidiary risk	-
	Label(s)	3
	14.4. Packing group	11
	14.5. Environmental hazards	No.
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	
AD	N	
	14.1. UN number	UN1133
	14.2. UN proper shipping	ADHESIVES containing flammable liquid
	name	5
	14.3. Transport hazard class	(es)
	Class	3
	Subsidiary risk	-
	Label(s)	3
	14.4. Packing group	
	14.5. Environmental hazards	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	ricad salety instructions, obo and emergency procedures before handling.
ΙΑΤ		
171	- 14.1. UN number	UN1133
	14.2. UN proper shipping	Adhesives containing flammable liquid
	name	(22)
	14.3. Transport hazard class(	
	Class	3
	Subsidiary risk	-
	14.4. Packing group	
	14.5. Environmental hazards	
	ERG Code	3L
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	

Other information		
Passenger and cargo aircraft	Allowed with restrictions.	
Cargo aircraft only	Allowed with restrictions.	
IMDG		
14.1. UN number	UN1133	
14.2. UN proper shipping name	ADHESIVES containing flammable liquid	
14.3. Transport hazard class(es)		
Class	3	
Subsidiary risk	-	
14.4. Packing group	II	
14.5. Environmental hazards	ì	
Marine pollutant	No.	
EmS	F-E, S-D	
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.	
ADN; ADR; IATA; IMDG; RID		



### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Retained direct EU regulations**

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

# Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

ANNEX 1, PART 1 Categories of dangerous substances Hazard categories in accordance with Regulation (EC) No 1272/2008 - P5a, b or c FLAMMABLE LIQUIDS

#### Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended. Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

### 15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

#### assessment

SECTION	16:	Other	information
---------	-----	-------	-------------

List of abbreviations	
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland
	Waterways.
	ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstract Service.
	CEN: European Committee for Standardization.
	IATA: International Air Transport Association.
	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
	IMDG: International Maritime Dangerous Goods.
	MARPOL: International Convention for the Prevention of Pollution from Ships.
	PBT: Persistent, bioaccumulative and toxic.
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit.
	TWA: Time Weighted Average.
	vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation	The classification for health and environmental hazards is derived by a combination of calculation
method leading to the classification of mixture	methods and test data, if available.
Full text of any statements, which are not written out in full	
under sections 2 to 15	H225 Highly flammable liquid and vapour.
	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H315 Causes skin irritation. H317 May cause an allergic skin reaction.
	H319 Causes serious eve irritation.
	H332 Harmful if inhaled.
	H335 May cause respiratory irritation.
	H411 Toxic to aquatic life with long lasting effects.
Revision information	Product and Company Identification: Product Registration Numbers Composition / Information on Ingredients: Undisclosed Ingredient Statement Transport Information: Product Shipping Name/Packing Group
Training information	Follow training instructions when handling this material.
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its
	product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance
	for safe handling, use, processing, storage, transportation, disposal and release.