SAFETY DATA SHEET

Version #: 01

Issue date: 10-02-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture

Densit® Binder, Densit® Primer, Densit® SkimCoat, Densit® WearCast, Densit® WearFlex, Densit® WearSpray, Densit® Binder R, Densit® Coat Q, Densiphalt®, Densitop®, RAM-Densit®,

Ducorit®

Registration number

None Synonyms

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Supplier

ITW Performance Polymers Company name

Address Rordalsvej 44

9220 Aalborg, Denmark

Division

Telephone +45 9816 7011

customerservice.aalborg@itwpp.com e-mail

Not available. Contact person

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons

Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

Estonia National Poisons

Information Center

available for the Emergency Service.)

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons

Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Greece Poison Information

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

113

Latvia Emergency medical

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation

Category 1 H318 - Causes serious eye

damage.

Specific target organ toxicity - single

exposure

Category 3 respiratory tract irritation

H335 - May cause respiratory

irritation.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Cement, Portland, Chemicals

Hazard pictograms



Signal word Danger

Hazard statements

Causes skin irritation. H315 Causes serious eye damage. H318 May cause respiratory irritation. H335

Precautionary statements

Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/face protection.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information Contains Calcium Oxide. When mixed with water it forms Calcium Hydroxide which is corrosive to

skin and eyes.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name%CAS-No. / EC No.REACH Registration No.Index No.NotesCement, Portland, Chemicals20 - 9065997-15-1--

266-043-4

Classification: Skin Irrit. 2;H315, Eye Dam. 1;H318, STOT SE 3;H335

Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

center or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Coughing. Skin irritation. May cause redness and pain.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in

Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area

with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Туре	Value	Form
Cement, Portland, Chemicals (CAS 65997-15-1)	MAK	5 mg/m3	Inhalable dust.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -Chemical agents, as amended

Components	Туре	Value	Form
Cement, Portland, Chemicals (CAS	TWA	1 mg/m3	Respirable dust.
65997-15-1)			

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and

Components	Туре	Value	Form
Cement, Portland, Chemicals (CAS 65997-15-1)	MAC	4 mg/m3	Respirable dust.

Biological Limit Values, Annex I (Components	Туре	Value	Form
		10 mg/m3	Total dust.
Cyprus. OELs. Control of factory Components	atmosphere and dangerous su Type	bstances in factories regular Value	tion, PI 311/73, as amended
Cement, Portland, Chemicals (CAS 5997-15-1)	TWA	10 mg/m3	
Czech Republic. Occupational ex 61/2007, Annex 2, Part A & Anne		ls at work (Decree on protec	tion of health at work,
Components	Type	Value	Form
Sement, Portland, Chemicals (CAS 5997-15-1)	TWA	10 mg/m3	Dust.
enmark. Work Environment Aut			
Components	Туре	Value	Form
Cement, Portland, Chemicals (CAS 5997-15-1)	TLV	5 mg/m3	Respirable dust.
,		10 mg/m3	Dust.
		0,5 mg/m3	Respirable quartz fraction.
Finland. HTP-arvot, App 3., Bindi Components	ng Limit Values, Social Affairs a Type	and Ministry of Health Value	Form
•			-
ement, Portland, hemicals (CAS 5997-15-1)	TWA	5 mg/m3	Inhalable dust.
		1 mg/m3	Respirable.
rance. Threshold Limit Values (' Components	VLEP) for Occupational Exposu Type	re to Chemicals in France, II Value	NRS ED 984 Form
	-		
Cement, Portland, Chemicals (CAS 5997-15-1)	VME	4 mg/m3	Total dust.
Regulatory status: Regulat	ory binding (VRC)		
		0,9 mg/m3	Respirable dust.
	ory binding (VRC)		
ermany. DFG MAK List (advisor n the Work Area (DFG), as updat		vestigation of Health Hazard	ds of Chemical Compound
omponents	Туре	Value	Form
ement, Portland, hemicals (CAS 5997-15-1)	TWA	4 mg/m3	Inhalable dust.
Germany. TRGS 900, Limit Value		=	-
Components	Туре	Value	Form
Cement, Portland, Chemicals (CAS	AGW	10 mg/m3	Inhalable fraction.
35997-15-1)			

Type Cement, Portland, TWA 10 mg/m3 Chemicals (CAS 65997-15-1)

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended

1,25 mg/m3

Value

Components

Respirable fraction.

Components	Туре	Value	the Workplace, as amend Form
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	5 mg/m3	Respirable dust.
,		10 mg/m3	Total dust.
reland. OELVs, Schedules 1 & 2 Components	, Code of Practice for Chemical Type	Agents and Carcinogens Re Value	gulations Form
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
taly. OELs (Legislative Decree n Components	.81, 9 April 2008), as amended Type	Value	Form
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
_atvia. OELs. Occupational Expo I), as amended	osure Limits of Chemical Substa	ances at Workplace (Reg. No	. 325/ 2007, L.V. 80, Anne
Components	Туре	Value	
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	6 mg/m3	
Lithuania. OELs. Occupational E V-824/A1-389), as amended		ical Substances (Hygiene No Value	orm HN 23:2011; Order No Form
Components	Type		
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
		TO HIG/HIS	milalable fraction.
Poland. Maximum permissible co	oncentrations and intensities of	· ·	
1286/2018, Annex 1)		harmful factors in the work	environment (Dz.U.Poz.
286/2018, Annex 1) Components	Туре	harmful factors in the work Value	environment (Dz.U.Poz. Form
1286/2018, Annex 1) Components Cement, Portland, Chemicals (CAS		harmful factors in the work	environment (Dz.U.Poz.
1286/2018, Annex 1) Components Cement, Portland, Chemicals (CAS	Туре	harmful factors in the work Value	environment (Dz.U.Poz. Form
1286/2018, Annex 1) Components Cement, Portland, Chemicals (CAS 65997-15-1) Portugal. VLEs. Norm on occupa	Type TWA	harmful factors in the work Value 6 mg/m3 2 mg/m3	environment (Dz.U.Poz. Form Inhalable fraction.
1286/2018, Annex 1) Components Cement, Portland, Chemicals (CAS 65997-15-1) Portugal. VLEs. Norm on occupa Components Cement, Portland, Chemicals (CAS	Type TWA ational exposure to chemical ago	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014)	Form Inhalable fraction. Respirable fraction.
Cement, Portland, Chemicals (CAS 65997-15-1) Portugal. VLEs. Norm on occupations Components Cement, Portland, Chemicals (CAS 65997-15-1) Romania. OELs. Limit Values of	Type TWA ational exposure to chemical agr Type TWA	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3	Form Inhalable fraction. Respirable fraction. Form Respirable fraction.
Cement, Portland, Chemicals (CAS S5997-15-1) Components Components Components Components Cement, Portland, Chemicals (CAS S5997-15-1) Components Cement, Portland, Chemicals (CAS S5997-15-1) Romania. OELs. Limit Values of amended)	Type TWA ational exposure to chemical agr Type TWA	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3	Form Inhalable fraction. Respirable fraction. Form Respirable fraction.
Poland. Maximum permissible contents Cement, Portland, Chemicals (CAS 65997-15-1) Portugal. VLEs. Norm on occupation of the portland, Chemicals (CAS 65997-15-1) Romania. OELs. Limit Values of amended) Components Cement, Portland, Chemicals (CAS 65997-15-1) Romania. OELs. Limit Values of amended) Components Cement, Portland, Chemicals (CAS 65997-15-1)	Type TWA ational exposure to chemical agr Type TWA Chemical Agents at Workplace	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 (Regulation 1.218/2006, M.O	Form Inhalable fraction. Respirable fraction. Form Respirable fraction. 845, Annex 1, 3&4, as
Cement, Portland, Chemicals (CAS 65997-15-1) Portugal. VLEs. Norm on occupa Components Cement, Portland, Chemicals (CAS 65997-15-1) Romania. OELs. Limit Values of amended) Components Cement, Portland, Chemicals (CAS 65997-15-1) Romania. OELs. Limit Values of amended) Components Cement, Portland, Chemicals (CAS 65997-15-1) Blovakia. OELs. Maximum permi	Type TWA ational exposure to chemical agr Type TWA Chemical Agents at Workplace Type TWA TWA Ssible exposure limits for chem	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 (Regulation 1.218/2006, M.O Value 10 mg/m3 ical factors in workplace air	Form Inhalable fraction. Form Respirable fraction. Form Respirable fraction. 845, Annex 1, 3&4, as Form Inhalable fraction.
Cement, Portland, Chemicals (CAS 65997-15-1) Components Components Components Components Components Components Components	Type TWA ational exposure to chemical agr Type TWA Chemical Agents at Workplace Type TWA Ssible exposure limits for chem Type	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 (Regulation 1.218/2006, M.O Value 10 mg/m3 ical factors in workplace air Value	Form Inhalable fraction. Form Respirable fraction. Form Respirable fraction. 845, Annex 1, 3&4, as Form Inhalable fraction.
Cement, Portland, Chemicals (CAS 65997-15-1) Components Cement, Portland, Chemicals (CAS 65997-15-1)	Type TWA ational exposure to chemical agr Type TWA Chemical Agents at Workplace Type TWA TWA Ssible exposure limits for chem	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 (Regulation 1.218/2006, M.O Value 10 mg/m3 ical factors in workplace air	Form Inhalable fraction. Form Respirable fraction. Form Respirable fraction. 845, Annex 1, 3&4, as Form Inhalable fraction.
Cement, Portland, Chemicals (CAS 65997-15-1) Components Cement, Portland, Chemicals (CAS 65997-15-1) Components Cement, Portland, Chemicals (CAS 65997-15-1) Romania. OELs. Limit Values of amended) Components Cement, Portland, Chemicals (CAS 65997-15-1) Slovakia. OELs. Maximum permit Annex 1, Table 1, as amended) Components Cement, Portland, Chemicals (CAS 65997-15-1) Components Cement, Portland, Chemicals (CAS 65997-15-1) Slovakia. OELs. Occupational Experimental Components	Type TWA ational exposure to chemical age Type TWA Chemical Agents at Workplace Type TWA ssible exposure limits for chem Type TWA cposure Limits of Chemicals at the company of the co	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 (Regulation 1.218/2006, M.O Value 10 mg/m3 ical factors in workplace air Value 10 mg/m3	Form Inhalable fraction. Respirable fraction. Form Respirable fraction. 845, Annex 1, 3&4, as Form Inhalable fraction. (Regulation No 355/2006,
1286/2018, Annex 1) Components Cement, Portland, Chemicals (CAS 65997-15-1) Portugal. VLEs. Norm on occupa Components Cement, Portland, Chemicals (CAS 65997-15-1) Romania. OELs. Limit Values of amended) Components Cement, Portland, Chemicals (CAS	Type TWA ational exposure to chemical age Type TWA Chemical Agents at Workplace Type TWA ssible exposure limits for chem Type TWA cposure Limits of Chemicals at the company of the co	harmful factors in the work Value 6 mg/m3 2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 (Regulation 1.218/2006, M.O Value 10 mg/m3 ical factors in workplace air Value 10 mg/m3	Form Inhalable fraction. Respirable fraction. Form Respirable fraction. 845, Annex 1, 3&4, as Form Inhalable fraction. (Regulation No 355/2006,

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components **Type** Value Form 1,25 mg/m3 Respirable fraction.

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales

(VLAs)

Components **Form** Type Value Cement, Portland, **TWA** 4 mg/m3 Respirable fraction. Chemicals (CAS 65997-15-1)

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Form Value Components Type Cement, Portland, **TWA** 5 mg/m3 Inhalable dust.

Chemicals (CAS 65997-15-1)

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Form Components **Type** Value Cement, Portland, TWA 4 mg/m3 Respirable dust. Chemicals (CAS 65997-15-1) Inhalable dust. 10 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Follow standard monitoring procedures

procedures

Not available

Derived no effect levels (DNELs)

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

Eye/face protection

Use eye protection conforming to EN 166, designed to protect against powders and dust.

Skin protection - Hand protection

Select suitable chemical resistant protective nitrile gloves (EN 374) with a protective index 6

(>480min permeation time).

- Other Wear appropriate chemical resistant clothing.

When workers are facing concentrations above the exposure limit they must use appropriate Respiratory protection

certified respirators. Use filtering half-face mask according to EN 140 with filter type P2. Use

filtering half-face mask type FFP2 according to EN 149.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid **Form** Solid. Color Grey

Odor Not available. Not available. Melting point/freezing point Not available. **Boiling point or initial boiling**

point and boiling range

Not available. **Flammability** Not available. Flash point **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. 11 - 13,5 pН Not available. Kinematic viscosity

Solubility

Solubility (water) Not available. Not available Partition coefficient

(n-octanol/water) (log value)

Not available. Vapor pressure Density and/or relative density Not available. Vapor density Not available. Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

No relevant additional information available. 9.2.2. Other safety

characteristics

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidizing agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Coughing. Skin irritation. May cause redness and pain.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not known **Acute toxicity**

Causes skin irritation. Skin corrosion/irritation Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

name

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.

14.4. Packing group - **14.5. Environmental hazards** No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards
Marine pollutant No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Cement, Portland, Chemicals (CAS 65997-15-1)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Cement, Portland, Chemicals (CAS 65997-15-1)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen

Gipsfasernund Wollastonitfasern)

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

UFI: VU6H-G14Y-R00H-68KP **Austria Belgium** UFI: VU6H-G14Y-R00H-68KP Czech Republic UFI: VU6H-G14Y-R00H-68KP UFI: VU6H-G14Y-R00H-68KP Denmark **European Union** UFI: VU6H-G14Y-R00H-68KP **Finland** UFI: VU6H-G14Y-R00H-68KP France UFI: VU6H-G14Y-R00H-68KP UFI: VU6H-G14Y-R00H-68KP Germany UFI: VU6H-G14Y-R00H-68KP Greece UFI: VU6H-G14Y-R00H-68KP Hungary Italy UFI: VU6H-G14Y-R00H-68KP **Netherlands** UFI: VU6H-G14Y-R00H-68KP UFI: VU6H-G14Y-R00H-68KP Norway **Poland** UFI: VU6H-G14Y-R00H-68KP **Portugal** UFI: VU6H-G14Y-R00H-68KP Slovakia UFI: VU6H-G14Y-R00H-68KP UFI: VU6H-G14Y-R00H-68KP Slovenia UFI: VU6H-G14Y-R00H-68KP Spain UFI: VU6H-G14Y-R00H-68KP Sweden Switzerland UFI: VU6H-G14Y-R00H-68KP

15.2. Chemical safety No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

Material name: Densit® Binder, Densit® Primer, Densit® SkimCoat, Densit® WearCast, Densit® WearFlex, Densit® WearSpr 4418 Version #: 01 Issue date: 10-02-2023

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H315 Causes skin irritation.

Not available.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Revision information Training information Disclaimer Product and Company Identification: Product Registration Numbers

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Densit® Binder, Densit® Primer, Densit® SkimCoat, Densit® WearCast, Densit® WearFlex, Densit® WearSpr 4418 Version #: 01 Issue date: 10-02-2023