SAFETY DATA SHEET

1. Identification

Product identifier	Insulcast RTVS 8127 LV G	ray - Part A
Other means of identification SKU#	IS137B	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	ITW Performance Polymers 130 Commerce Drive Montgomeryville, PA 18936 United States	
Telephone Website E-mail Contact person	Customer Service www.itwperformancepolyme Not available. EHS Department	215-855-8450 rs.com
Emergency phone number	CHEMTREC International	800-424-9300 703-527-3887

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Warning	
Hazard statement	May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.	
Precautionary statement		
Prevention	Avoid release to the environment.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance w	with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information		unknown acute inhalation toxicity. 96.76% of the acute hazards to the aquatic environment. 96.76% known long-term hazards to the aquatic

3. Composition/information on ingredients

Mixtures

onyms CAS number	%
1344-28-1	30 - 60
14808-60-7	10 - 30
	1344-28-1

Chemical name	Common name and synonyms	CAS number	%
Silicone Polymer		Unknown	10 - 30
Polydimethylsiloxane		63148-62-9	5 - 10
Siloxanes and Silicones, di-Me, vinyl group-terminated		68083-19-2	5 - 10
Carbon Black		1333-86-4	0.1 - 1
Other components below reportable levels			0.1 - 1

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

the chemical

Fire fighting

equipment/instructions

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	for Air Contaminants (29 CFR 1910.1 Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Carbon Black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Quartz (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CF Components	R 1910.1000) Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	0.1 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
ogical limit values	No biological exposure limits noted for	or the ingredient(s).	
ropriate engineering trols	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ	pplicable, use process enclosu tain airborne levels below reco	res, local exhaust ventilation mended exposure limits.
•	, such as personal protective equipm		
Eye/face protection	Wear safety glasses with side shields	s (or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistant	gloves.	
Other	Wear appropriate chemical resistant	clothing.	
Respiratory protection	In case of insufficient ventilation, wea	•	nt.
Thermal hazards	Wear appropriate thermal protective		

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

3. Filysical and chemical p	hopenies
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Grey.
Odor	Slight.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °F (160 °C)
Flash point	205.0 °F (96.1 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	14.53 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	1.74
VOC	0
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

information on incry routes of e	Aposule and a second seco		
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	May be harmful in contact with skin.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	May be harmful if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological effe	ects		
Acute toxicity	May be harmful in contact with skin. May be harmful if swallowed.		
Components	Species Test Results		
Carbon Black (CAS 1333-86-4)			
Acute			
Oral			
LD50	Rat > 8000 mg/kg		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatior			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
	Evaluation of Carcinogenicity		
Carbon Black (CAS 1333 Quartz (CAS 14808-60-7 OSHA Specifically Regulate			
Quartz (CAS 14808-60-7)			
	ogram (NTP) Report on Carcinogens		
Quartz (CAS 14808-60-7)	,		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information	1		
Ecotoxicity	Harmful to aquatic life with long lasting effects.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ns		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or o with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
	Discussion and an example of the set in the set of the		

Hazardous waste code	The waste code should be assigne disposal company.	d in discussion	between the user, the producer and the waste
Waste from residues / unused products			npty containers or liners may retain some nust be disposed of in a safe manner (see:
Contaminated packaging			ue, follow label warnings even after container is approved waste handling site for recycling or
14. Transport information			
DOT			
Not regulated as dangerous g	oods.		
IATA	a a da		
Not regulated as dangerous g	000S.		
Not regulated as dangerous g	oods.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.		
15. Regulatory information	ı		
US federal regulations	This product is a "Hazardous Chen Standard, 29 CFR 1910.1200.	nical" as defined	by the OSHA Hazard Communication
· · ·	Notification (40 CFR 707, Subpt. D)		
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)		
Not listed.			
SARA 304 Emergency releas	se notification		
Not regulated. OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-1	052)	
Quartz (CAS 14808-60-7)		ncer	
		g effects nune system eff	ects
	kidı ection 313 - Toxic Chemical: De m	ney effects	tration
Aluminium Oxide (CAS 1			iation
	ection 313 - Toxic Chemical: Liste	d substance	
Aluminium Oxide (CAS 13		ed.	
Superfund Amendments and Re SARA 302 Extremely hazard	authorization Act of 1986 (SARA)		
Not listed.			
Classified hazard categories	Acute toxicity (any route of exposure	re)	
SARA 313 (TRI reporting)			
Chemical name	CAS num		% by wt.
Aluminium Oxide	1344-28	-1	30 - 60
Other federal regulations Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HA	Ps) I ist	
Not regulated.		1 3) EISt	
	112(r) Accidental Release Prevent	tion (40 CFR 68	.130)
Not regulated.	Not you you to to d		
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
California Proposition 65 WARNING: Thi	s product can expose you to chemic	als including Qu	artz, which is known to the State of
	lifornia to cause cancer. For more in		

California Proposition 65 - CRT: Listed date/Carcinogenic substance Carbon Black (CAS 1333-86-4) Listed: February 21, 2003 Quartz (CAS 14808-60-7) Listed: October 1, 1988 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Carbon Black (CAS 1333-86-4)

Quartz (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name On inventor	y (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Voc" indicatos that all compo	nente of this product comply with the inventory requirements administered by the governing country/	-)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

· · ·	
Issue date	07-16-2018
Version #	01
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 1 Personal protection: X
NFPA ratings	Health: 1 Flammability: 1 Instability: 1
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Product and Company Identification: Product and Company Identification Hazard(s) identification: Hazard statement Accidental release measures: Personal precautions, protective equipment and emergency procedures Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Conditions for safe storage, including any incompatibilities Exposure controls/personal protection: Respiratory protection Physical & Chemical Properties: Multiple Properties Stability and reactivity: Conditions to avoid Ecological information: Persistence / degradability Regulatory information: California Proposition 65 Other information, including date of preparation or last revision: References Other information, including date of preparation or last revision: Disclaimer