SAFETY DATA SHEET

| 1. Identification | |
|-------------------|--|
|-------------------|--|

| DEVCON® Fast Cure Gray Liquid Curing Agent | | |
|--|---|--|
| | | |
| 0321 | | |
| Not available. | | |
| None known. | | |
| Distributor information | | |
| ITW Performance Polymers | | |
| 35 Brownridge Rd | | |
| Unit 1 | | |
| Halton Hills, ON L7G 0C6 | | |
| Customer Service | | |
| 978-777-1100 | | |
| | | |
| | | |
| 800-424-9300 | | |
| Not available. | | |
| | | |
| Not classified. | | |
| Acute toxicity, inhalation | Category 2 | |
| Skin corrosion/irritation | Category 2 | |
| Serious eye damage/eye irritation | Category 2 | |
| Sensitization, respiratory | Category 1 | |
| Sensitization, skin | Category 1 | |
| Specific target organ toxicity following single exposure | Category 3 respiratory tract irritation | |
| Not classified. | | |
| | | |
| | | |
| Danger | | |
| Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. | | |
| | | |
| Do not breathe vapour. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves. Wear respiratory protection. | | |
| IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. Specific treatment is urgent (see this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. | | |
| CENTRE/doctor. Specific treatment is urgent medical advice/attention. If eye irritation persis | (see this label). If skin irritation or rash occurs: Get sts: Get medical advice/attention. Take off | |
| | 0321 Not available. None known. Distributor information ITW Performance Polymers 35 Brownridge Rd Unit 1 Halton Hills, ON L7G 0C6 Customer Service 978-777-1100 800-424-9300 Not available. Not classified. Acute toxicity, inhalation Skin corrosion/irritation Serious eye damage/eye irritation Sensitization, respiratory Sensitization, respiratory Sensitization, skin Specific target organ toxicity following single exposure Not classified. Vot classified. | |

N/A

Supplemental information

Other hazards

3. Composition/information on ingredients

Mixtures Chemical name Common name and synonyms CAS number Polyol METHYLENE 5124-30-1 **BIS(4-CYCLOHEXYLISOCYANATE**

Other components below reportable levels

2.252027

%

63.92

33.83

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

| 4. First-aid measures | | |
|--|---|--|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control centre immediately. | |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse. | |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. | |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. | |
| Most important symptoms/effects, acute and delayed | evere eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred sion. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause dness and pain. May cause an allergic skin reaction. Dermatitis. Rash. | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed. | |
| General information | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. | |
| 5. Fire-fighting measures | | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). | |
| Unsuitable extinguishing media | Water. Do not use water jet as an extinguisher, as this will spread the fire. | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. | |
| Special protective equipment | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | |

Move containers from fire area if you can do so without risk.

equipment/instructions Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

and precautions for firefighters

Fire fighting

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear Personal precautions, protective equipment and appropriate protective equipment and clothing during clean-up. Do not breathe vapours or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective emergency procedures clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

| <i>l</i> ethods and materials for containment and cleaning up | Prevent entry into waterways, sewer, basements or confined areas. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. | | |
|--|--|---|--|
| | | | |
| | Small Spills: Wipe up with absorbent remove residual contamination. | t material (e.g. cloth, fleece). Clean surface thoroughly to | |
| | Never return spills to original contain | ers for re-use. For waste disposal, see section 13 of the SDS. | |
| Environmental precautions | Avoid discharge into drains, water co | purses or onto the ground. | |
| 7. Handling and storage | | | |
| Precautions for safe handling | Do not breathe vapours or spray mis exposure. Use only outdoors or in a equipment. Observe good industrial | t. Avoid contact with eyes, skin, and clothing. Avoid prolonged well-ventilated area. Wear appropriate personal protective hygiene practices. | |
| Conditions for safe storage, ncluding any incompatibilities | Store locked up. Store in tightly close incompatible materials (see Section | ed container. Store in a well-ventilated place. Store away from 10 of the SDS). | |
| 8. Exposure controls/pers | onal protection | | |
| Occupational exposure limits | | | |
| US. ACGIH Threshold Limit Components | Values Type | Value | |
| • | TWA | | |
| METHYLENE BIS(4-CYCLOHEXYLISOC YANATE) (CAS 5124-30-1) | IWA | 0.005 ppm | |
| Canada. Alberta OELs (Occu Components | ıpational Health & Safety Code, Sch Type | edule 1, Table 2) Value | |
| METHYLENE BIS(4-CYCLOHEXYLISOC YANATE) (CAS 5124-30-1) | TWA | 0.05 mg/m3 | |
| , (| | 0.005 ppm | |
| Canada. British Columbia O | ELs. (Occupational Exposure Limits | s for Chemical Substances, Occupational Health and | |
| Safety Regulation 296/97, as | amended) | | |
| Components | Туре | Value | |
| METHYLENE BIS(4-CYCLOHEXYLISOC YANATE) (CAS 5124-30-1) | Ceiling | 0.01 ppm | |
| | TWA | 0.005 ppm | |
| Canada. Manitoba OELs (Re | g. 217/2006, The Workplace Safety | And Health Act) | |
| Components | Туре | Value | |
| METHYLENE BIS(4-CYCLOHEXYLISOC YANATE) (CAS 5124-30-1) | TWA | 0.005 ppm | |
| Canada. Ontario OELs. (Cor Components | trol of Exposure to Biological or Ch Type | emical Agents) Value | |
| METHYLENE BIS(4-CYCLOHEXYLISOC YANATE) (CAS 5124-30-1) | Ceiling | 0.02 ppm | |
| | TWA | 0.005 ppm | |
| Canada. Quebec OELs. (Min Components | istry of Labor - Regulation respecti Type | ng occupational health and safety) Value | |
| METHYLENE BIS(4-CYCLOHEXYLISOC | TWA | 0.054 mg/m3 | |
| YANATE) (CAS 5124-30-1) | | 0.005 ppm | |

| Canada. Saskatchewan OE Components | s (Occupational Health and Safety F. Type | Regulations, 1996, Table 21) Value | |
|--|---|---------------------------------------|--|
| METHYLENE BIS(4-CYCLOHEXYLISOC YANATE) (CAS 5124-30-1) | 15 minute | 0.015 ppm | |
| | 8 hour | 0.005 ppm | |
| Biological limit values | No biological exposure limits noted for | or the ingredient(s). | |
| Appropriate engineering controls | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower. | | |
| Individual protection measures, | such as personal protective equipm | lent | |
| Eye/face protection | Chemical respirator with organic vap | our cartridge and full facepiece. | |
| Skin protection Hand protection | Wear appropriate chemical resistant | aloves | |
| Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. | | |
| | | | |
| Respiratory protection | Chemical respirator with organic vapour cartridge and full facepiece. | | |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | | |
| General hygiene considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. | | |

9. Physical and chemical properties

| 5.1 hysical and chemical | |
|--|-------------------------------|
| Appearance | Liquid. |
| Physical state | Liquid. |
| Form | Liquid. |
| Colour | Clear. |
| Odour | Musty. |
| Odour threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | 25 °C (77 °F) estimated |
| Initial boiling point and boiling range | Not available. |
| Flash point | 200.0 °C (392.0 °F) estimated |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit – upper (%) | Not available. |
| Vapour pressure | 0.00002 hPa estimated |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| | |

| Auto-ignition temperature | Not available. |
|---------------------------|----------------------------|
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Density | 1.03 g/cm3 estimated |
| Explosive properties | Not explosive. |
| Flammability class | Combustible IIIB estimated |
| Oxidising properties | Not oxidising. |
| Specific gravity | 1.03 estimated |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerisation does not occur. |
| Conditions to avoid | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials. |
| Incompatible materials | Alcohols. Amines. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| Э |
|---|
| |

Information on toxicological effects

| Acute toxicity | Fatal if inhaled. | |
|---------------------------------------|--|---|
| Components | Species | Test Results |
| METHYLENE BIS(4-CYCLOHEX | YLISOCYANATE) (CAS 5124- | 30-1) |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 10000 mg/kg |
| Oral | | |
| LD50 | Rat | 1065 mg/kg |
| Skin corrosion/irritation | Causes skin irritation. | |
| Serious eye damage/eye irritation | Causes serious eye irritatio | n. |
| Respiratory or skin sensitisation | on | |
| Canada - British Columbia | OELs: Respiratory or skin se | ensitiser |
| METHYLENE BIS(4-CY (CAS 5124-30-1) | CLOHEXYLISOCYANATE) | Capable of causing respiratory, dermal or conjunctival sensitization. |
| Canada - Quebec OELs: Se | ensitizer | |
| METHYLENE BIS(4-CY (CAS 5124-30-1) | CLOHEXYLISOCYANATE) | Sensitiser. |
| Respiratory sensitisation | May cause allergy or asthma symptoms or breathing difficulties if inhaled. | |
| Skin sensitisation | May cause an allergic skin reaction. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | Not available. | |
| Material name: DEVCON® Fast Cur | , | SDS CANAD/ 5 / 7 |

| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | | |
|---|--|--|--|
| Specific target organ toxicity - single exposure | May cause respiratory irritation. | | |
| Specific target organ toxicity - repeated exposure | Not classified. | | |
| Aspiration hazard | Not an aspiration hazard. | | |
| Chronic effects | Prolonged inhalation may be harmful. | | |
| 12. Ecological information | 1 | | |
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. | | |
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. | | |
| Bioaccumulative potential | | | |
| Partition coefficient n-octan METHYLENE BIS(4-CYCLOH | | | |
| Mobility in soil | No data available. | | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | |
| 13. Disposal consideratio | ns | | |
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. | | |
| Local disposal regulations | Dispose in accordance with all applicable regulations. | | |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. | | |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). | | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. | | |
| 14. Transport information | | | |
| TDG | | | |
| Not regulated as dangerous g | oods. | | |
| ΙΑΤΑ | | | |
| Not regulated as dangerous g | oods. | | |
| IMDG Not regulated as dangerous g | aada | | |
| Transport in bulk according to | Not established. | | |
| Annex II of MARPOL 73/78 and the IBC Code | | | |
| General information | IMDG Regulated Marine Pollutant. | | |
| 15. Regulatory informatio | n | | |
| Canadian regulations | This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR. | | |
| Controlled Drugs and Subst | ances Act | | |
| Not regulated. | | | |
| Export Control List (CEPA 1 | 999, Schedule 3) | | |
| Not listed. Greenhouse Gases | | | |
| Not listed. | | | |
| Precursor Control Regulation | ons | | |
| Not regulated | | | |

Not regulated.

International regulations

| Stockholm Convention | | |
|--------------------------------------|---|------------------------|
| Not applicable. | | |
| Rotterdam Convention | | |
| Not applicable. Kyoto Protocol | | |
| Not applicable. Montreal Protocol | | |
| Not applicable. Basel Convention | | |
| Not applicable. | | |
| rnational Inventories | | |
| Country(s) or region | Inventory name | On inventory (yes/no)* |
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

| Issue date | 21-May-2019 |
|-------------|---|
| Version No. | 01 |
| Disclaimer | ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. |

SAFETY DATA SHEET

| 1. Identification | | | |
|--|---|---|--|
| Product identifier | DEVCON® Pronto Edge & Seal Curing A | Agent Type 35 | |
| Other means of identification SKU# | 0315 | | |
| Recommended use | Not available. | | |
| Recommended restrictions | None known. | | |
| Manufacturer/Importer/Supplier/Distributor information | | | |
| Company name | ITW Performance Polymers | | |
| Address | 35 Brownridge Rd | | |
| | Unit 1 | | |
| | Halton Hills, ON L7G 0C6 | | |
| Contact person | Customer Service | | |
| Telephone number | 978-777-1100 | | |
| Fax | | | |
| E-mail | | | |
| Emergency telephone number | 800-424-9300 | | |
| Supplier | Not available. | | |
| 2. Hazard identification | | | |
| Physical hazards | Not classified. | | |
| Health hazards | Acute toxicity, oral | Category 4 | |
| | Acute toxicity, dermal | Category 4 | |
| | Serious eye damage/eye irritation | Category 2A | |
| | Specific target organ toxicity following repeated exposure | Category 2 | |
| Environmental hazards | Not classified. | | |
| Label elements | | | |
| Signal word | Warning | | |
| Hazard statement | Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. | | |
| Precautionary statement | | | |
| Prevention | Do not breathe mist/vapours. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/face protection. Wear protective gloves/protective clothing. | | |
| Response | IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. | | |
| Storage | Store away from incompatible materials. | | |
| Disposal | Dispose of contents/container in accordance | Dispose of contents/container in accordance with local/regional/national/international regulations. | |
| Other hazards | None known. | | |
| • • • • • • • • • • • • • • • • • • • | | | |

None.

Supplemental information

3. Composition/information on ingredients

| Mixtures | | | |
|--|--------------------------|------------|-----------|
| Chemical name | Common name and synonyms | CAS number | % |
| Diethyltoluenediamine | | 68479-98-1 | 63.2 |
| Oleic acid | | 112-80-1 | 4.18 |
| Carbon Black | | 1333-86-4 | 1 - < 3 |
| Other components below reportable levels | | | 30 - < 40 |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

| 4. First-aid measures | |
|--|--|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Wash off with soap and water. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell. |
| Most important symptoms/effects, acute and delayed | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed. |
| General information | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |

| 5. Fire-fighting measures | |
|---|---|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|---|
| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| Environmental precautions | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. |

| ecautions for safe handling | Do not breathe mist/vapours. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate persona protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. | | |
|---|---|--|---|
| Inditions for safe storage, Store in tightly closed container. Store away from incompatible materials (see Section 10 of SDS). | | | erials (see Section 10 of the |
| . Exposure controls/pers | sonal protection | | |
| ccupational exposure limits | | | |
| US. ACGIH Threshold Limit Components | Values Type | Value | Form |
| CARBON BLACK (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |
| Canada. Alberta OELs (Occ Components | upational Health & Safety Code, Sche Type | dule 1, Table 2) Value | |
| CARBON BLACK (CAS 1333-86-4) | TWA | 3.5 mg/m3 | |
| Safety Regulation 296/97, as | , | | • |
| Components | Туре | Value | Form |
| CARBON BLACK (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable |
| , | eg. 217/2006, The Workplace Safety A Type | nd Health Act) Value | Form |
| CARBON BLACK (CAS | TWA | 3 mg/m3 | Inhalable fraction. |
| 1333-86-4) | | | |
| Canada. Ontario OELs. (Cor | ntrol of Exposure to Biological or Che | - · | F |
| | Туре | emical Agents) Value | Form |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) | Type TWA | Value 3 mg/m3 | Inhalable fraction. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) | Туре | Value 3 mg/m3 | Inhalable fraction. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Mir | Type TWA nistry of Labor - Regulation respecting | Value 3 mg/m3 g occupational health and s | Inhalable fraction. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Min Components CARBON BLACK (CAS 1333-86-4) | Type TWA histry of Labor - Regulation respecting Type | Value 3 mg/m3 g occupational health and s Value 3.5 mg/m3 | Inhalable fraction. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Min Components CARBON BLACK (CAS 1333-86-4) Canada. Saskatchewan OEL | Type TWA histry of Labor - Regulation respecting Type TWA Ls (Occupational Health and Safety Re Type 15 minute | Value 3 mg/m3 g occupational health and so Value 3.5 mg/m3 egulations, 1996, Table 21) Value 7 mg/m3 | Inhalable fraction. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Min Components CARBON BLACK (CAS 1333-86-4) Canada. Saskatchewan OEL Components CARBON BLACK (CAS | Type TWA histry of Labor - Regulation respecting Type TWA Ls (Occupational Health and Safety Re Type | Value 3 mg/m3 g occupational health and s Value 3.5 mg/m3 egulations, 1996, Table 21) Value | Inhalable fraction. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Min Components CARBON BLACK (CAS 1333-86-4) Canada. Saskatchewan OEL Components CARBON BLACK (CAS 1333-86-4) CARBON BLACK (CAS | Type TWA histry of Labor - Regulation respecting Type TWA Ls (Occupational Health and Safety Re Type 15 minute 8 hour No biological exposure limits noted fo | Value 3 mg/m3 g occupational health and so Value 3.5 mg/m3 egulations, 1996, Table 21) Value 7 mg/m3 3.5 mg/m3 r the ingredient(s). | Inhalable fraction. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Min Components CARBON BLACK (CAS 1333-86-4) Canada. Saskatchewan OEL Components CARBON BLACK (CAS | Type TWA histry of Labor - Regulation respecting Type TWA Ls (Occupational Health and Safety Re Type 15 minute 8 hour | Value 3 mg/m3 g occupational health and sover the value 3.5 mg/m3 egulations, 1996, Table 21) Value 7 mg/m3 3.5 mg/m3 r the ingredient(s). sed. Ventilation rates should be bocal exhaust ventilation, or other mended exposure limits. If expression of the set | Inhalable fraction. afety) e matched to conditions. If her engineering controls to bosure limits have not been |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Mir Components CARBON BLACK (CAS 1333-86-4) Canada. Saskatchewan OEL Components CARBON BLACK (CAS 1333-86-4) CARBON BLACK (CAS 1333-86-4) | Type TWA histry of Labor - Regulation respecting Type TWA Ls (Occupational Health and Safety Re Type 15 minute 8 hour No biological exposure limits noted fo Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom | Value 3 mg/m3 g occupational health and stands Value 3.5 mg/m3 egulations, 1996, Table 21) Value 7 mg/m3 3.5 mg/m3 r the ingredient(s). sed. Ventilation rates should b bocal exhaust ventilation, or othmended exposure limits. If explore an acceptable level. Provide ent | Inhalable fraction. afety) e matched to conditions. If her engineering controls to posure limits have not beer e eyewash station. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Mir Components CARBON BLACK (CAS 1333-86-4) Canada. Saskatchewan OEL Components CARBON BLACK (CAS 1333-86-4) CARBON BLACK (CAS 1333-86-4) cological limit values propriate engineering ontrols | Type TWA histry of Labor - Regulation respecting Type TWA Ls (Occupational Health and Safety Retry of Labor - Regulation and Safety Retry of Labor - Retry of Labo | Value 3 mg/m3 g occupational health and servature 3.5 mg/m3 egulations, 1996, Table 21) Value 7 mg/m3 3.5 mg/m3 r the ingredient(s). sed. Ventilation rates should b pocal exhaust ventilation, or othmended exposure limits. If explore an acceptable level. Provide the sent pur cartridge and full facepiece | Inhalable fraction. afety) e matched to conditions. If her engineering controls to posure limits have not beer e eyewash station. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Min Components CARBON BLACK (CAS 1333-86-4) Canada. Saskatchewan OEL Components CARBON BLACK (CAS 1333-86-4) CARBON BLACK (CAS 1333-86-4) Ological limit values opropriate engineering introls | Type TWA histry of Labor - Regulation respecting Type TWA Ls (Occupational Health and Safety Retry of Labor - Regulation and Safety Retry of Labor - Retry of Labo | Value 3 mg/m3 g occupational health and servature 3.5 mg/m3 egulations, 1996, Table 21) Value 7 mg/m3 3.5 mg/m3 r the ingredient(s). sed. Ventilation rates should b pocal exhaust ventilation, or other mended exposure limits. If explored and current should be level. Provide the set of an acceptable level. Provide the set of a set | Inhalable fraction. afety) e matched to conditions. If her engineering controls to posure limits have not beer e eyewash station. |
| Canada. Ontario OELs. (Con Components CARBON BLACK (CAS 1333-86-4) Canada. Quebec OELs. (Min Components CARBON BLACK (CAS 1333-86-4) Canada. Saskatchewan OEL Components CARBON BLACK (CAS 1333-86-4) CARBON BLACK (CAS 1333-86-4) Cological limit values propriate engineering ntrols | Type TWA histry of Labor - Regulation respecting Type TWA Ls (Occupational Health and Safety Retry of Labor - Regulation and Least and | Value 3 mg/m3 g occupational health and stands Value 3.5 mg/m3 egulations, 1996, Table 21) Value 7 mg/m3 3.5 mg/m3 r the ingredient(s). sed. Ventilation rates should b bocal exhaust ventilation, or othmended exposure limits. If explore an acceptable level. Provide ent our cartridge and full facepiece gloves. clothing. Use of an impervious | Inhalable fraction. afety) e matched to conditions. If her engineering controls to posure limits have not beer e eyewash station. e. apron is recommended. |

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

| 9. Physical and chemical | |
|--|------------------------------|
| Appearance | Liquid. |
| Physical state | Liquid. |
| Form | Liquid. |
| Colour | Black |
| Odour | Ammoniacal. |
| Odour threshold | Not available. |
| рН | > 7 @ 5% solution |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | 93.3 °C (200.0 °F) estimated |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit – upper (%) | Not available. |
| Vapour pressure | 0.00009 hPa estimated |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Density | 1.02 g/cm3 estimated |
| Explosive properties | Not explosive. |
| Flammability class | Combustible IIIB estimated |
| Oxidising properties | Not oxidising. |
| Specific gravity | 1.02 estimated |
| 10. Stability and reactivity | |

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Strong oxidising agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

| Information on likely routes of | exposure | |
|--|---|--|
| Inhalation | No adverse effects due to inhalation are expected. | |
| Skin contact | Harmful in contact with skin. | |
| Eye contact | Causes serious eye irritation. | |
| Ingestion | Harmful if swallowed. | |
| Symptoms related to the physical, chemical and toxicological characteristics | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. | |

Information on toxicological effects

| Harmful in contact with skin. Harmful if swallowed. |
|---|
|---|

| Acute toxicity | Harmful in contact with skin. I | Harmful if swallowed. |
|---|--|---|
| Components | Species | Test Results |
| Carbon Black (CAS 1333-86-4) | | |
| Acute | | |
| Oral | | |
| LD50 | Rat | > 8000 mg/kg |
| Oleic acid (CAS 112-80-1) | | |
| <u>Acute</u> | | |
| Dermal | | " |
| LD50 | Guinea pig | > 3000 mg/kg |
| Oral | - . | - |
| LD50 | Rat | 74 g/kg |
| Skin corrosion/irritation | Prolonged skin contact may c | ause temporary irritation. |
| Serious eye damage/eye irritation | Causes serious eye irritation. | |
| Respiratory or skin sensitisatio | n | |
| Respiratory sensitisation | Not a respiratory sensitizer. | |
| Skin sensitisation | This product is not expected to cause skin sensitisation. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | | |
| ACGIH Carcinogens | | |
| Carbon Black (CAS 1333 | 3-86-4) | A3 Confirmed animal carcinogen with unknown relevance to humans. |
| Canada - Manitoba OELs: c | | |
| Carbon Black (CAS 1333 IARC Monographs. Overall | 3-86-4) Evaluation of Carcinogenicity | Confirmed animal carcinogen with unknown relevance to humans. |
| Carbon Black (CAS 1333 | | 2B Possibly carcinogenic to humans. |
| | ogram (NTP) Report on Carcin | - |
| Carbon Black (CAS 1333 | • | Known To Be Human Carcinogen. to cause reproductive or developmental effects. |
| Reproductive toxicity | | o cause reproductive of developmental effects. |
| Specific target organ toxicity - single exposure | Not classified. | |
| Specific target organ toxicity - repeated exposure | May cause damage to organs through prolonged or repeated exposure. | |
| Aspiration hazard | Not an aspiration hazard. | |
| Chronic effects | May cause damage to organs through prolonged or repeated exposure. | |
| 12. Ecological information | n | |
| Ecotoxicity | | as environmentally hazardous. However, this does not exclude the ont spills can have a harmful or damaging effect on the environment. |
| Persistence and degradability | No data is available on the de | gradability of any ingredients in the mixture. |
| Bioaccumulative potential | No data available. | |

| Mobility in soil | No data available. |
|-----------------------|---|
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

| 13. Disposal considerations | |
|--|--|
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

Controlled Drugs and Substances Act

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

| Not regulated. | | |
|------------------------------|--|------------------------|
| Export Control List (CEPA 1 | 999, Schedule 3) | |
| Not listed. | | |
| Greenhouse Gases | | |
| Not listed. | | |
| Precursor Control Regulation | ons | |
| Not regulated. | | |
| International regulations | | |
| Stockholm Convention | | |
| Not applicable. | | |
| Rotterdam Convention | | |
| Not applicable. | | |
| Kyoto Protocol | | |
| Not applicable. | | |
| Montreal Protocol | | |
| Not applicable. | | |
| Basel Convention | | |
| Not applicable. | | |
| International Inventories | | |
| Country(s) or region | Inventory name | On inventory (yes/no)* |
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Omita | | 103 |

| Country(s) or region | Inventory name On inven | tory (yes/no)* |
|-----------------------------------|--|----------------|
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| *A "Voc" indicatos that all compo | nante of this product comply with the inventory requirements administered by the governing count | $n_{\ell}(c)$ |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

| 16. Other information | |
|-----------------------|---|
| Issue date | 21-May-2019 |
| Revision date | 23-May-2019 |
| Version No. | 02 |
| Disclaimer | ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. |
| Revision information | Composition / Information on Ingredients: Component Summary |