SAFETY DATA SHEET

1. Identification		
Product identifier	PLEXUS® H4110 Adhesive	
Other means of identification SKU#	41101	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier		
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Comtract movement	Customer Service	
Contact person Telephone number	978-777-1100	
Fax	376-777-1100	
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1A
Environmental hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.	
Precautionary statement		
Prevention	Do not breathe mist/vapours. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Other hazards	None known.	

4 % of the mixture consists of component(s) of unknown acute oral toxicity. 2 % of the mixture consists of component(s) of unknown acute dermal toxicity. 30.5 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 24 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 24 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
2,4,6-tris-(dimethylaminometh enol	yl)-ph	90-72-2	< 20
ISOPHORONE DIAMINE		2855-13-2	7 - 10
TRIMETHOXYVINYLSILANE		2768-02-7	1 - < 3
Bis[(dimethylamino)methyl]ph	enol	71074-89-0	< 2.5
NBETA(AMINOETHYL).GA -AMINOPROPYLTRIMETHOX SILANE		1760-24-3	0.1 - 1
Other components below repo	rtable levels		60 - 100
All concentrations are in percent	by weight unless ingredient is a gas. Gas conce	ntrations are in percent by vol	ume.
4. First-aid measures			
4. First-aid measures	Move to fresh air. Call a physician if symptom	ns develop or persist.	
	Move to fresh air. Call a physician if symptom Remove contaminated clothing immediately a or poison control centre immediately. Chemic contaminated clothing before reuse.	and wash skin with soap and v	
Inhalation	Remove contaminated clothing immediately a or poison control centre immediately. Chemic	and wash skin with soap and v cal burns must be treated by a pr at least 15 minutes. Remov	physician. Wash e contact lenses, if
Inhalation Skin contact	Remove contaminated clothing immediately a or poison control centre immediately. Chemic contaminated clothing before reuse. Immediately flush eyes with plenty of water for	and wash skin with soap and wash skin with soap and wash skin with soap and wash burns must be treated by a prat least 15 minutes. Removell a physician or poison control ediately. Rinse mouth. Do not	physician. Wash e contact lenses, if I centre immediately. t induce vomiting. If
Inhalation Skin contact Eye contact	Remove contaminated clothing immediately a or poison control centre immediately. Chemic contaminated clothing before reuse. Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Ca Call a physician or poison control centre imm	and wash skin with soap and wash skin with soap and wash skin with soap and wash sal burns must be treated by a prat least 15 minutes. Removell a physician or poison control ediately. Rinse mouth. Do not ach content doesn't get into the age. Causes serious eye dama	physician. Wash e contact lenses, if l centre immediately. t induce vomiting. If e lungs. age. Symptoms may
Inhalation Skin contact Eye contact Ingestion Most important symptoms/effects, acute and	Remove contaminated clothing immediately a or poison control centre immediately. Chemic contaminated clothing before reuse. Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Ca Call a physician or poison control centre imme vomiting occurs, keep head low so that stoma Burning pain and severe corrosive skin dama include stinging, tearing, redness, swelling, a	and wash skin with soap and wash skin with soap and wash skin with soap and wash shin must be treated by a prat least 15 minutes. Removell a physician or poison control ediately. Rinse mouth. Do not ach content doesn't get into the ge. Causes serious eye damand blurred vision. Permanent wat symptomatically. Chemical which do not adhere to affected	physician. Wash e contact lenses, if l centre immediately. t induce vomiting. If e lungs. age. Symptoms may eye damage including burns: Flush with wate ed area. Call an

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Do not breathe mist/vapours. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	

8. Exposure controls/personal protection

Occupational exposure limits Canada. Ontario OELs. (Co	ntrol of Exposure to Biological or Cl	nemical Agents)
Components	Туре	Value
TRIMETHOXYVINYLSILAN E (CAS 2768-02-7)	STEL	60 mg/m3
		10 ppm
Biological limit values	No biological exposure limits noted t	or the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
ndividual protection measures	, such as personal protective equipr	nent
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	washing after handling the material	ays observe good personal hygiene measures, such as and before eating, drinking, and/or smoking. Routinely wash ent to remove contaminants. Contaminated work clothing kplace.

9. Physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	White.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	10 °C (50 °F) estimated
Initial boiling point and boiling range	247 °C (476.6 °F) estimated
Flash point	> 200.0 °C (> 392.0 °F)
Evaporation rate	Not available.

Material name: PLEXUS® H4110 Adhesive

Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit – upper (%)	Not available.	
Vapour pressure	0.01 hPa estimated	
Vapour density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Density	1.02 g/cm3	
Explosive properties	Not explosive.	
Flammability class	Combustible IIIB estimated	
Oxidising properties	Not oxidising.	
Specific gravity	1.02	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Peroxides. Phenols.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

internation on interj reated of e	Apocalo and
Inhalation	May cause irritation to the respiratory system.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Information on toxicological effe	ects
Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitisatior	1
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	May cause an allergic skin reaction.

Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the
	possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideration	IS
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	
TDG	
UN number	UN2735
UN proper shipping name Transport hazard class(es)	AMINES, LIQUID, CORROSIVE, N.O.S. (ISOPHORONE DIAMINE)
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	Not available. Read safety instructions, SDS and emergency procedures before handling.
IATA	Read safety instructions, SDS and emergency procedures before handling.
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s. (ISOPHORONE DIAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards ERG Code	No. 8L
	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (ISOPHORONE DIAMINE)
Material name: PLEXUS® H4110 Adhe	SDS CANADA

Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
IATA; IMDG; TDG	
\land	



8

Canadian regulations	This product has been classified in accordance with the hazard crite contains all the information required by the HPR.	eria of the HPR and the SDS
Controlled Drugs and Su	bstances Act	
Not regulated.		
Export Control List (CEP	A 1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Regul	ations	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable.		
Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the components of the product are not listed or exempt from listing on the inventory	
16. Other information		

Issue date	24-January-2020
Revision date	26-March-2020
Version No.	03
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.