SAFETY DATA SHEET

1. Identification		
Product identifier	DEVCON® Tile Adhesive Resin	
Other means of identification		
SKU#	5057	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an allergic s	kin reaction. Causes serious eye irritation.
Precautionary statement		
Prevention	Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.	
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Other hazards	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Calcium carbonate		1317-65-3	30 - 60
Epoxy Resin:reactic Bisphenol A And Epic (refer To Epichlorohy	hlorohydrin	25068-38-6	30 - 60
SILICA, CRYSTALLI	IE, QUARTZ	14808-60-7	0.1 - 1
Other components be	low reportable levels		10 - 30
All concentrations are in	percent by weight unless ingredient is a gas. Gas conce	entrations are in percent by vo	ume.
4. First-aid measu	res		
nhalation	Move to fresh air. Call a physician if sympton	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact		Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.	
Eye contact		Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists	
ngestion	Rinse mouth. Get medical attention if symptoms occur.		
• · · · ·			

Most important Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred symptoms/effects, acute and vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. delayed Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed **General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

medical attention and special

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release mea	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

3 3	
Precautions for safe handling	Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

	onal protection		
cupational exposure limits			
US. ACGIH Threshold Limit			_
Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occu Components	pational Health & Safety Code, Sche Type	dule 1, Table 2) Value	Form
Calcium carbonate (CAS 1317-65-3)	TWA	10 mg/m3	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Canada. British Columbia OB Safety Regulation 296/97, as	ELs. (Occupational Exposure Limits amended)	for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (Reg	g. 217/2006, The Workplace Safety A	nd Health Act)	
Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
· · · · · · · · · · · · · · · · · · ·	trol of Exposure to Biological or Che	emical Agents)	
Components		Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini	istry of Labor - Regulation respecting	·	
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS		g occupational health and sa	fety)
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components	istry of Labor - Regulation respecting Type	g occupational health and sa Value	fety) Form
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	istry of Labor - Regulation respecting Type TWA TWA S (Occupational Health and Safety R	g occupational health and sa Value 10 mg/m3 0.1 mg/m3	fety) Form Total dust.
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components	istry of Labor - Regulation respecting Type TWA TWA S (Occupational Health and Safety R Type	g occupational health and sa Value 10 mg/m3 0.1 mg/m3 egulations, 1996, Table 21) Value	fety) Form Total dust. Respirable dust.
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs	istry of Labor - Regulation respecting Type TWA TWA S (Occupational Health and Safety R	g occupational health and sa Value 10 mg/m3 0.1 mg/m3 egulations, 1996, Table 21)	fety) Form Total dust. Respirable dust.
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS	istry of Labor - Regulation respecting Type TWA TWA S (Occupational Health and Safety R Type	g occupational health and sa Value 10 mg/m3 0.1 mg/m3 egulations, 1996, Table 21) Value	fety) Form Total dust. Respirable dust.
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS	istry of Labor - Regulation respecting Type TWA TWA s (Occupational Health and Safety R Type 15 minute	g occupational health and sar Value 10 mg/m3 0.1 mg/m3 egulations, 1996, Table 21) Value 20 mg/m3	fety) Form Total dust. Respirable dust.
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE,	istry of Labor - Regulation respecting Type TWA TWA s (Occupational Health and Safety R Type 15 minute 8 hour	g occupational health and sar Value 10 mg/m3 0.1 mg/m3 egulations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 0.05 mg/m3	fety) Form Total dust. Respirable dust. Form
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	istry of Labor - Regulation respecting Type TWA TWA s (Occupational Health and Safety R Type 15 minute 8 hour 8 hour 8 hour	g occupational health and sar Value 10 mg/m3 0.1 mg/m3 egulations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 0.05 mg/m3 r the ingredient(s). sed. Ventilation rates should be pocal exhaust ventilation, or other mended exposure limits. If expo	fety) Form Total dust. Respirable dust. Form Respirable fraction.
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Iogical limit values propriate engineering strols	istry of Labor - Regulation respecting Type TWA TWA S (Occupational Health and Safety R Type 15 minute 8 hour 8 hour 8 hour No biological exposure limits noted fo Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom established, maintain airborne levels	g occupational health and sar Value 10 mg/m3 0.1 mg/m3 egulations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 0.05 mg/m3 r the ingredient(s). sed. Ventilation rates should be boal exhaust ventilation, or othe mended exposure limits. If expo to an acceptable level. Provide	fety) Form Total dust. Respirable dust. Form Respirable fraction. Respirable fraction.
QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) logical limit values propriate engineering ttrols	istry of Labor - Regulation respecting Type TWA TWA S (Occupational Health and Safety R Type 15 minute 8 hour 8 hour 8 hour 8 hour 8 hour 8 hour sour No biological exposure limits noted fo Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom established, maintain airborne levels shower. shower.	g occupational health and sar Value 10 mg/m3 0.1 mg/m3 egulations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 0.05 mg/m3 r the ingredient(s). sed. Ventilation rates should be boal exhaust ventilation, or othe mended exposure limits. If expo to an acceptable level. Provide ent (or goggles). Face shield is real	fety) Form Total dust. Respirable dust. Form Respirable fraction. Respirable fraction.

Respiratory protection Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
0 Dhysical and shamias	

9. Physical and chemical properties

9. Filysical and chemical	
Appearance	Viscous. Liquid.
Physical state	Liquid.
Form	Viscous. Liquid.
Colour	Not available.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °C (608 °F) estimated
Flash point	129.4 °C (265.0 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.90 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.9 estimated
VOC	0 g/l

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.

Strong oxidising agents. No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of e	exposure		
Inhalation	Knowledge about health hazard is incomplete.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye irritation.		
Ingestion	Knowledge about health hazard is incomplete.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological eff	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitisation	n		
Canada - Alberta OELs: Irrit	ant		
Calcium carbonate (CAS	1317-65-3)	Irritant	
Respiratory sensitisation	Due to partial or complete lac	k of data the classification is not possible.	
Skin sensitisation	May cause an allergic skin re	action.	
Germ cell mutagenicity		k of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lac	k of data the classification is not possible.	
ACGIH Carcinogens			
SILICA, CRYSTALLINE, Canada - Alberta OELs: Car	QUARTZ (CAS 14808-60-7) cinogen category	A2 Suspected human carcinogen.	
SILICA, CRYSTALLINE, Canada - Manitoba OELs: c	QUARTZ (CAS 14808-60-7) arcinogenicity	Suspected human carcinogen.	
SILICA, CRYSTALLINE, Canada - Quebec OELs: Ca	QUARTZ (CAS 14808-60-7) rcinogen category	Suspected human carcinogen.	
SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity	Suspected carcinogenic effect in humans.	
SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7) ogram (NTP) Report on Carcir	1 Carcinogenic to humans.	
	QUARTZ (CAS 14808-60-7)	Known To Be Human Carcinogen.	
Reproductive toxicity		k of data the classification is not possible.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - repeated exposure	Due to partial or complete lac	k of data the classification is not possible.	
Aspiration hazard	Due to partial or complete lac	k of data the classification is not possible.	
12. Ecological information			
Ecotoxicity	The product is not classified a possibility that large or freque	as environmentally hazardous. However, this does not exclude the ent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability		egradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects		ntal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.	

•	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container i emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		
TDG		
Not regulated as dangerous g	loods.	
ΙΑΤΑ		
Not regulated as dangerous g	loods.	
MDG		
Not regulated as dangerous g		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.	
15. Regulatory informatio	n	
Canadian regulations	This product has been classified in accordance with the hazard crite contains all the information required by the HPR.	eria of the HPR and the SDS
Controlled Drugs and Subst	ances Act	
Not regulated.		
Export Control List (CEPA 1	999, Schedule 3)	
Not listed. Greenhouse Gases		
Not listed.		
Precursor Control Regulation	ons	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	N
Canada	Non-Domestic Substances List (NDSL)	Ye
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Ne
Europe	European List of Notified Chemical Substances (ELINCS)	No
Ediopo		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by t components of the product are not listed or exempt from listing on the inventor	
16. Other information		
Issue date	28-May-2019	
Revision date	29-April-2020	

Disclaimer ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. This document has undergone significant changes and should be reviewed in its entirety.

Revision information

Version No.

02

SAFETY DATA SHEET

1. Identification		
Product identifier	DEVCON® Tile Adhesive Hardener	
Other means of identification		
SKU#	5326	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
Precautionary statement		
Prevention	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.	
Response	IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	

Other hazards

None known.

92.71 % of the mixture consists of component(s) of unknown acute oral toxicity. 92.71 % of the mixture consists of component(s) of unknown acute dermal toxicity. 95.43 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 92.71 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Calcium carbonate		1317-65-3	30 - 60
TETRAETHYLENEPENTAMINE	3,6,9-triazaundecamethyleendiamine	112-57-2	3 - 7
Titanium dioxide	Titanium dioxide	13463-67-7	1 - 5
TRIETHYLENETETRAMINE	ТЕТА	112-24-3	1 - 5
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	0.1 - 1
Other components below reportable levels			30 - 60

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters

Use water spray to cool unopened containers.

equipment/instructionsSpecific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Fire fighting

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

thods and materials for ntainment and cleaning up	Large Spills: Stop the flow of material, possible. Absorb in vermiculite, dry sa recovery, flush area with water.		
	Small Spills: Wipe up with absorbent n remove residual contamination.	naterial (e.g. cloth, fleece). Cle	an surface thoroughly to
vironmental precautions	Never return spills to original container Avoid discharge into drains, water cou	•	al, see section 13 of the SDS
Handling and storage			
ecautions for safe handling	Do not get this material in contact with dust/fume/gas/mist/vapours/spray. Ave exposure. When using, do not eat, drin personal protective equipment. Wash hygiene practices. Store in tightly closed container. Store	bid contact with eyes, skin, and nk or smoke. Provide adequate hands thoroughly after handlir	d clothing. Avoid prolonged e ventilation. Wear appropriate g. Observe good industrial
cluding any incompatibilities	SDS).		
Exposure controls/pers	sonal protection		
cupational exposure limits US. ACGIH Threshold Limit Components	Values Type	Value	Form
SILICA, CRYSTALLINE,	TWA	0.025 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
,	upational Health & Safety Code, Scheo Type	dule 1, Table 2) Value	Form
Calcium carbonate (CAS 1317-65-3)	TWA	10 mg/m3	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. British Columbia O Safety Regulation 296/97, as	DELs. (Occupational Exposure Limits f	ior Chemical Substances, Oc	cupational Health and
Salety negulation 230/37, as			
Components	Туре	Value	Form
Calcium carbonate (CAS		Value 20 mg/m3	Form Total dust.
	Туре		
Calcium carbonate (CAS	Type STEL	20 mg/m3	Total dust.
Calcium carbonate (CAS	Type STEL	20 mg/m3 3 mg/m3	Total dust. Respirable fraction.
Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE,	Type STEL TWA	20 mg/m3 3 mg/m3 10 mg/m3	Total dust. Respirable fraction. Total dust.
Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium dioxide (CAS	Type STEL TWA TWA	20 mg/m3 3 mg/m3 10 mg/m3 0.025 mg/m3	Total dust. Respirable fraction. Total dust. Respirable fraction.
Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)	Type STEL TWA TWA	20 mg/m3 3 mg/m3 10 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3	Total dust. Respirable fraction. Total dust. Respirable fraction. Respirable fraction.
Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Re	Type STEL TWA TWA TWA STWA	20 mg/m3 3 mg/m3 10 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3 nd Health Act)	Total dust. Respirable fraction. Total dust. Respirable fraction. Respirable fraction. Total dust.
Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Re Components SILICA, CRYSTALLINE,	Type STEL TWA TWA TWA Eg. 217/2006, The Workplace Safety Ar Type	20 mg/m3 3 mg/m3 10 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3 hd Health Act) Value	Total dust. Respirable fraction. Total dust. Respirable fraction. Respirable fraction. Total dust. Form
Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Re Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)	Type STEL TWA TWA TWA Eg. 217/2006, The Workplace Safety Ar Type TWA	20 mg/m3 3 mg/m3 10 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3 hd Health Act) Value 0.025 mg/m3 10 mg/m3	Total dust. Respirable fraction. Total dust. Respirable fraction. Respirable fraction. Total dust. Form

Components	ntrol of Exposure to Biological or Cl Type	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
TRIETHYLENETETRAMIN E (CAS 112-24-3)	TWA	3 mg/m3	
		0.5 ppm	
Canada. Quebec OELs. (Mir Components	nistry of Labor - Regulation respecti Type	ng occupational health and sa Value	ifety) Form
Calcium carbonate (CAS 1317-65-3)	TWA	10 mg/m3	Total dust.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.
Canada. Saskatchewan OEI Components	∟s (Occupational Health and Safety Type	Regulations, 1996, Table 21) Value	Form
Calcium carbonate (CAS 1317-65-3)	15 minute	20 mg/m3	
	8 hour	10 mg/m3	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	8 hour	0.05 mg/m3	Respirable fraction.
Titanium dioxide (CAS 13463-67-7)	15 minute	20 mg/m3	
	8 hour	10 mg/m3	
logical limit values	No biological exposure limits noted t	for the ingredient(s).	
oosure guidelines			
Canada - Ontario OELs: Ski	n designation		
TRIETHYLENETETRAM	NE (CAS 112-24-3) Can	be absorbed through the skin.	
propriate engineering htrols	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recor established, maintain airborne levels shower.	local exhaust ventilation, or oth mmended exposure limits. If exp	er engineering controls to osure limits have not been
ividual protection measures,	such as personal protective equipr	nent	
Eye/face protection	Wear safety glasses with side shield recommended.		I. Face shield is
Skin protection			
Hand protection	Wear appropriate chemical resistant	t gloves.	
Other	Wear appropriate chemical resistant	t clothing. Use of an impervious	apron is recommended.
Respiratory protection	In case of insufficient ventilation, we	ar suitable respiratory equipmer	nt.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene nsiderations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		
Physical and chemical	properties		
pearance	Paste.		
Physical state	Solid.		
Form	Paste.		
Colour	White		
our	Ammoniacal.		

Not available.

Odour threshold

рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	200 °C (392 °F) estimated
Flash point	93.4 °C (200.1 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	4.8 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.83 g/cm3 estimated
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Specific gravity	1.83 estimated
VOC	0 g/l

10. Stability	and	reactivity
---------------	-----	------------

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of	exposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Information on toxicological eff	fects

Harmful if swallowed. Acute toxicity

Components	Species	Test Results
TRIETHYLENETETRAMINE (CAS	S 112-24-3)	
<u>Acute</u>		
Dermal		
Liquid		
LD50	Rat	1465 mg/kg
Oral		
<i>Liquid</i> LD50	Rat	1716 mg/kg
		T/TO HIg/Kg
Skin corrosion/irritation Serious eye damage/eye	Causes skin irritation. Causes serious eye damage.	
irritation	Oduses senous eye damage.	
Respiratory or skin sensitisatio	n	
Canada - Alberta OELs: Irri	tant	
Calcium carbonate (CAS Titanium dioxide (CAS 1		Irritant Irritant
Respiratory sensitisation	Due to partial or complete lacl	of data the classification is not possible.
Skin sensitisation	May cause an allergic skin rea	action.
Germ cell mutagenicity	Due to partial or complete lacl	c of data the classification is not possible.
Carcinogenicity	Due to partial or complete lacl	c of data the classification is not possible.
ACGIH Carcinogens		
Titanium dioxide (CAS 1	-	A2 Suspected human carcinogen. A4 Not classifiable as a human carcinogen.
Canada - Alberta OELs: Can	QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.
Canada - Manitoba OELs: c		Suspected numan carcinogen.
SILICA, CRYSTALLINE, Titanium dioxide (CAS 1	QUARTZ (CAS 14808-60-7) 3463-67-7)	Suspected human carcinogen. Not classifiable as a human carcinogen.
Canada - Quebec OELs: Ca		
IARC Monographs. Overall	QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity	Suspected carcinogenic effect in humans.
Titanium dioxide (CAS 1	QUARTZ (CAS 14808-60-7) 3463-67-7) ogram (NTP) Report on Carcin	1 Carcinogenic to humans. 2B Possibly carcinogenic to humans.
	QUARTZ (CAS 14808-60-7)	Known To Be Human Carcinogen.
Reproductive toxicity		<pre>< of data the classification is not possible.</pre>
Specific target organ toxicity - single exposure		of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lac	of data the classification is not possible.
Aspiration hazard	Due to partial or complete lacl	of data the classification is not possible.
Chronic effects	Prolonged inhalation may be h	narmful.
12. Ecological informatio	n	
Ecotoxicity	The product is not classified a	s environmentally hazardous. However, this does not exclude the nt spills can have a harmful or damaging effect on the environment.
Persistence and degradability		gradability of any ingredients in the mixture.
Bioaccumulative potential		<u> </u>
Partition coefficient n-octar TETRAETHYLENEPENTAMI		1.503
Mobility in soil	No data available.	
Other adverse effects		tal effects (e.g. ozone depletion, photochemical ozone creation , global warming potential) are expected from this component.

13. Disposal consideratio	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed was contents/container in accordance with local/regional/national/internationa	te disposal site. Dispose of ational regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		
TDG		
Not regulated as dangerous g	goods.	
ΑΤΑ		
Not regulated as dangerous g	goods.	
Not regulated as dangerous g	goods.	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
15. Regulatory informatio	n	
Canadian regulations	This product has been classified in accordance with the hazard crite contains all the information required by the HPR.	eria of the HPR and the SDS
Controlled Drugs and Subs	tances Act	
Not regulated.		
Export Control List (CEPA 1 Not listed.	1999, Schedule 3)	
Greenhouse Gases		
Not listed. Precursor Control Regulation	ons	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Nc
Material name: DEVCON® Tile Adhe	sive Hardener	SDS CANADA

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	28-May-2019
Revision date	29-April-2020
Version No.	02
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Composition/information on ingredients: Component information Stability and reactivity: Conditions to avoid Toxicological information: Aspiration hazard Toxicological information: Carcinogenicity Toxicological information: Mutagenicity Toxicological information: Reproductivity Toxicological information: Respiratory sensitisation Toxicological information: Skin contact Toxicological information: Specific target organ toxicity - repeated exposure Toxicological information: Specific target organ toxicity - single exposure