# SAFETY DATA SHEET

1. Identification			
Product identifier	DEVCON® Tile Adhesive Resin White		
Other means of identification			
SKU#	11498		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	Distributor information		
Company name	ITW Performance Polymers		
Address	35 Brownridge Rd		
	Unit 1		
	Halton Hills, ON L7G 0C6		
Contact person	Customer Service		
Telephone number	978-777-1100		
Fax			
E-mail			
Emergency telephone number	800-424-9300		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2A	
	Sensitization, skin	Category 1	
Environmental hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	Causes skin irritation. May cause an allergic s	skin reaction. Causes serious eye irritation.	
Precautionary statement			
Prevention	Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.		
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	None.		

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Calcium carbonate		1317-65-3	30 - 60
Epoxy Resin:reaction Produc Bisphenol A And Epichlorohydr (refer To Epichlorohydrin)		25068-38-6	30 - 60
SILICA, CRYSTALLINE, QUAF	RTZ	14808-60-7	0.1 - 1
Other components below repor	table levels		10 - 30
All concentrations are in percent b	by weight unless ingredient is a gas. Gas concer	ntrations are in percent by vol	ume.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	is develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Get medical attention if sympton	ms occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include vision. Skin irritation. May cause redness and Rash.		
Indication of immediate medical attention and special	Provide general supportive measures and tre Symptoms may be delayed.	at symptomatically. Keep victi	im under observation.

medical attention and special<br/>treatment neededSymptoms may be delayed.General informationEnsure that medical personnel are aware of the material(s) involved, and take precautions to<br/>protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	

Avoid discharge into drains, water courses or onto the ground.

remove residual contamination.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

practices.

**Environmental precautions** 

7. Handling and storage Precautions for safe handling

upational exposure limits			
US. ACGIH Threshold Limit Va	lues		
Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occup	ational Health & Safety Code, Sch	edule 1, Table 2)	
Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	TWA	10 mg/m3	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles
Canada. British Columbia OEL Safety Regulation 296/97, as a	.s. (Occupational Exposure Limits mended)	for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (Reg. Components	217/2006, The Workplace Safety A Type	And Health Act) Value	Form
SILICA, CRYSTALLINE,	TWA	0.025 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)			
Canada. Ontario OELs. (Contro	ol of Evnoeure to Riological or Ch		
	Туре	Value	Form
Components SILICA, CRYSTALLINE,			Form Respirable fraction.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Minist	Type TWA try of Labor - Regulation respectin	Value       0.1 mg/m3	Respirable fraction.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Minist Components Calcium carbonate (CAS	TWA	Value 0.1 mg/m3 Ig occupational health and sa	Respirable fraction.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	Type TWA try of Labor - Regulation respectin Type	Value 0.1 mg/m3 ng occupational health and sa Value	Respirable fraction. fety) Form
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Minist Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs	Type TWA try of Labor - Regulation respectin Type TWA	Value 0.1 mg/m3 og occupational health and sa Value 10 mg/m3 0.1 mg/m3	Respirable fraction. fety) Form Total dust.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Minist Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS	Type TWA try of Labor - Regulation respectin Type TWA TWA (Occupational Health and Safety F	Value 0.1 mg/m3 ig occupational health and sa Value 10 mg/m3 0.1 mg/m3 Regulations, 1996, Table 21)	Respirable fraction. fety) Form Total dust. Respirable dust.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Minist Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	Type TWA try of Labor - Regulation respectin Type TWA TWA (Occupational Health and Safety F Type	Value 0.1 mg/m3 og occupational health and sa Value 10 mg/m3 0.1 mg/m3 Regulations, 1996, Table 21) Value	Respirable fraction. fety) Form Total dust. Respirable dust.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Minist Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE,	Type TWA try of Labor - Regulation respectin Type TWA TWA (Occupational Health and Safety F Type 15 minute	Value 0.1 mg/m3 ag occupational health and sar Value 10 mg/m3 0.1 mg/m3 Regulations, 1996, Table 21) Value 20 mg/m3	Respirable fraction. fety) Form Total dust. Respirable dust.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Minist Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	Type TWA try of Labor - Regulation respectin Type TWA TWA (Occupational Health and Safety F Type 15 minute 8 hour	Value 0.1 mg/m3 og occupational health and sa Value 10 mg/m3 0.1 mg/m3 0.1 mg/m3 Regulations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 0.05 mg/m3	Respirable fraction. fety) Form Total dust. Respirable dust. Form
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Minist Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Saskatchewan OELs Components Calcium carbonate (CAS 1317-65-3) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Digical limit values ropriate engineering rols	Type TWA TWA try of Labor - Regulation respectin Type TWA TWA (Occupational Health and Safety F Type 15 minute 8 hour 8 hour	Value         0.1 mg/m3         ag occupational health and sar         Value         10 mg/m3         0.1 mg/m3         0.1 mg/m3         20 mg/m3         10 mg/m3         0.05 mg/m3         or the ingredient(s).         sed. Ventilation rates should be ocal exhaust ventilation, or other	Respirable fraction. fety) Form Total dust. Respirable dust. Form Respirable fraction. matched to conditions. er engineering controls to posure limits have not be

Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

Appearance	Viscous. Liquid.
Physical state	Liquid.
Form	Viscous. Liquid.
Colour	Not available.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °C (608 °F) estimated
Flash point	129.4 °C (265.0 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower ( %)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.90 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.9 estimated
VOC	0 g/l

## 10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure			
	Knowledge about health hazard is incomplete.		
Skin contact C	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact C	Causes serious eye irritation.		
Ingestion K	Knowledge about health hazard is incomplete.		
physical, chemical and vi	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effects	S		
Acute toxicity N	lot known.		
Skin corrosion/irritation Ca	auses skin irritation.		
Serious eye damage/eye Carritation	auses serious eye irritation.		
Respiratory or skin sensitisation			
Canada - Alberta OELs: Irritant	t		
Calcium carbonate (CAS 131	17-65-3)	Irritant	
	•	of data the classification is not possible.	
	lay cause an allergic skin rea		
Germ cell mutagenicity D	Due to partial or complete lack	of data the classification is not possible.	
Carcinogenicity D	Due to partial or complete lack	of data the classification is not possible.	
ACGIH Carcinogens			
	SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.		
	Canada - Alberta OELs: Carcinogen category		
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen. Canada - Manitoba OELs: carcinogenicity			
	SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.		
Canada - Quebec OELs: Carcinogen category			
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected carcinogenic effect in humans. IARC Monographs. Overall Evaluation of Carcinogenicity			
SILICA, CRYSTALLINE, QU		1 Carcinogenic to humans.	
US. National Toxicology Progra		-	
SILICA, CRYSTALLINE, QU		Known To Be Human Carcinogen.	
•		of data the classification is not possible.	
single exposure		of data the classification is not possible.	
Specific target organ toxicity - D repeated exposure	Due to partial or complete lack	of data the classification is not possible.	
Aspiration hazard D	Due to partial or complete lack	of data the classification is not possible.	
12. Ecological information	12. Ecological information		
Ecotoxicity The point of the po	he product is not classified as ossibility that large or frequent	s environmentally hazardous. However, this does not exclude the It spills can have a harmful or damaging effect on the environment.	
Persistence and degradability N	lo data is available on the deg	gradability of any ingredients in the mixture.	
Bioaccumulative potential No.	No data available.		
Mobility in soil No.			

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	


## 14. Transport information

#### TDG

Not regulated as dangerous goods.

#### ΙΑΤΑ

UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/ Epichlorohydrin Resin)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	Yes
ERG Code	9L
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A/ Epichlorohydrin Resin), MARINE POLLUTANT (Epoxy Resin)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Epoxy Resin	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
IATA; IMDG	



## Marine pollutant



General information	IMDG Regulated Marine Pollutant.		
15. Regulatory information	n		
Canadian regulations	This product has been classified in accordance with the hazard crite contains all the information required by the HPR.	ria of the HPR and the SDS	
Controlled Drugs and Subs	tances Act		
Not regulated.			
Export Control List (CEPA	1999, Schedule 3)		
Not listed.			
Greenhouse Gases			
Not listed.			
Precursor Control Regulation	ons		
Not regulated.			
nternational regulations			
Stockholm Convention			
Not applicable. Rotterdam Convention			
Not applicable. Kyoto Protocol			
Not applicable. Montreal Protocol			
Not applicable.			
<b>Basel Convention</b>			
Not applicable.			
nternational Inventories			
Country(s) or region	Inventory name	On inventory (yes/no)	
Australia	Australian Inventory of Chemical Substances (AICS)	Ye	
Canada	Domestic Substances List (DSL)	N	
Canada	Non-Domestic Substances List (NDSL)	Ye	
China	Inventory of Existing Chemical Substances in China (IECSC)	Ye	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	N	
Europe	European List of Notified Chemical Substances (ELINCS)	Ν	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Ν	
Korea	Existing Chemicals List (ECL)	Ye	
New Zealand	New Zealand Inventory	Ye	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Ye	
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Ye	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Ye	
	nents of this product comply with the inventory requirements administered by the components of the product are not listed or exempt from listing on the inventor		

## 16. Other information

Issue date

07-February-2020

Version No.

Disclaimer

#### 01

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.