# Performance Polymers

# SAFETY DATA SHEET CHOCKFAST VERSAFLOW HARDENER

1. Identification

**Product identifier** 

Product name CHOCKFAST VERSAFLOW HARDENER

Details of the supplier of the safety data sheet

**Supplier** ITW Performance Polymers

Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82 353(61)771500 353(61)471285

customerservice.shannon@itwpp.com

Emergency telephone number

**Emergency telephone** +44(0)1235 239 670 (24h)

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens.

1 - H317

Environmental hazards Aquatic Chronic 3 - H412

Label elements

Hazard symbols





Signal word Danger

Hazard statements H302+H312 Harmful if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### **CHOCKFAST VERSAFLOW HARDENER**

**Precautionary statements** P260 Do not breathe vapor/ spray.

P261 Avoid breathing vapor/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P302+P352 If on skin: Wash with plenty of water.

 $P303 + P361 + P353 \; \text{If on skin (or hair): Take off immediately all contaminated clothing. Rinse}$ 

skin with water/ shower.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/ doctor.

P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Contains POLY(OXY(METHYL-1,2-ETHANEDIYL)),ALPHA-(2-AM OMEGA-(2-

AMINOMETHYLETHOXY, 2,4,6-tris(dimethylaminomethyl)phenol,

**TRIETHYLENETETRAMINE** 

# 3. Composition/information on ingredients

# **Mixtures**

# POLY(OXY(METHYL-1,2-ETHANEDIYL)),ALPHA-(2-AM OMEGA-(2-AMINOMETHYLETHOXY

30-60%

CAS number: 9046-10-0

#### Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Aquatic Chronic 3 - H412

#### 2,4,6-tris(dimethylaminomethyl)phenol

10-30%

CAS number: 90-72-2

#### Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

#### **CHOCKFAST VERSAFLOW HARDENER**

TRIETHYLENETETRAMINE 10-30%

CAS number: 112-24-3

Classification

Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412

The full text for all hazard statements is displayed in Section 16.

#### 4. First-aid measures

# Description of first aid measures

General information Do not breathe vapor/spray. Avoid contact with eyes. In case of accident or if you feel unwell,

seek medical advice immediately (show the label where possible).

**Inhalation** Move affected person to fresh air at once. When breathing is difficult, properly trained

personnel may assist affected person by administering oxygen. Get medical attention if any

discomfort continues.

**Ingestion** Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not

enter the lungs. Get medical attention.

Skin Contact Remove affected person from source of contamination. Wash skin thoroughly with soap and

water. Get medical attention if symptoms are severe or persist after washing. If in doubt, get

medical attention promptly.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes and get medical attention. May cause permanent damage if eye is not immediately

irrigated. Get medical attention.

# Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** No adverse effects known.

Ingestion This product is strongly corrosive. Causes severe burns. May cause chemical burns in mouth,

esophagus and stomach. May cause chemical burns in mouth and throat. May cause severe

internal injury.

**Skin contact** This product is strongly corrosive. Causes severe skin burns and eye damage. Contact with

concentrated chemical may cause severe skin damage. Prolonged contact causes serious

tissue damage.

**Eye contact** This product is strongly corrosive. Causes severe burns. Causes serious eye damage.

Prolonged contact causes serious eye and tissue damage. Contact with concentrated

chemical may very rapidly cause severe eye damage, possibly loss of sight.

# Indication of immediate medical attention and special treatment needed

Notes for the doctor

No specific recommendations. If in doubt, get medical attention promptly.

# 5. Fire-fighting measures

# **Extinguishing media**

#### **CHOCKFAST VERSAFLOW HARDENER**

Suitable extinguishing media Extinguish with the following media: Extinguish with alcohol-resistant foam, carbon dioxide,

dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Special hazards arising from the substance or mixture

**Specific hazards** Avoid breathing fire gases or vapors.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Toxic

gases or vapors. Harmful gases or vapors.

Advice for firefighters

Protective actions during

firefighting

Keep up-wind to avoid fumes.

Special protective equipment for firefighters

clothi

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this

safety data sheet. Provide adequate ventilation.

**Environmental precautions** 

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled

discharges into watercourses must be reported immediately to the Environmental Agency or

other appropriate regulatory body.

#### Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Containers with collected spillage must be properly

labeled with correct contents and hazard symbol.

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

# 7. Handling and storage

# Precautions for safe handling

Usage precautions Provide adequate general and local exhaust ventilation. Observe any occupational exposure

limits for the product or ingredients. Do not breathe vapour. Avoid contact with skin and eyes. Do not eat, drink or smoke when using the product. Good personal hygiene procedures

should be implemented.

# Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away

from the following materials: Acids. Store away from incompatible materials (see Section 10).

Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

#### 8. Exposure controls/Personal protection

#### **Exposure controls**

#### **CHOCKFAST VERSAFLOW HARDENER**

#### Protective equipment









Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with OSHA 1910.133.

Hand protection

Use protective gloves. It is recommended that gloves are made of the following material: Neoprene. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). It is recommended that gloves are made of the following material: Butyl rubber. It is recommended that gloves are made of the following material: Nitrile rubber. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. The selected gloves should have a breakthrough time of at least 8 hours.

Other skin and body protection

Wear apron or protective clothing in case of contact.

Hygiene measures

Provide eyewash station and safety shower. Keep away from food, drink and animal feeding stuffs. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Change work clothing daily before leaving workplace.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

#### 9. Physical and chemical properties

# Information on basic physical and chemical properties

Appearance Colorless to pale yellow liquid.

Odor Ammonia.

Initial boiling point and range ~100°C

Flash point ~ 121°C Not specified.

Vapor pressure 0.01 hPa @ 20°C

Relative density 0.95

Auto-ignition temperature ~294°C

#### 10. Stability and reactivity

Reactivity Stable at normal ambient temperatures and when used as recommended.

Stable at normal ambient temperatures and when used as recommended.

#### **CHOCKFAST VERSAFLOW HARDENER**

Possibility of hazardous

reactions

Not available.

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

Materials to avoid Peroxides. Phenols, cresols.

Hazardous decomposition

products

Fire or high temperatures create: Oxides of the following substances: Carbon monoxide (CO).

Carbon dioxide (CO2). Vapours/gases/fumes of: Ammonia or amines.

# 11. Toxicological information

# Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 688.41

Acute toxicity - dermal

ATE dermal (mg/kg) 1,100.0

# Specific target organ toxicity - repeated exposure

STOT - repeated exposure

Prolonged or repeated exposure may cause the following adverse effects: Liver and/or kidney

damage.

**Inhalation** May cause respiratory irritation.

**Ingestion** Swallowing concentrated chemical may cause severe internal injury. Causes severe burns.

Burning sensation in mouth.

Skin Contact May cause sensitisation by skin contact. This product is corrosive. May cause serious

chemical burns to the skin. Contact with concentrated chemical may cause severe skin

damage.

Eye contact This product is strongly corrosive. Causes serious eye damage. Contact with concentrated

chemical may very rapidly cause severe eye damage, possibly loss of sight.

# 12. Ecological information

**Ecotoxicity** Avoid releasing into the environment. Harmful to aquatic life with long lasting effects.

**Toxicity** Not considered toxic to fish.

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Mobility in soil

**Mobility** Do not discharge into drains or watercourses or onto the ground.

Other adverse effects

Other adverse effects Not available.

# 13. Disposal considerations

#### Waste treatment methods

# **CHOCKFAST VERSAFLOW HARDENER**

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled

with their contents.

**Waste class** 08 04 09\*

# 14. Transport information

# **UN Number**

UN No. (TDG) 1760 UN No. (IMDG) 1760 UN No. (ICAO) 1760

# UN proper shipping name

Proper shipping name (TDG) CORROSIVE LIQUID, N.O.S. (TRIETHYLENETETRAMINE)

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. (TRIETHYLENETETRAMINE)

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. (TRIETHYLENETETRAMINE)

# Transport hazard class(es)

TDG class 8
TDG label(s) 8
IMDG Class 8
ICAO class/division 8

# Transport labels



# Packing group

TDG Packing Group III
IMDG packing group III
ICAO packing group III

# **Environmental hazards**

**Environmentally Hazardous Substance** 

No.

#### Special precautions for user

EmS F-A, S-B

# 15. Regulatory information

# 16. Other information

Revision date 1/13/2020

# **CHOCKFAST VERSAFLOW HARDENER**

Revision 0

**SDS No.** 20902

Hazard statements in full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.