

CHOCKFAST RED SG HARDENER

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	CHOCKFAST RED SG HARDENER
Product number	Y0008
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Hardener.
1.3. Details of the supplier of	the safety data sheet
Supplier	
	ITW Performance Polymers
	Bay 150
	Shannon Industrial Estate
	Co. Clare Ireland
	V14 DF82
	353(61)771500
	353(61)471285
	mail@itwpp.com
1.4. Emergency telephone nu	umber
Emergency telephone	+44(0)1235 239 670 (24h)
SECTION 2: Hazards identifi	cation
SECTION 2: Hazards identifi 2.1. Classification of the subs	
	stance or mixture
2.1. Classification of the subs	stance or mixture
2.1. Classification of the subs Classification (EC 1272/2008	stance or mixture
2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards	stance or mixture 3) Not Classified
2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards	 stance or mixture Not Classified Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412
2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards	stance or mixture 3) Not Classified Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317
2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards	 stance or mixture Not Classified Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412
2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards	 stance or mixture Not Classified Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412
2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards Human health 2.2. Label elements	 stance or mixture Not Classified Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412
2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards Human health 2.2. Label elements	 stance or mixture Not Classified Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412

Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.
Contains	TRIETHYLENETETRAMINE
Supplementary precautionary statements	 P260 Do not breathe vapour/ spray. P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/ doctor if you feel unwell. P321 Specific treatment (see medical advice on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P363 Wash contaminated clothing before reuse. P405 Store locked up.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

TRIETHYLENETETRAMINE		60-1009
CAS number: 112-24-3	EC number: 203-950-6	REACH registration number: 01- 2119487919-13-0000
Classification		
Acute Tox. 4 - H312		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Chronic 3 - H412		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Do not breathe vapour/spray. Avoid contact with skin and eyes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention.
Skin contact	Remove affected person from source of contamination. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. Get medical attention if irritation persists after washing.		
4.2. Most important symptoms and effects, both acute and delayed			
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
4.3. Indication of any immedia	te medical attention and special treatment needed		
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.		
SECTION 5: Firefighting meas	sures		
5.1. Extinguishing media			
Suitable extinguishing media	Extinguish with the following media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.		
5.2. Special hazards arising fro	om the substance or mixture		
Specific hazards	Avoid breathing fire gases or vapours.		
5.3. Advice for firefighters			
Protective actions during firefighting	Follow standard procedure for chemical fires Keep up-wind to avoid fumes. Control run-off water by containing and keeping it out of sewers and watercourses.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental release	e measures		
6.1. Personal precautions, protective equipment and emergency procedures			
Personal precautions	Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation.		
6.2. Environmental precaution	<u>S</u>		
Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.		
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.		
6.4. Reference to other section			
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet.		
SECTION 7: Handling and sto	rage		
7.1. Precautions for safe hand	ling		
Usage precautions	Use only in well-ventilated areas. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Good personal hygiene procedures should be implemented.		
7.2. Conditions for safe storag	e, including any incompatibilities		
Storage precautions	Store at room temperature. Store in tightly-closed, original container. Store away from incompatible materials (see Section 10)		

incompatible materials (see Section 10).

7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure Controls/personal protection			
8.1. Control parameters			
Ingredient comments	No exposure limits known for ingredient(s).		
	TRIETHYLENETETRAMINE (CAS: 112-24-3)		
DNEL	Workers - Inhalation; Long term systemic effects: 1 mg/m³ Workers - Inhalation; Short term systemic effects: 5380 mg/m³ Workers - Dermal; Long term systemic effects: 0.57 mg/kg/day		
8.2. Exposure controls			
Protective equipment			
Appropriate engineering controls	Provide adequate ventilation.		
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.		
Hand protection	Wear protective gloves made of the following material: Rubber or plastic. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 8 hours.		
Other skin and body protection	Wear apron or protective clothing in case of contact.		
Hygiene measures	Provide eyewash station and safety shower. Keep away from food, drink and animal feeding stuffs. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Change work clothing daily before leaving workplace.		
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.		
SECTION 9: Physical and Ch	nemical Properties		

9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Colourless to pale yellow.	
Odour	Ammonia.	

pH (diluted solution): 12 100g/l water @20oC pН

Initial boiling point and range	277°C @		
Flash point	122°C PMCC (Pensky-Martens closed cup).		
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: N/D Upper flammable/explosive limit: N/D		
Vapour pressure	<0.001 kPa @ °C		
Vapour density	5.0		
Relative density	0.98 @ 20 °C°C		
Solubility(ies)	Miscible with water.		
Partition coefficient	: LOG Pow:<0		
Auto-ignition temperature	335°C		
Viscosity	30 mPa s @ 20°C		
9.2. Other information			
Other information	Not available.		
SECTION 10: Stability and rea	activity		
10.1. Reactivity			
Reactivity	Strong oxidising agents.		
10.2. Chemical stability			
Stability	Stable at normal ambient temperatures and when used as recommended.		
10.3. Possibility of hazardous reactions			
Possibility of hazardous reactions	Not available.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight.		
10.5. Incompatible materials			
Materials to avoid	Avoid contact with oxidising agents. Nitrous acid and other nitrosating agents.		
10.6. Hazardous decompositio	on products		
Hazardous decomposition products	Fire or high temperatures create: Nitrous gases (NOx). Oxides of the following substances: Carbon monoxide (CO). Carbon dioxide (CO2). Vapours/gases/fumes of: Ammonia or amines.		
SECTION 11: Toxicological in	formation		
11.1. Information on toxicolog			
Acute toxicity - dermal			
ATE dermal (mg/kg)	1,100.0		
Inhalation	Vapours may irritate throat/respiratory system. Symptoms following overexposure may include		
	the following: Coughing.		

Eye contact	This product is strongly corrosive. Immediate first aid is imperative.
Acute and chronic health hazards	This product is corrosive. This product is corrosive. This product may cause skin and eye irritation. Prolonged contact may cause burns.
Route of entry	Inhalation Ingestion. Skin absorption
Target organs	Prolonged or repeated exposure may cause the following adverse effects: May cause damage to the liver and kidneys. Respiratory system, lungs Central nervous system
SECTION 12: Ecological Info	mation

SECTION 12: Ecological Information

Ecotoxicity	Avoid releasing into the environment. The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.		
12.1. Toxicity			
Toxicity	Not considered toxic to fish.		
Acute toxicity - fish	LC₅₀, 96 hours: 570 mg/l, Algae		
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 31 mg/l, Daphnia magna		
Acute toxicity - aquatic plants	IC₅₀, 72 hours: 20 mg/l, Fish		
12.2. Persistence and degrada	ability		
Persistence and degradability	The product is not readily biodegradable.		
12.3. Bioaccumulative potentia			
Partition coefficient	: LOG Pow:<0		
12.4. Mobility in soil			
Mobility	Not considered mobile.		
12.5. Results of PBT and vPvI	3 assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.		
12.6. Other adverse effects			
Other adverse effects	Not available.		
SECTION 13: Disposal considerations			
13.1. Waste treatment method			
General information	When handling waste, the safety precautions applying to handling of the product should be considered.		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
Waste class	08 04 99		
SECTION 14: Transport inform	nation		
General	No other information known.		
14.1. UN number			
UN No. (ADR/RID)	2259		

UN No. (IMDG)	2259
UN No. (ICAO)	2259
14.2. UN proper shipping name	2
Proper shipping name (ADR/RID)	TRIETHYLENETETRAMINE
Proper shipping name (IMDG)	TRIETHYLENETETRAMINE
Proper shipping name (ICAO)	TRIETHYLENETETRAMINE
Proper shipping name (ADN)	TRIETHYLENETETRAMINE
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	8
ADR/RID label	8
IMDG class	8
ICAO class/division	8
Transport labels	

<u>∕™ </u>	
8	
•	

14.4. Packing group	
ADR/RID packing group	II
IMDG packing group	II

ICAO packin	g group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

EmS F-A, S-B

Emergency Action Code 2X

Hazard Identification Number 80 (ADR/RID)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to No information required. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information		
Revision date	06/04/2018	
Revision	9	
Supersedes date	04/05/2016	
Hazard statements in full	H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.